

COOLING CAPACITY: 18,000 - 57,000

ENERGY-EFFICIENT

SPLIT SYSTEM AIR CONDITIONER

1½ To 5 TONS

UP TO 16 SEER



Contents

Nomenclature.....	2
Product Specifications.....	3
Expanded Cooling Data	4
AHRI Ratings	24
Wiring Diagrams	78
Dimensions	80
Accessories	80

Standard Features

- Energy-efficient compressor
- Factory-installed filter drier
- Fully charged for 15’ of tubing length
- Copper tube/aluminum fin coil
- Service valves with sweat connections and easy-to-access gauge ports
- Contactor with lug connection
- Ground lug connection
- AHRI Certified
- ETL Listed

Cabinet Features

- Heavy-gauge galvanized-steel cabinet with a louvered sound control top
- Attractive Architectural Gray powder-paint finish with 500-hour salt-spray approval
- Wire fan discharge grille
- Steel louver coil guard
- Single-panel access to controls with space provided for field-installed accessories
- When properly anchored, meets the 2010 Florida Building Code unit integrity requirements for hurricane-type winds (Anchor bracket kits available.)



* Complete warranty details available from your local dealer or at www.franklinhvacsystems.com. To receive the 10-Year Compressor Limited Warranty and 10-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec.

G		S		X		16		036		1		AA	
1		2		3		4,5		6,7,8		9		10,11	
Brand										Engineering			
G Franklin® Brand										Major & Minor Revisions (not used for inventory or ordering)			
Product Category										Electrical			
S Split System										1 208/230 V, 1 Phase, 60 Hz			
										2 220/240 V, 1 Phase, 50 Hz			
										3 208/230 V, 3 Phase, 60 Hz			
Unit Type										Nominal Capacity			
X Condenser R-410A										018 1½ Tons	030 2½ Tons	042 3½ Tons	
Z Heat Pump R-410A													
Efficiency										019 1½ Tons	031 2½ Tons	043 3½ Tons	
13 13 SEER	16 16 SEER									024 2 Tons	036 3 Tons	048 4 Tons	
14 14 SEER	18 18 SEER									025 2 Tons	037 3 Tons	060 5 Tons	

	GSX16 0181F*	GSX16 0241F*	GSX16 0301F*	GSX16 0311A*	GSX16 0361F*	GSX16 0371A*	GSX16 0421F*	GSX16 0481F*	GSX16 0601F*	GSX16 0611F*
CAPACITIES										
Nominal Cooling (BTU/h)	18,000	23,600	29,000	30,000	34,800	36,000	42,000	45,500	54,000	57,000
SEER	16	16	16	16	16	16	16	16	16	16
Decibels	71.5	71.5	71.5	73.5	71.5	73	73	73	73	73
COMPRESSOR										
RLA	9.0	13.5	12.8	12.8	14.1	15.4	17.9	17.9	21.4	25
LRA	46	58.3	64	64	77	83.9	112	112	135	134
CONDENSER FAN MOTOR										
Horsepower	1/6	1/6	1/6	1/6	1/6	1/6	1/6	1/4	1/3	1/4
FLA	0.95	0.95	0.95	0.95	0.95	0.95	0.95	1.30	2.80	1.30
REFRIGERATION SYSTEM										
Refrigerant Line Size ¹										
Liquid Line Size ("O.D.)	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"
Suction Line Size ("O.D.)	3/4"	3/4"	7/8"	7/8"	7/8"	7/8"	7/8"	7/8"	7/8"	7/8"
Refrigerant Connection Size										
Liquid Valve Size ("O.D.)	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"
Suction Valve Size ("O.D.)	3/4"	3/4"	7/8"	7/8"	7/8"	7/8"	7/8"	7/8"	7/8"	7/8"
Valve Type	Sweat	Sweat	Sweat	Sweat	Sweat	Sweat	Sweat	Sweat	Sweat	Sweat
Refrigerant Charge	78	70	78	94	94	93	110	121	237	125
ELECTRICAL DATA										
Voltage-Phase (60 Hz)	208/230-1	208/230-1	208/230-1	208/230-1	208/230-1	208/230-1	208/230-1	208/230-1	208/230-1	208/230-1
Minimum Circuit Ampacity ²	12.2	17.8	17.0	17.0	18.6	20.2	23.3	23.7	29.6	32.6
Max. Overcurrent Protection ³	20	30	25	25	30	35	40	40	50	50
Min / Max Volts	197/253	197/253	197/253	197/253	197/253	197/253	197/253	197/253	197/253	197/253
Electrical Conduit Size	1/2" or 3/4"	1/2" or 3/4"	1/2" or 3/4"	1/2" or 3/4"	1/2" or 3/4"	1/2" or 3/4"	1/2" or 3/4"	1/2" or 3/4"	1/2" or 3/4"	1/2" or 3/4"
EQUIPMENT WEIGHT (LBS)	145	142	149	155	162	182	206	219	279	291
SHIP WEIGHT (LBS)	163	160	167	179	180	204	228	241	301	314

¹ Tested and rated in accordance with AHRI Standard 210/240

² Wire size should be determined in accordance with National Electrical Codes; extensive wire runs will require larger wire sizes

³ Must use time-delay fuses or HACR-type circuit breakers of the same size as noted.

NOTES

- Always check the S&R plate for electrical data on the unit being installed.
- Installer will need to supply 3/8" to 1 1/2" adapters for suction line connections.
- Unit is charged with refrigerant for 15' of 3/8" liquid line. System charge must be adjusted per Installation Instructions Final Charge Procedure.
- Installation of these units requires the specified TXV Kit to be installed on the indoor coil.
THE SPECIFIED TXV IS DETERMINED BY THE OUTDOOR UNIT NOT THE INDOOR COIL.

IDB		AIRFLOW		OUTDOOR AMBIENT TEMPERATURE																																															
				65°F								75°F								85°F								95°F								105°F								115°F							
				ENTERING INDOOR WET BULB TEMPERATURE																																															
		59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71																		
70	525	MBh	15.8	16.4	17.9	-	15.4	16.0	17.5	-	15.1	15.6	17.1	-	14.7	15.2	16.7	-	14.0	14.5	15.9	-	12.9	13.4	14.7	-	12.9	13.4	14.7	-	12.9	13.4	14.7	-																	
		S/T	0.68	0.57	0.40	-	0.71	0.59	0.41	-	0.73	0.61	0.42	-	0.75	0.63	0.43	-	0.78	0.65	0.45	-	0.78	0.66	0.45	-	0.78	0.66	0.45	-	0.78	0.66	0.45	-																	
		ΔT	19	16	12	-	19	17	13	-	19	17	13	-	19	17	13	-	19	16	13	-	18	15	12	-	18	15	12	-	18	15	12	-																	
		kW	1.18	1.20	1.23	-	1.26	1.28	1.31	-	1.32	1.35	1.38	-	1.38	1.41	1.45	-	1.43	1.46	1.50	-	1.47	1.50	1.54	-	1.47	1.50	1.54	-	1.47	1.50	1.54	-																	
		Amps	4.3	4.3	4.5	-	4.6	4.7	4.8	-	4.9	5.0	5.2	-	5.2	5.4	5.5	-	5.6	5.7	5.9	-	5.9	6.0	6.2	-	5.9	6.0	6.2	-	5.9	6.0	6.2	-																	
		Hi PR	199	214	226	-	223	240	254	-	254	273	289	-	289	311	329	-	326	350	370	-	360	387	409	-	360	387	409	-	360	387	409	-																	
70	650	LoPR	101	108	118	-	107	114	125	-	111	119	129	-	117	125	136	-	123	130	142	-	127	135	147	-	127	135	147	-	127	135	147	-																	
		MBh	17.1	17.7	19.4	-	16.7	17.3	19.0	-	16.3	16.9	18.5	-	15.9	16.5	18.1	-	15.1	15.7	17.2	-	14.0	14.5	15.9	-	14.0	14.5	15.9	-	14.0	14.5	15.9	-																	
		S/T	0.71	0.59	0.41	-	0.73	0.61	0.43	-	0.75	0.63	0.44	-	0.78	0.65	0.45	-	0.81	0.67	0.47	-	0.81	0.68	0.47	-	0.81	0.68	0.47	-	0.81	0.68	0.47	-																	
		ΔT	17	15	11	-	17	15	11	-	17	15	11	-	18	15	12	-	17	15	11	-	16	14	11	-	16	14	11	-	16	14	11	-																	
		kW	1.21	1.23	1.26	-	1.28	1.31	1.34	-	1.35	1.38	1.41	-	1.41	1.44	1.48	-	1.46	1.49	1.53	-	1.51	1.54	1.58	-	1.51	1.54	1.58	-	1.51	1.54	1.58	-																	
		Amps	4.4	4.5	4.6	-	4.7	4.8	4.9	-	5.1	5.2	5.3	-	5.4	5.5	5.7	-	5.7	5.8	6.0	-	6.0	6.2	6.4	-	6.0	6.2	6.4	-	6.0	6.2	6.4	-																	
70	675	Hi PR	205	221	233	-	230	248	262	-	262	282	298	-	298	321	339	-	336	361	381	-	371	399	421	-	371	399	421	-	371	399	421	-																	
		LoPR	105	111	122	-	111	118	128	-	115	122	133	-	121	128	140	-	126	135	147	-	131	139	152	-	131	139	152	-	131	139	152	-																	
		MBh	17.1	17.7	19.4	-	16.7	17.3	19.0	-	16.3	16.9	18.5	-	15.9	16.5	18.1	-	15.1	15.7	17.2	-	14.0	14.5	15.9	-	14.0	14.5	15.9	-	14.0	14.5	15.9	-																	
		S/T	0.71	0.59	0.41	-	0.73	0.61	0.43	-	0.75	0.63	0.44	-	0.78	0.65	0.45	-	0.81	0.67	0.47	-	0.81	0.68	0.47	-	0.81	0.68	0.47	-	0.81	0.68	0.47	-																	
		ΔT	17	14	11	-	17	14	11	-	17	15	11	-	17	15	11	-	17	14	11	-	16	13	10	-	16	13	10	-	16	13	10	-																	
		kW	1.21	1.23	1.26	-	1.28	1.31	1.34	-	1.35	1.38	1.41	-	1.41	1.44	1.48	-	1.46	1.49	1.53	-	1.51	1.54	1.58	-	1.51	1.54	1.58	-	1.51	1.54	1.58	-																	
75	525	Amps	4.4	4.5	4.6	-	4.7	4.8	4.9	-	5.1	5.2	5.3	-	5.4	5.5	5.7	-	5.7	5.8	6.0	-	6.0	6.2	6.4	-	6.0	6.2	6.4	-	6.0	6.2	6.4	-																	
		Hi PR	205	221	233	-	230	248	262	-	262	282	298	-	298	321	339	-	336	361	381	-	371	399	421	-	371	399	421	-	371	399	421	-																	
		LoPR	105	111	122	-	111	118	128	-	115	122	133	-	121	128	140	-	126	135	147	-	131	139	152	-	131	139	152	-	131	139	152	-																	
		MBh	16.1	16.5	17.9	19.2	15.7	16.2	17.5	18.8	15.3	15.8	17.1	18.3	15.0	15.4	16.7	17.9	14.2	14.6	15.8	17.0	13.2	13.5	14.7	15.7	13.2	13.5	14.7	15.7	13.2	13.5	14.7	15.7																	
		S/T	0.78	0.69	0.53	0.34	0.81	0.72	0.55	0.35	0.83	0.74	0.56	0.36	0.85	0.76	0.58	0.37	0.88	0.79	0.60	0.39	0.89	0.80	0.60	0.39	0.89	0.80	0.60	0.39	0.89	0.80	0.60	0.39																	
		ΔT	22	20	16	11	22	20	17	12	22	20	17	12	22	21	17	12	22	20	17	11	21	19	16	11	21	19	16	11	21	19	16	11																	
75	650	kW	1.19	1.21	1.24	1.28	1.27	1.29	1.32	1.36	1.33	1.36	1.39	1.43	1.39	1.42	1.46	1.50	1.44	1.47	1.51	1.55	1.48	1.51	1.56	1.48	1.51	1.56	1.60	1.48	1.51	1.56	1.60																		
		Amps	4.3	4.4	4.5	4.7	4.6	4.7	4.9	5.0	5.0	5.1	5.2	5.4	5.3	5.4	5.6	5.8	5.6	5.7	5.9	6.1	5.9	6.1	6.3	6.5	5.9	6.1	6.3	6.5	5.9	6.1	6.3	6.5																	
		Hi PR	201	216	229	238	226	243	257	268	257	276	292	304	292	315	332	347	329	354	374	390	363	391	413	431	363	391	413	431	363	391	413	431																	
		LoPR	103	109	119	127	108	115	126	134	113	120	131	139	118	126	137	146	124	132	144	153	128	136	149	159	128	136	149	159	128	136	149	159																	
		MBh	17.4	17.9	19.4	20.8	17.0	17.5	19.0	20.3	16.6	17.1	18.5	19.9	16.2	16.7	18.1	19.4	15.4	15.8	17.2	18.4	14.3	14.7	15.9	17.1	14.3	14.7	15.9	17.1	14.3	14.7	15.9	17.1																	
		S/T	0.81	0.72	0.55	0.35	0.84	0.75	0.57	0.36	0.86	0.77	0.58	0.37	0.88	0.79	0.60	0.38	0.92	0.82	0.62	0.40	0.93	0.83	0.63	0.40	0.93	0.83	0.63	0.40	0.93	0.83	0.63	0.40																	
75	675	ΔT	20	18	15	10	20	19	15	10	20	19	15	10	20	19	15	10	20	18	15	10	19	17	14	10	19	17	14	10	19	17	14	10																	
		kW	1.21	1.24	1.27	1.30	1.29	1.32	1.35	1.39	1.36	1.39	1.42	1.46	1.42	1.45	1.49	1.53	1.47	1.50	1.54	1.59	1.52	1.55	1.59	1.52	1.55	1.59	1.64	1.52	1.55	1.59	1.64																		
		Amps	4.4	4.5	4.6	4.8	4.7	4.8	5.0	5.2	5.1	5.2	5.4	5.6	5.4	5.6	5.7	5.9	5.8	5.9	6.1	6.3	6.1	6.2	6.4	6.7	6.1	6.2	6.4	6.7	6.1	6.2	6.4	6.7																	
		Hi PR	207	223	236	246	233	250	264	276	265	285	301	314	301	324	343	357	339	365	385	402	375	403	426	444	375	403	426	444	375	403	426	444																	
		LoPR	106	112	123	131	112	119	130	138	116	123	135	144	122	130	142	151	128	136	148	158	132	141	153	163	132	141	153	163	132	141	153	163																	
		MBh	17.4	17.9	19.4	20.8	17.0	17.5	19.0	20.3	16.6	17.1	18.5	19.9	16.2	16.7	18.1	19.4	15.4	15.8	17.2	18.4	14.3	14.7	15.9	17.1	14.3	14.7	15.9	17.1	14.3	14.7	15.9	17.1																	
75	675	S/T	0.81	0.72	0.55	0.35	0.84	0.75	0.57	0.36	0.86	0.77	0.58	0.37	0.88	0.79	0.60	0.38	0.92	0.82	0.62	0.40	0.93	0.83	0.63	0.40	0.93	0.83	0.63	0.40	0.93	0.83	0.63	0.40																	
		ΔT	19	18	14	10	19	18	15	10	19	18	15	10	20	18	15	10	19	18	15	10	18	17	14	9	18	17	14	9	18	17	14	9																	
		kW	1.21	1.24	1.27	1.30	1.29	1.32	1.35	1.39	1.36	1.39	1.42	1.46	1.42	1.45	1.49	1.53	1.47	1.50	1.54	1.59	1.52	1.55	1.59	1.64	1.52	1.55	1.59	1.64	1.52	1.55	1.59	1.64																	
		Amps	4.4	4.5	4.6	4.8	4.7	4.8	5.0	5.2	5.1	5.2	5.4	5.6	5.4	5.6	5.7	5.9	5.8	5.9																															

		OUTDOOR AMBIENT TEMPERATURE																																			
		65°F						75°F						85°F						95°F						105°F						115°F					
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71								
700	MBh	22.1	22.9	25.1	-	21.6	22.4	24.5	-	21.1	21.9	23.9	-	20.6	21.3	23.4	-	19.5	20.3	22.2	-	18.1	18.8	20.6	-	18.1	18.8	20.6	-								
	S/T	0.69	0.58	0.40	-	0.72	0.60	0.42	-	0.74	0.61	0.43	-	0.76	0.63	0.44	-	0.79	0.66	0.46	-	0.80	0.66	0.46	-	0.80	0.66	0.46	-								
	ΔT	20	17	13	-	20	18	13	-	20	18	13	-	21	18	13	-	20	18	13	-	19	16	12	-	19	16	12	-								
	kW	1.54	1.57	1.61	-	1.64	1.67	1.72	-	1.74	1.77	1.82	-	1.82	1.86	1.91	-	1.89	1.93	1.99	-	1.95	1.99	2.05	-	1.95	1.99	2.05	-								
	Amps	5.7	5.8	6.0	-	6.1	6.3	6.5	-	6.6	6.8	7.0	-	7.1	7.3	7.5	-	7.5	7.7	8.0	-	8.0	8.2	8.4	-	8.0	8.2	8.4	-								
750	Hi PR	205	221	233	-	230	248	262	-	262	282	298	-	298	321	339	-	336	361	381	-	371	399	421	-	371	399	421	-								
	Lo PR	103	109	119	-	109	116	126	-	113	120	131	-	119	126	138	-	124	132	144	-	129	137	149	-	129	137	149	-								
	MBh	22.5	23.3	25.5	-	21.9	22.7	24.9	-	21.4	22.2	24.3	-	20.9	21.6	23.7	-	19.8	20.6	22.5	-	18.4	19.1	20.9	-	18.4	19.1	20.9	-								
	S/T	0.72	0.60	0.42	-	0.74	0.62	0.43	-	0.76	0.64	0.44	-	0.79	0.66	0.46	-	0.82	0.68	0.47	-	0.82	0.69	0.48	-	0.82	0.69	0.48	-								
	ΔT	20	17	13	-	20	17	13	-	20	17	13	-	20	17	13	-	20	17	13	-	19	16	12	-	19	16	12	-								
900	kW	1.56	1.59	1.63	-	1.66	1.70	1.75	-	1.76	1.79	1.85	-	1.84	1.88	1.94	-	1.91	1.95	2.01	-	1.98	2.02	2.08	-	1.98	2.02	2.08	-								
	Amps	5.8	5.9	6.1	-	6.2	6.4	6.6	-	6.7	6.9	7.1	-	7.2	7.4	7.6	-	7.6	7.8	8.1	-	8.1	8.3	8.6	-	8.1	8.3	8.6	-								
	Hi PR	209	225	237	-	234	252	266	-	267	287	303	-	304	327	345	-	342	368	388	-	377	406	429	-	377	406	429	-								
	Lo PR	105	111	122	-	111	118	128	-	115	122	133	-	121	128	140	-	126	135	147	-	131	139	152	-	131	139	152	-								
	MBh	23.2	24.1	26.4	-	22.7	23.5	25.8	-	22.2	23.0	25.2	-	21.6	22.4	24.5	-	20.5	21.3	23.3	-	19.0	19.7	21.6	-	19.0	19.7	21.6	-								
70	S/T	0.76	0.64	0.44	-	0.79	0.66	0.46	-	0.81	0.68	0.47	-	0.84	0.70	0.48	-	0.87	0.73	0.50	-	0.88	0.73	0.51	-	0.88	0.73	0.51	-								
	ΔT	18	16	12	-	18	16	12	-	18	16	12	-	18	16	12	-	18	16	12	-	17	15	11	-	17	15	11	-								
	kW	1.58	1.61	1.65	-	1.69	1.72	1.77	-	1.78	1.82	1.87	-	1.87	1.91	1.97	-	1.94	1.98	2.04	-	2.01	2.05	2.11	-	2.01	2.05	2.11	-								
	Amps	5.9	6.0	6.2	-	6.3	6.5	6.7	-	6.9	7.0	7.3	-	7.3	7.5	7.7	-	7.8	8.0	8.2	-	8.2	8.4	8.7	-	8.2	8.4	8.7	-								
	Hi PR	213	229	242	-	239	257	272	-	272	293	309	-	310	333	352	-	348	375	396	-	385	414	437	-	385	414	437	-								
900	Lo PR	107	114	124	-	113	120	131	-	117	125	136	-	123	131	143	-	129	137	150	-	133	142	155	-	133	142	155	-								

75	700		MBh	22.5	23.2	25.1	26.9	22.0	22.6	24.5	26.3	21.4	22.1	23.9	25.6	20.9	21.5	23.3	25.0	19.9	20.5	22.1	23.8	18.4	19.0	20.5	22.0
			S/T	0.79	0.70	0.53	0.34	0.82	0.73	0.55	0.36	0.84	0.75	0.57	0.36	0.86	0.77	0.58	0.38	0.90	0.80	0.61	0.39	0.90	0.81	0.61	0.39
			ΔT	23	21	18	12	24	22	18	12	24	22	18	12	24	22	18	12	23	22	18	12	22	20	16	11
			kW	1.55	1.58	1.62	1.67	1.66	1.69	1.74	1.79	1.75	1.78	1.84	1.89	1.83	1.87	1.93	1.99	1.90	1.94	2.00	2.06	1.96	2.00	2.07	2.13
			Amps	5.7	5.9	6.1	6.3	6.2	6.3	6.5	6.8	6.7	6.9	7.1	7.3	7.2	7.3	7.6	7.8	7.6	7.8	8.0	8.3	8.0	8.2	8.5	8.8
750	750		Hi PR	207	223	236	246	233	250	264	276	265	285	301	314	301	324	343	357	339	365	385	402	375	403	426	444
			Lo PR	104	111	121	128	110	117	127	136	114	121	132	141	120	127	139	148	126	134	146	155	130	138	151	161
			MBh	22.8	23.5	25.4	27.3	22.3	23.0	24.9	26.7	21.8	22.4	24.3	26.0	21.2	21.9	23.7	25.4	20.2	20.8	22.5	24.1	18.7	19.2	20.8	22.4
			S/T	0.82	0.73	0.55	0.36	0.85	0.76	0.57	0.37	0.87	0.78	0.59	0.38	0.90	0.80	0.61	0.39	0.93	0.83	0.63	0.40	0.94	0.84	0.63	0.41
			ΔT	23	21	17	12	23	21	17	12	23	21	17	12	23	21	18	12	23	21	17	12	21	20	16	11
900	900		kW	1.57	1.60	1.64	1.69	1.68	1.71	1.76	1.81	1.77	1.81	1.86	1.92	1.86	1.89	1.95	2.01	1.93	1.97	2.03	2.09	1.99	2.03	2.09	2.16
			Amps	5.8	6.0	6.1	6.4	6.3	6.4	6.6	6.9	6.8	7.0	7.2	7.5	7.3	7.4	7.7	8.0	7.7	7.9	8.2	8.5	8.2	8.4	8.6	9.0
			Hi PR	211	227	240	250	237	255	269	281	269	290	306	319	307	330	348	363	345	371	392	409	381	410	433	452
			Lo PR	106	112	123	131	112	119	130	138	116	123	135	144	122	130	142	151	128	136	148	158	132	141	153	163
			MBh	23.6	24.3	26.3	28.3	23.1	23.8	25.7	27.6	22.5	23.2	25.1	27.0	22.0	22.6	24.5	26.3	20.9	21.5	23.3	25.0	19.3	19.9	21.6	23.1
			S/T	0.87	0.78	0.59	0.38	0.90	0.80	0.61	0.39	0.92	0.83	0.62	0.40	0.95	0.85	0.64	0.41	0.99	0.88	0.67	0.43	1.00	0.89	0.67	0.43
			ΔT	21	19	16	11	21	20	16	11	21	20	16	11	21	20	16	11	21	19	16	11	20	18	15	10
			kW	1.59	1.62	1.67	1.72	1.70	1.73	1.79	1.84	1.80	1.83	1.89	1.95	1.88	1.92	1.98	2.04	1.96	2.00	2.06	2.12	2.02	2.06	2.13	2.19
			Amps	5.9	6.1	6.3	6.5	6.4	6.5	6.7	7.0	6.9	7.1	7.3	7.6	7.4	7.6	7.8	8.1	7.9	8.0	8.3	8.6	8.3	8.5	8.8	9.1
			Hi PR	215	232	245	255	241	260	274	286	275	296	312	326	313	337	355	371	352	379	400	417	389	418	442	461
			Lo PR	108	115	125	133	114	121	132	141	118	126	137	146	124	132	144	154	130	139	151	161	135	143	157	167

		OUTDOOR AMBIENT TEMPERATURE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		65°F								75°F								85°F								95°F								105°F								115°F																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
IDB	AIRFLOW	59	63	67	71	75	79	83	87	91	95	99	103	107	111	115	119	123	127	131	135	139	143	147	151	155	159	163	167	171	175	179	183	187	191	195	199	203	207	211	215	219	223	227	231	235	239	243	247	251	255	259	263	267	271	275	279	283	287	291	295	299	303	307	311	315	319	323	327	331	335	339	343	347	351	355	359	363	367	371	375	379	383	387	391	395	399	403	407	411	415	419	423	427	431	435	439	443	447	451	455	459	463	467	471	475	479	483	487	491	495	499	503	507	511	515	519	523	527	531	535	539	543	547	551	555	559	563	567	571	575	579	583	587	591	595	599	603	607	611	615	619	623	627	631	635	639	643	647	651	655	659	663	667	671	675	679	683	687	691	695	699	703	707	711	715	719	723	727	731	735	739	743	747	751	755	759	763	767	771	775	779	783	787	791	795	799	803	807	811	815	819	823	827	831	835	839	843	847	851	855	859	863	867	871	875	879	883	887	891	895	899	903	907	911	915	919	923	927	931	935	939	943	947	951	955	959	963	967	971	975	979	983	987	991	995	999	1003	1007	1011	1015	1019	1023	1027	1031	1035	1039	1043	1047	1051	1055	1059	1063	1067	1071	1075	1079	1083	1087	1091	1095	1099	1103	1107	1111	1115	1119	1123	1127	1131	1135	1139	1143	1147	1151	1155	1159	1163	1167	1171	1175	1179	1183	1187	1191	1195	1199	1203	1207	1211	1215	1219	1223	1227	1231	1235	1239	1243	1247	1251	1255	1259	1263	1267	1271	1275	1279	1283	1287	1291	1295	1299	1303	1307	1311	1315	1319	1323	1327	1331	1335	1339	1343	1347	1351	1355	1359	1363	1367	1371	1375	1379	1383	1387	1391	1395	1399	1403	1407	1411	1415	1419	1423	1427	1431	1435	1439	1443	1447	1451	1455	1459	1463	1467	1471	1475	1479	1483	1487	1491	1495	1499	1503	1507	1511	1515	1519	1523	1527	1531	1535	1539	1543	1547	1551	1555	1559	1563	1567	1571	1575	1579	1583	1587	1591	1595	1599	1603	1607	1611	1615	1619	1623	1627	1631	1635	1639	1643	1647	1651	1655	1659	1663	1667	1671	1675	1679	1683	1687	1691	1695	1699	1703	1707	1711	1715	1719	1723	1727	1731	1735	1739	1743	1747	1751	1755	1759	1763	1767	1771	1775	1779	1783	1787	1791	1795	1799	1803	1807	1811	1815	1819	1823	1827	1831	1835	1839	1843	1847	1851	1855	1859	1863	1867	1871	1875	1879	1883	1887	1891	1895	1899	1903	1907	1911	1915	1919	1923	1927	1931	1935	1939	1943	1947	1951	1955	1959	1963	1967	1971	1975	1979	1983	1987	1991	1995	1999	2003	2007	2011	2015	2019	2023	2027	2031	2035	2039	2043	2047	2051	2055	2059	2063	2067	2071	2075	2079	2083	2087	2091	2095	2099	2103	2107	2111	2115	2119	2123	2127	2131	2135	2139	2143	2147	2151	2155	2159	2163	2167	2171	2175	2179	2183	2187	2191	2195	2199	2203	2207	2211	2215	2219	2223	2227	2231	2235	2239	2243	2247	2251	2255	2259	2263	2267	2271	2275	2279	2283	2287	2291	2295	2299	2303	2307	2311	2315	2319	2323	2327	2331	2335	2339	2343	2347	2351	2355	2359	2363	2367	2371	2375	2379	2383	2387	2391	2395	2399	2403	2407	2411	2415	2419	2423	2427	2431	2435	2439	2443	2447	2451	2455	2459	2463	2467	2471	2475	2479	2483	2487	2491	2495	2499	2503	2507	2511	2515	2519	2523	2527	2531	2535	2539	2543	2547	2551	2555	2559	2563	2567	2571	2575	2579	2583	2587	2591	2595	2599	2603	2607	2611	2615	2619	2623	2627	2631	2635	2639	2643	2647	2651	2655	2659	2663	2667	2671	2675	2679	2683	2687	2691	2695	2699	2703	2707	2711	2715	2719	2723	2727	2731	2735	2739	2743	2747	2751	2755	2759	2763	2767	2771	2775	2779	2783	2787	2791	2795	2799	2803	2807	2811	2815	2819	2823	2827	2831	2835	2839	2843	2847	2851	2855	2859	2863	2867	2871	2875	2879	2883	2887	2891	2895	2899	2903	2907	2911	2915	2919	2923	2927	2931	2935	2939	2943	2947	2951	2955	2959	2963	2967	2971	2975	2979	2983	2987	2991	2995	2999	3003	3007	3011	3015	3019	3023	3027	3031	3035	3039	3043	3047	3051	3055	3059	3063	3067	3071	3075	3079	3083	3087	3091	3095	3099	3103	3107	3111	3115	3119	3123	3127	3131	3135	3139	3143	3147	3151	3155	3159	3163	3167	3171	3175	3179	3183	3187	3191	3195	3199	3203	3207	3211	3215	3219	3223	3227	3231	3235	3239	3243	3247	3251	3255	3259	3263	3267	3271	3275	3279	3283	3287	3291	3295	3299	3303	3307	3311	3315	3319	3323	3327	3331	3335	3339	3343	3347	3351	3355	3359	3363	3367	3371	3375	3379	3383	3387	3391	3395	3399	3403	3407	3411	3415	3419	3423	3427	3431	3435	3439	3443	3447	3451	3455	3459	3463	3467	3471	3475	3479	3483	3487	3491	3495	3499	3503	3507	3511	3515	3519	3523	3527	3531	3535	3539	3543	3547	3551	3555	3559	3563	3567	3571	3575	3579	3583	3587	3591	3595	3599	3603	3607	3611	3615	3619	3623	3627	3631	3635	3639	3643	3647	3651	3655	3659	3663	3667	3671	3675	3679	3683	3687	3691	3695	3699	3703	3707	3711	3715	3719	3723	3727	3731	3735	3739	3743	3747	3751	3755	3759	3763	3767	3771	3775	3779	3783	3787	3791	3795	3799	3803	3807	3811	3815	3819	3823	3827	3831	3835	3839	3843	3847	3851	3855	3859	3863	3867	3871	3875	3879	3883	3887	3891	3895	3899	3903	3907	3911	3915	3919	3923	3927	3931	3935	3939	3943	3947	3951	3955	3959	3963	3967	3971	3975	3979	3983	3987	3991	3995	3999	4003	4007	4011	4015	4019	4023	4027	4031	4035	4039	4043	4047	4051	4055	4059	4063	4067	4071	4075	4079	4083	4087	4091	4095	4099	4103	4107	4111	4115	4119	4123	4127	4131	4135	4139	4143	4147	4151	4155	4159	4163	4167	4171	4175	4179	4183	4187	4191	4195	4199	4203	4207	4211	4215	4219	4223	4227	4231	4235	4239	4243	4247	4251	4255	4259	4263	4267	4271	4275	4279	4283	4287	4291	4295	4299	4303	4307	4311	4315	4319	4323	4327	4331	4335	4339	4343	4347	4351	4355	4359	4363	4367	4371	4375	4379	4383	4387	4391	4395	4399	4403	4407	4411	4415	4419	4423	4427	4431	4435	4439	4443	4447	4451	4455	4459	4463	4467	4471	4475	4479	4483	4487	4491	4495	4499	4503	4507	4511	4515	4519	4523	4527	4531	4535	4539	4543	4547	4551	4555	4559	4563	4567	4571	4575	4579	4583	4587	4591	4595	4599	4603	4607	4611	4615	4619	4623	4627	4631	4635	4639	4643	4647	4651	4655	4659	4663	4667	4671	4675	4679	4683	4687	4691	4695	4699	4703	4707	4711	4715	4719	4723	4727	4731	4735	4739	4743	4747	4751	4755	4759	4763	4767	4771	4775	4779	4783	4787	4791	4795	4799	4803	4807	4811	4815	4819	4823	4827	4831	4835	4839	4843	4847	4851	4855	4859	4863	4867	4871	4875	4879	4883	4887	4891	4895	4899	4903	4907	4911	4915	4919	4923	4927	4931	4935	4939	4943	4947	4951	4955	4959	4963	4967	4971	4975	4979	4983	4987	4991	4995	4999	5003	5007	5011	5015	5019	5023	5027	5031	5035	5039	5043	5047	5051	5055	5059	5063	5067	5071	5075	5079	5083	5087	5091	5095	5099	5103	5107	5111	5115	5119	5123	5127	5131	5135	5139	5143	5147	5151	5155	5159	5163	5167	5171	5175	5179	5183	5187	5191	5195	5199	5203	5207	5211	5215	5219	5223	5227	5231	5235	5239	5243	5247	5251	5255	5259	5263	5267	5271	5275	5279	5283	5287	5291	5295	5299	5303	5307	5311	5315	5319	5323	5327	5331	5335	5339	5343	5347	5351	5355	5359	5363	5367	5371	5375	5379	5383	5387	5391	5395	5399	5403	5407	5411	5415	5419	5423	5427	5431	5435	5439	5443	5447	5451	5455	5459	5463	5467	5471	5475	5479	5483	5487	5491	5495	5499	5503	5507	5511	5515	5519	5523	5527	5531	5535	5539	5543	5547	5551	5555	5559	5563	5567	5571	5575	5579	5583	5587	5591	5595	5599	5603	5607	5611	5615</

		OUTDOOR AMBIENT TEMPERATURE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		65°F								75°F								85°F																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		ENTERING INDOOR WET BULB TEMPERATURE																95°F																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
IDB	AIRFLOW	59	63	67	71	75	79	83	87	91	95	99	103	107	111	115	119	123	127	131	135	139	143	147	151	155	159	163	167	171	175	179	183	187	191	195	199	203	207	211	215	219	223	227	231	235	239	243	247	251	255	259	263	267	271	275	279	283	287	291	295	299	303	307	311	315	319	323	327	331	335	339	343	347	351	355	359	363	367	371	375	379	383	387	391	395	399	403	407	411	415	419	423	427	431	435	439	443	447	451	455	459	463	467	471	475	479	483	487	491	495	499	503	507	511	515	519	523	527	531	535	539	543	547	551	555	559	563	567	571	575	579	583	587	591	595	599	603	607	611	615	619	623	627	631	635	639	643	647	651	655	659	663	667	671	675	679	683	687	691	695	699	703	707	711	715	719	723	727	731	735	739	743	747	751	755	759	763	767	771	775	779	783	787	791	795	799	803	807	811	815	819	823	827	831	835	839	843	847	851	855	859	863	867	871	875	879	883	887	891	895	899	903	907	911	915	919	923	927	931	935	939	943	947	951	955	959	963	967	971	975	979	983	987	991	995	999	1003	1007	1011	1015	1019	1023	1027	1031	1035	1039	1043	1047	1051	1055	1059	1063	1067	1071	1075	1079	1083	1087	1091	1095	1099	1103	1107	1111	1115	1119	1123	1127	1131	1135	1139	1143	1147	1151	1155	1159	1163	1167	1171	1175	1179	1183	1187	1191	1195	1199	1203	1207	1211	1215	1219	1223	1227	1231	1235	1239	1243	1247	1251	1255	1259	1263	1267	1271	1275	1279	1283	1287	1291	1295	1299	1303	1307	1311	1315	1319	1323	1327	1331	1335	1339	1343	1347	1351	1355	1359	1363	1367	1371	1375	1379	1383	1387	1391	1395	1399	1403	1407	1411	1415	1419	1423	1427	1431	1435	1439	1443	1447	1451	1455	1459	1463	1467	1471	1475	1479	1483	1487	1491	1495	1499	1503	1507	1511	1515	1519	1523	1527	1531	1535	1539	1543	1547	1551	1555	1559	1563	1567	1571	1575	1579	1583	1587	1591	1595	1599	1603	1607	1611	1615	1619	1623	1627	1631	1635	1639	1643	1647	1651	1655	1659	1663	1667	1671	1675	1679	1683	1687	1691	1695	1699	1703	1707	1711	1715	1719	1723	1727	1731	1735	1739	1743	1747	1751	1755	1759	1763	1767	1771	1775	1779	1783	1787	1791	1795	1799	1803	1807	1811	1815	1819	1823	1827	1831	1835	1839	1843	1847	1851	1855	1859	1863	1867	1871	1875	1879	1883	1887	1891	1895	1899	1903	1907	1911	1915	1919	1923	1927	1931	1935	1939	1943	1947	1951	1955	1959	1963	1967	1971	1975	1979	1983	1987	1991	1995	1999	2003	2007	2011	2015	2019	2023	2027	2031	2035	2039	2043	2047	2051	2055	2059	2063	2067	2071	2075	2079	2083	2087	2091	2095	2099	2103	2107	2111	2115	2119	2123	2127	2131	2135	2139	2143	2147	2151	2155	2159	2163	2167	2171	2175	2179	2183	2187	2191	2195	2199	2203	2207	2211	2215	2219	2223	2227	2231	2235	2239	2243	2247	2251	2255	2259	2263	2267	2271	2275	2279	2283	2287	2291	2295	2299	2303	2307	2311	2315	2319	2323	2327	2331	2335	2339	2343	2347	2351	2355	2359	2363	2367	2371	2375	2379	2383	2387	2391	2395	2399	2403	2407	2411	2415	2419	2423	2427	2431	2435	2439	2443	2447	2451	2455	2459	2463	2467	2471	2475	2479	2483	2487	2491	2495	2499	2503	2507	2511	2515	2519	2523	2527	2531	2535	2539	2543	2547	2551	2555	2559	2563	2567	2571	2575	2579	2583	2587	2591	2595	2599	2603	2607	2611	2615	2619	2623	2627	2631	2635	2639	2643	2647	2651	2655	2659	2663	2667	2671	2675	2679	2683	2687	2691	2695	2699	2703	2707	2711	2715	2719	2723	2727	2731	2735	2739	2743	2747	2751	2755	2759	2763	2767	2771	2775	2779	2783	2787	2791	2795	2799	2803	2807	2811	2815	2819	2823	2827	2831	2835	2839	2843	2847	2851	2855	2859	2863	2867	2871	2875	2879	2883	2887	2891	2895	2899	2903	2907	2911	2915	2919	2923	2927	2931	2935	2939	2943	2947	2951	2955	2959	2963	2967	2971	2975	2979	2983	2987	2991	2995	2999	3003	3007	3011	3015	3019	3023	3027	3031	3035	3039	3043	3047	3051	3055	3059	3063	3067	3071	3075	3079	3083	3087	3091	3095	3099	3103	3107	3111	3115	3119	3123	3127	3131	3135	3139	3143	3147	3151	3155	3159	3163	3167	3171	3175	3179	3183	3187	3191	3195	3199	3203	3207	3211	3215	3219	3223	3227	3231	3235	3239	3243	3247	3251	3255	3259	3263	3267	3271	3275	3279	3283	3287	3291	3295	3299	3303	3307	3311	3315	3319	3323	3327	3331	3335	3339	3343	3347	3351	3355	3359	3363	3367	3371	3375	3379	3383	3387	3391	3395	3399	3403	3407	3411	3415	3419	3423	3427	3431	3435	3439	3443	3447	3451	3455	3459	3463	3467	3471	3475	3479	3483	3487	3491	3495	3499	3503	3507	3511	3515	3519	3523	3527	3531	3535	3539	3543	3547	3551	3555	3559	3563	3567	3571	3575	3579	3583	3587	3591	3595	3599	3603	3607	3611	3615	3619	3623	3627	3631	3635	3639	3643	3647	3651	3655	3659	3663	3667	3671	3675	3679	3683	3687	3691	3695	3699	3703	3707	3711	3715	3719	3723	3727	3731	3735	3739	3743	3747	3751	3755	3759	3763	3767	3771	3775	3779	3783	3787	3791	3795	3799	3803	3807	3811	3815	3819	3823	3827	3831	3835	3839	3843	3847	3851	3855	3859	3863	3867	3871	3875	3879	3883	3887	3891	3895	3899	3903	3907	3911	3915	3919	3923	3927	3931	3935	3939	3943	3947	3951	3955	3959	3963	3967	3971	3975	3979	3983	3987	3991	3995	3999	4003	4007	4011	4015	4019	4023	4027	4031	4035	4039	4043	4047	4051	4055	4059	4063	4067	4071	4075	4079	4083	4087	4091	4095	4099	4103	4107	4111	4115	4119	4123	4127	4131	4135	4139	4143	4147	4151	4155	4159	4163	4167	4171	4175	4179	4183	4187	4191	4195	4199	4203	4207	4211	4215	4219	4223	4227	4231	4235	4239	4243	4247	4251	4255	4259	4263	4267	4271	4275	4279	4283	4287	4291	4295	4299	4303	4307	4311	4315	4319	4323	4327	4331	4335	4339	4343	4347	4351	4355	4359	4363	4367	4371	4375	4379	4383	4387	4391	4395	4399	4403	4407	4411	4415	4419	4423	4427	4431	4435	4439	4443	4447	4451	4455	4459	4463	4467	4471	4475	4479	4483	4487	4491	4495	4499	4503	4507	4511	4515	4519	4523	4527	4531	4535	4539	4543	4547	4551	4555	4559	4563	4567	4571	4575	4579	4583	4587	4591	4595	4599	4603	4607	4611	4615	4619	4623	4627	4631	4635	4639	4643	4647	4651	4655	4659	4663	4667	4671	4675	4679	4683	4687	4691	4695	4699	4703	4707	4711	4715	4719	4723	4727	4731	4735	4739	4743	4747	4751	4755	4759	4763	4767	4771	4775	4779	4783	4787	4791	4795	4799	4803	4807	4811	4815	4819	4823	4827	4831	4835	4839	4843	4847	4851	4855	4859	4863	4867	4871	4875	4879	4883	4887	4891	4895	4899	4903	4907	4911	4915	4919	4923	4927	4931	4935	4939	4943	4947	4951	4955	4959	4963	4967	4971	4975	4979	4983	4987	4991	4995	4999	5003	5007	5011	5015	5019	5023	5027	5031	5035	5039	5043	5047	5051	5055	5059	5063	5067	5071	5075	5079	5083	5087	5091	5095	5099	5103	5107	5111	5115	5119	5123	5127	5131	5135	5139	5143	5147	5151	5155	5159	5163	5167	5171	5175	5179	5183	5187	5191	5195	5199	5203	5207	5211	5215	5219	5223	5227	5231	5235	5239	5243	5247	5251	5255	5259	5263	5267	5271	5275	5279	5283	5287	5291	5295	5299	5303	5307	5311	5315	5319	5323	5327	5331	5335	5339	5343	5347	5351	5355	5359	5363	5367	5371	5375	5379	5383	5387	5391	5395	5399	5403	5407	5411	5415	5419	5423	5427	5431	5435	5439	5443	5447	5451	5455	5459	5463	5467	5471	5475	5479	5483	5487	5491	5495	5499	5503	5507	5511	5515	5519	5523	5527	5531	5535	5539	5543	5547	5551	5555	5559	5563	5567	5571	5575	5579	5583	5587	5591	5595	5599

www.franklinhvacsystems.com

SS-FGSX16

Shaded area reflects ACCA (TVA) conditions

DB: Entering Indoor Dry Bulb Temperature

		OUTDOOR AMBIENT TEMPERATURE																							
		65°F				75°F				85°F				95°F				105°F				115°F			
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71
80	MBh	26.4	26.9	28.8	30.8	25.7	26.3	28.1	30.0	25.1	25.7	27.4	29.3	24.5	25.1	26.8	28.6	23.3	23.8	25.4	27.2	21.6	22.0	23.6	25.2
	S/T	0.88	0.82	0.67	0.50	0.91	0.85	0.69	0.52	0.93	0.87	0.71	0.53	0.96	0.90	0.73	0.55	1.00	0.93	0.76	0.57	1.00	0.94	0.77	0.57
	ΔT	24	23	20	16	25	24	20	16	25	24	20	16	25	24	21	16	24	23	20	16	23	22	19	15
	kW	1.90	1.93	1.99	2.04	2.03	2.07	2.13	2.19	2.14	2.19	2.25	2.32	2.25	2.29	2.36	2.43	2.33	2.38	2.45	2.53	2.41	2.46	2.53	2.61
	Amps	6.9	7.0	7.3	7.5	7.4	7.6	7.9	8.2	8.1	8.3	8.5	8.9	8.6	8.8	9.1	9.5	9.2	9.4	9.7	10.1	9.7	10.0	10.3	10.7
	Hi PR	218	234	248	258	244	263	278	290	278	299	316	330	317	341	360	375	356	383	405	422	394	424	447	467
1000	Lo PR	106	112	123	131	112	119	130	138	116	123	135	144	122	130	142	151	128	136	148	158	132	141	154	163
	MBh	28.6	29.2	31.2	33.3	27.9	28.5	30.5	32.6	27.2	27.8	29.7	31.8	26.6	27.1	29.0	31.0	25.2	25.8	27.6	29.5	23.4	23.9	25.5	27.3
	S/T	0.91	0.85	0.69	0.52	0.94	0.88	0.72	0.54	0.96	0.90	0.74	0.55	1.00	0.93	0.76	0.57	1.00	0.97	0.79	0.59	1.00	0.98	0.80	0.59
	ΔT	24	23	20	16	24	23	20	16	24	23	20	16	24	23	20	16	23	23	20	16	21	21	19	15
	kW	1.94	1.97	2.03	2.09	2.07	2.11	2.18	2.24	2.19	2.24	2.30	2.37	2.30	2.35	2.42	2.49	2.39	2.44	2.51	2.59	2.47	2.52	2.60	2.68
	Amps	7.1	7.2	7.5	7.8	7.6	7.8	8.1	8.4	8.3	8.5	8.8	9.1	8.9	9.1	9.4	9.7	9.4	9.7	10.0	10.4	10.0	10.2	10.6	11.0
1125	Hi PR	225	242	255	266	252	271	286	299	287	308	326	340	326	351	371	387	367	395	417	435	406	437	461	481
	Lo PR	109	116	127	135	115	123	134	142	120	127	139	148	126	134	146	155	132	140	153	163	136	145	158	169
	MBh	29.4	30.1	32.1	34.3	28.7	29.4	31.4	33.5	28.0	28.7	30.6	32.7	27.4	28.0	29.9	31.9	26.0	26.6	28.4	30.3	24.1	24.6	26.3	28.1
	S/T	0.95	0.89	0.73	0.54	1.00	0.93	0.75	0.56	1.00	0.95	0.77	0.58	1.00	1.00	0.80	0.60	1.00	1.00	0.83	0.62	1.00	1.00	0.83	0.62
	ΔT	23	22	19	15	23	22	19	15	23	22	19	15	22	23	19	16	21	22	19	15	20	20	18	14
	kW	1.95	1.99	2.05	2.11	2.09	2.13	2.19	2.26	2.21	2.25	2.32	2.39	2.32	2.36	2.44	2.51	2.41	2.46	2.53	2.61	2.48	2.54	2.62	2.70
85	Amps	7.1	7.3	7.5	7.8	7.7	7.9	8.2	8.5	8.4	8.6	8.9	9.2	9.0	9.2	9.5	9.8	9.5	9.8	10.1	10.5	10.1	10.3	10.7	11.1
	Hi PR	227	244	258	269	255	274	289	302	290	312	329	343	330	355	375	391	371	399	422	440	410	441	466	486
	Lo PR	110	117	128	136	116	124	135	144	121	129	140	150	127	135	147	157	133	142	155	165	138	146	160	170
	MBh	26.8	27.3	28.6	30.5	26.2	26.7	28.0	29.8	25.6	26.1	27.3	29.1	24.9	25.4	26.6	28.4	23.7	24.2	25.3	27.0	22.0	22.4	23.4	25.0
	S/T	0.92	0.89	0.80	0.65	0.95	0.92	0.83	0.67	0.98	0.94	0.85	0.69	1.00	0.97	0.88	0.71	1.00	1.00	0.91	0.74	1.00	1.00	0.92	0.74
	ΔT	26	25	24	21	26	26	24	21	26	26	24	21	26	26	25	21	25	25	24	21	23	24	23	20
875	kW	1.91	1.95	2.00	2.06	2.04	2.08	2.14	2.21	2.16	2.20	2.27	2.34	2.26	2.31	2.38	2.45	2.35	2.40	2.47	2.55	2.43	2.48	2.55	2.63
	Amps	6.9	7.1	7.3	7.6	7.5	7.7	7.9	8.2	8.1	8.3	8.6	8.9	8.7	8.9	9.2	9.6	9.3	9.5	9.8	10.2	9.8	10.1	10.4	10.8
	Hi PR	220	237	250	261	247	266	281	293	281	302	319	333	320	344	363	379	360	387	409	426	398	428	452	471
	Lo PR	107	114	124	132	113	120	131	140	117	125	136	145	123	131	143	152	129	137	150	160	133	142	155	165
	MBh	29.1	29.6	31.0	33.1	28.4	28.9	30.3	32.3	27.7	28.2	29.6	31.6	27.0	27.6	28.9	30.8	25.7	26.2	27.4	29.2	23.8	24.2	25.4	27.1
	S/T	0.95	0.92	0.83	0.67	0.99	0.95	0.86	0.70	1.00	0.98	0.88	0.71	1.00	1.00	0.91	0.74	1.00	1.00	0.94	0.77	1.00	1.00	0.95	0.77
1000	ΔT	25	25	24	20	26	25	24	21	25	25	24	21	25	25	24	21	24	24	24	21	22	22	22	19
	kW	1.95	1.99	2.05	2.11	2.09	2.13	2.19	2.26	2.21	2.25	2.32	2.39	2.32	2.36	2.44	2.51	2.41	2.46	2.53	2.61	2.48	2.54	2.62	2.70
	Amps	7.1	7.3	7.5	7.8	7.7	7.9	8.2	8.5	8.4	8.6	8.9	9.2	9.0	9.2	9.5	9.8	9.5	9.8	10.1	10.5	10.1	10.3	10.7	11.1
	Hi PR	227	244	258	269	255	274	289	302	290	312	329	343	330	355	375	391	371	399	422	440	410	441	466	486
	Lo PR	110	117	128	136	116	124	135	144	121	129	140	150	127	135	147	157	133	142	155	165	138	146	160	170
	MBh	29.9	30.5	31.9	34.1	29.2	29.8	31.2	33.3	28.5	29.1	30.5	32.5	27.8	28.4	29.7	31.7	26.4	27.0	28.2	30.1	24.5	25.0	26.2	27.9
1125	S/T	1.00	0.96	0.87	0.70	1.00	1.00	0.90	0.73	1.00	1.00	0.92	0.75	1.00	1.00	0.95	0.77	1.00	1.00	0.99	0.80	1.00	1.00	1.00	0.81
	ΔT	24	24	23	20	24	24	23	20	23	24	23	20	23	23	23	20	22	22	23	20	20	20	21	18
	kW	1.97	2.00	2.06	2.12	2.10	2.15	2.21	2.28	2.23	2.27	2.34	2.41	2.33	2.38	2.45	2.53	2.43	2.48	2.55	2.63	2.50	2.56	2.64	2.72
	Amps	7.2	7.4	7.6	7.9	7.8	8.0	8.2	8.5	8.5	8.7	8.9	9.3	9.0	9.3	9.6	9.9	9.6	9.9	10.2	10.6	10.2	10.4	10.8	11.2
	Hi PR	229	247	260	272	257	277	292	305	292	315	332	347	333	358	378	395	375	403	426	444	414	445	470	491
	Lo PR	111	118	129	138	117	125	136	145	122	130	142	151	128	136	149	159	134	143	156	166	139	148	161	172

IDB: Entering Indoor Dry Bulb Temperature

High and low pressures are measured at the liquid and suction service valves.

Shaded area reflects AHRI conditions

Amps = outdoor unit amps (comp.+fan)

kW = Total system power

IDB		AIRFLOW		OUTDOOR AMBIENT TEMPERATURE																																								
				65°F						75°F						85°F						95°F						105°F						115°F										
				ENTERING INDOOR WET BULB TEMPERATURE																																								
		59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71											
875	MBh	29.1	29.5	30.4	---	---	---	---	---	28.8	29.2	30.1	---	---	---	---	---	28.1	28.5	29.4	---	---	---	---	---	26.8	27.2	28.0	---	---	---	---	25.2	25.6	26.5	---	---	---	23.7	24.1	25.0	---	---	---
	S/T	0.62	0.54	0.40	---	---	---	---	---	0.63	0.55	0.41	---	---	---	---	---	0.65	0.57	0.44	---	---	---	---	---	0.67	0.59	0.46	---	---	---	---	1.00	0.62	0.48	---	---	---	1.00	0.67	0.53	---	---	---
	ΔT	20	18	15	---	---	---	---	---	20	18	15	---	---	---	---	---	20	18	15	---	---	---	---	---	20	18	15	---	---	---	---	20	18	14	---	---	---	21	19	15	---	---	---
	kW	1.67	1.67	1.67	---	---	---	---	---	1.86	1.86	1.86	---	---	---	---	---	2.07	2.07	2.07	---	---	---	---	---	2.30	2.30	2.30	---	---	---	---	2.55	2.55	2.55	---	---	---	2.85	2.85	2.85	---	---	---
	Amps	6.0	6.0	6.0	---	---	---	---	---	6.9	6.8	6.8	---	---	---	---	---	7.8	7.8	7.8	---	---	---	---	---	8.9	8.8	8.8	---	---	---	---	10.0	10.0	10.0	---	---	---	11.4	11.4	11.4	---	---	---
1000	Hi PR	241	242	244	---	---	---	---	---	280	281	282	---	---	---	---	---	319	321	322	---	---	---	---	---	362	363	365	---	---	---	---	409	410	412	---	---	---	458	459	461	---	---	---
	Lo PR	123	125	128	---	---	---	---	---	130	132	135	---	---	---	---	---	137	139	142	---	---	---	---	---	143	144	147	---	---	---	---	148	150	153	---	---	---	155	156	159	---	---	---
	MBh	29.5	29.9	30.8	---	---	---	---	---	29.2	29.6	30.5	---	---	---	---	---	28.5	28.9	29.7	---	---	---	---	---	27.2	27.6	28.4	---	---	---	---	25.6	26.0	26.8	---	---	---	24.1	24.5	25.4	---	---	---
	S/T	0.68	0.60	0.47	---	---	---	---	---	0.69	0.61	0.47	---	---	---	---	---	0.71	0.64	0.50	---	---	---	---	---	1.00	0.66	0.52	---	---	---	---	1.00	0.68	0.54	---	---	---	1.00	0.73	0.59	---	---	---
	ΔT	19	17	13	---	---	---	---	---	19	17	13	---	---	---	---	---	19	17	14	---	---	---	---	---	19	17	13	---	---	---	---	18	17	13	---	---	---	20	18	14	---	---	---
1125	kW	1.68	1.68	1.68	---	---	---	---	---	1.87	1.87	1.87	---	---	---	---	---	2.08	2.08	2.08	---	---	---	---	---	2.31	2.31	2.31	---	---	---	---	2.56	2.56	2.56	---	---	---	2.86	2.86	2.86	---	---	---
	Amps	6.0	6.0	6.0	---	---	---	---	---	6.9	6.9	6.9	---	---	---	---	---	7.9	7.9	7.8	---	---	---	---	---	8.9	8.9	8.9	---	---	---	---	10.1	10.1	10.0	---	---	---	11.4	11.4	11.4	---	---	---
	Hi PR	243	245	246	---	---	---	---	---	282	283	284	---	---	---	---	---	322	323	324	---	---	---	---	---	364	366	367	---	---	---	---	411	412	414	---	---	---	460	461	463	---	---	---
	Lo PR	125	126	129	---	---	---	---	---	132	134	137	---	---	---	---	---	139	140	144	---	---	---	---	---	144	146	149	---	---	---	---	150	151	154	---	---	---	157	158	161	---	---	---
	MBh	29.9	30.3	31.2	---	---	---	---	---	29.7	30.1	31.0	---	---	---	---	---	28.9	29.3	30.2	---	---	---	---	---	27.6	28.0	28.9	---	---	---	---	26.0	26.4	27.3	---	---	---	24.6	25.0	25.8	---	---	---
1125	S/T	0.72	0.64	0.50	---	---	---	---	---	0.72	0.65	0.51	---	---	---	---	---	0.75	0.67	0.53	---	---	---	---	---	1.00	0.69	0.55	---	---	---	---	1.00	0.71	0.57	---	---	---	1.00	0.77	0.63	---	---	---
	ΔT	18	16	13	---	---	---	---	---	18	16	12	---	---	---	---	---	18	16	13	---	---	---	---	---	18	16	12	---	---	---	---	17	16	12	---	---	---	19	17	13	---	---	---
	kW	1.69	1.69	1.69	---	---	---	---	---	1.88	1.88	1.88	---	---	---	---	---	2.09	2.09	2.09	---	---	---	---	---	2.32	2.32	2.31	---	---	---	---	2.57	2.57	2.57	---	---	---	2.87	2.87	2.87	---	---	---
	Amps	6.1	6.1	6.1	---	---	---	---	---	6.9	6.9	6.9	---	---	---	---	---	7.9	7.9	7.9	---	---	---	---	---	8.9	8.9	8.9	---	---	---	---	10.1	10.1	10.1	---	---	---	11.5	11.5	11.4	---	---	---
	Hi PR	245	247	248	---	---	---	---	---	284	285	286	---	---	---	---	---	323	325	326	---	---	---	---	---	366	368	369	---	---	---	---	413	414	416	---	---	---	462	463	465	---	---	---
Lo PR	127	128	131	---	---	---	---	---	134	136	139	---	---	---	---	---	141	142	146	---	---	---	---	---	146	148	151	---	---	---	---	152	153	156	---	---	---	159	160	163	---	---	---	

75	875	MBh	29.1	29.5	30.4	31.7	28.9	29.3	30.1	31.5	28.1	28.5	29.4	30.7	26.8	27.2	28.1	29.4	25.2	25.6	26.5	27.8	23.7	24.1	25.0	26.3
		S/T	0.75	0.68	0.54	0.39	0.76	0.68	0.54	0.40	1.00	0.71	0.57	0.42	1.00	0.73	0.59	0.44	1.00	0.75	0.61	0.46	1.00	1.00	0.66	0.52
		ΔT	24	22	19	15	24	22	19	15	24	22	19	15	24	22	19	15	24	22	18	15	25	23	19	16
		kW	1.67	1.67	1.67	1.68	1.86	1.86	1.86	1.87	2.07	2.07	2.07	2.08	2.30	2.30	2.29	2.31	2.55	2.55	2.55	2.56	2.85	2.85	2.85	2.86
		Amps	6.0	6.0	6.0	6.0	6.8	6.8	6.8	6.9	7.8	7.8	7.8	7.9	8.9	8.8	8.8	8.9	10.0	10.0	10.0	10.1	11.4	11.4	11.4	11.4
1000	Hi PR	242	243	244	249	280	281	282	287	320	321	322	327	327	363	364	365	370	409	410	412	416	458	459	461	465
	Lo PR	123	125	128	133	131	132	135	140	137	139	142	147	147	143	144	147	153	148	150	153	158	155	156	160	165
	MBh	29.5	29.9	30.8	32.1	29.2	29.6	30.5	31.8	28.5	28.9	29.8	31.1	27.2	27.6	28.4	29.8	25.6	26.0	26.9	28.2	24.1	24.5	25.4	26.7	
	S/T	0.81	0.74	0.60	0.45	0.82	0.74	0.60	0.46	1.00	0.77	0.63	0.48	1.00	0.79	0.65	0.50	1.00	0.81	0.67	0.53	1.00	1.00	0.73	0.58	
	ΔT	23	21	18	14	23	21	17	14	23	21	18	14	23	21	17	14	22	21	17	14	24	22	18	15	
1125	kW	1.68	1.68	1.68	1.69	1.87	1.87	1.87	1.88	2.08	2.08	2.08	2.09	2.31	2.31	2.30	2.32	2.56	2.56	2.56	2.57	2.86	2.86	2.86	2.87	
	Amps	6.0	6.0	6.0	6.1	6.9	6.9	6.9	6.9	7.9	7.8	7.8	7.9	8.9	8.9	8.9	8.9	10.1	10.1	10.0	10.1	11.4	11.4	11.4	11.5	
	Hi PR	244	245	246	251	282	283	285	289	322	323	324	329	329	365	366	367	372	411	412	414	418	460	462	463	467
	Lo PR	125	126	129	135	132	134	137	142	139	140	144	149	149	144	146	149	154	150	151	155	160	157	158	161	167
	MBh	30.0	30.4	31.2	32.6	29.7	30.1	31.0	32.3	28.9	29.3	30.2	31.5	27.6	28.0	28.9	30.2	26.0	26.4	27.3	28.6	24.6	25.0	25.9	27.2	
1125	S/T	0.85	0.77	0.63	0.49	1.00	0.78	0.64	0.49	1.00	0.80	0.66	0.52	1.00	0.82	0.68	0.54	1.00	0.85	0.71	0.56	1.00	1.00	0.76	0.61	
	ΔT	22	20	17	13	22	20	17	13	22	20	17	13	22	20	17	13	22	20	16	13	23	21	17	14	
	kW	1.69	1.69	1.69	1.70	1.88	1.88	1.87	1.89	2.09	2.09	2.08	2.10	2.32	2.32	2.31	2.33	2.57	2.57	2.57	2.58	2.87	2.87	2.86	2.88	
	Amps	6.1	6.1	6.0	6.1	6.9	6.9	6.9	7.0	7.9	7.9	7.9	7.9	8.9	8.9	8.9	9.0	10.1	10.1	10.1	10.1	11.5	11.5	11.4	11.5	
	Hi PR	246	247	248	253	284	285	287	291	324	325	326	331	367	368	369	374	413	414	414	416	420	462	464	465	469
1125	Lo PR	127	128	132	137	134	136	139	144	141	142	146	151	146	148	151	156	152	153	157	162	159	160	163	169	

		OUTDOOR AMBIENT TEMPERATURE																													
		65°F					75°F					85°F					95°F					105°F					115°F				
IDB	AIRFLOW	59	63	67	71	75	59	63	67	71	75	59	63	67	71	75	59	63	67	71	75	59	63	67	71	75	59	63	67	71	75
80	MBh	29.3	29.7	30.5	31.9	31.6	29.0	29.4	30.3	31.6	28.2	28.7	29.5	30.9	26.9	27.3	28.2	29.5	25.3	25.8	26.6	27.9	23.9	24.3	25.2	26.5	23.9	24.3	25.2	26.5	26.9
	S/T	1.00	0.80	0.66	0.52	0.52	1.00	0.81	0.67	0.52	1.00	0.84	0.70	0.55	1.00	0.86	0.72	0.57	1.00	1.00	0.74	0.59	1.00	1.00	0.79	0.65	1.00	1.00	0.79	0.65	0.71
	ΔT	28	26	23	19	19	28	26	23	19	28	26	23	19	28	26	23	19	28	26	22	19	29	27	24	20	29	27	24	20	19
	kW	1.67	1.67	1.67	1.68	1.86	1.86	1.86	1.86	1.87	2.07	2.07	2.07	2.08	2.30	2.30	2.30	2.31	2.55	2.55	2.55	2.56	2.85	2.85	2.85	2.86	2.85	2.85	2.85	2.86	2.86
	Amps	6.0	6.0	6.0	6.0	6.9	6.9	6.8	6.8	6.9	7.8	7.8	7.8	7.9	8.9	8.8	8.8	8.9	10.0	10.0	10.0	10.1	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4
	Hi PR	242	243	245	249	280	280	281	283	287	320	321	323	327	363	364	366	370	409	410	412	416	459	460	462	466	459	460	462	466	466
	Lo PR	124	125	128	133	131	133	133	136	141	138	139	142	148	143	145	148	153	149	150	153	158	155	157	160	165	155	157	160	165	165
	MBh	29.6	30.1	30.9	32.3	29.4	29.8	30.7	32.0	32.0	28.6	29.0	29.9	31.2	27.3	27.7	28.6	29.9	25.7	26.1	27.0	28.3	24.3	24.7	25.5	26.9	24.3	24.7	25.5	26.9	26.9
	S/T	1.00	0.87	0.73	0.58	0.59	1.00	0.87	0.73	0.59	1.00	0.90	0.76	0.61	1.00	1.00	0.78	0.63	1.00	1.00	0.80	0.65	1.00	1.00	0.85	0.71	1.00	1.00	0.85	0.71	0.71
	ΔT	27	25	22	18	18	27	25	22	18	27	25	22	18	27	25	21	18	27	25	21	18	28	26	22	19	28	26	22	19	19
1125	kW	1.68	1.68	1.68	1.69	1.88	1.87	1.87	1.88	1.88	2.08	2.08	2.08	2.09	2.31	2.31	2.31	2.32	2.56	2.56	2.56	2.57	2.86	2.86	2.86	2.87	2.86	2.86	2.86	2.87	2.87
	Amps	6.0	6.0	6.0	6.1	6.9	6.9	6.9	6.9	6.9	7.9	7.9	7.8	7.9	8.9	8.9	8.9	8.9	10.1	10.1	10.1	10.1	11.4	11.4	11.4	11.5	11.4	11.4	11.4	11.4	11.5
	Hi PR	244	245	247	251	282	283	285	289	289	322	323	325	329	365	366	368	372	411	413	414	418	461	462	464	468	461	462	464	468	468
	Lo PR	125	127	130	135	133	134	138	143	143	139	141	144	149	145	146	150	155	150	152	155	160	157	159	162	167	157	159	162	167	167
	MBh	30.1	30.5	31.4	32.7	29.8	30.3	31.1	32.5	32.5	29.1	29.5	30.4	31.7	27.8	28.2	29.1	30.4	26.2	26.6	27.5	28.8	24.7	25.1	26.0	27.3	24.7	25.1	26.0	27.3	27.3
	S/T	1.00	0.90	0.76	0.61	0.62	1.00	0.91	0.77	0.62	1.00	0.93	0.79	0.65	1.00	1.00	0.81	0.67	1.00	1.00	0.84	0.69	1.00	1.00	0.89	0.74	1.00	1.00	0.89	0.74	0.74
	ΔT	26	24	21	17	17	26	24	21	17	26	24	21	17	26	24	21	17	26	24	20	17	27	25	21	18	27	25	21	18	18
	kW	1.69	1.69	1.69	1.70	1.88	1.88	1.88	1.89	1.89	2.09	2.09	2.09	2.10	2.32	2.32	2.32	2.33	2.57	2.57	2.57	2.58	2.87	2.87	2.86	2.88	2.87	2.87	2.86	2.88	2.88
	Amps	6.1	6.1	6.1	6.1	6.9	6.9	6.9	6.9	7.0	7.9	7.9	7.9	7.9	8.9	8.9	8.9	9.0	10.1	10.1	10.1	10.1	11.5	11.5	11.4	11.5	11.5	11.5	11.4	11.5	11.5
	Hi PR	246	247	249	253	284	285	287	291	291	324	325	327	331	367	368	370	374	413	415	416	420	463	464	466	470	463	464	466	470	470
Lo PR	127	129	132	137	135	136	140	145	145	141	143	146	151	147	148	152	157	152	154	157	162	159	161	164	169	159	161	164	169	169	
85	MBh	29.8	30.2	31.0	32.4	29.9	30.3	31.2	32.5	32.5	29.1	29.5	30.4	31.7	27.8	28.2	29.1	30.4	26.2	26.6	27.1	28.4	24.4	24.8	25.7	27.0	24.4	24.8	25.7	27.0	27.0
	S/T	1.00	0.91	0.77	0.62	0.63	1.00	0.91	0.77	0.63	1.00	1.00	0.80	0.65	1.00	1.00	0.82	0.67	1.00	1.00	0.84	0.70	1.00	1.00	0.75	1.00	1.00	0.84	0.70	0.75	0.75
	ΔT	32	30	26	23	23	31	30	26	23	32	30	26	23	31	30	26	23	31	29	26	22	32	31	27	24	32	31	27	24	24
	kW	1.68	1.68	1.67	1.69	1.87	1.87	1.86	1.88	1.88	2.08	2.07	2.07	2.09	2.30	2.30	2.30	2.31	2.56	2.56	2.55	2.57	2.86	2.85	2.85	2.86	2.86	2.85	2.85	2.85	2.86
	Amps	6.0	6.0	6.0	6.1	6.9	6.9	6.8	6.9	6.9	7.8	7.8	7.8	7.9	8.9	8.9	8.9	8.9	10.0	10.0	10.0	10.1	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4	11.4
	Hi PR	243	244	246	250	281	282	284	288	288	321	322	324	328	364	365	367	371	411	412	413	418	460	461	463	467	460	461	463	467	467
	Lo PR	125	127	130	135	133	134	138	143	143	139	141	144	149	145	147	150	155	150	152	155	160	157	159	162	167	157	159	162	167	167
	MBh	30.1	30.5	31.4	32.7	29.9	30.3	31.2	32.5	32.5	29.1	29.5	30.4	31.7	27.8	28.2	29.1	30.4	26.2	26.6	27.5	28.8	24.8	25.2	26.0	27.4	24.8	25.2	26.0	27.4	27.4
	S/T	1.00	0.97	0.83	0.68	0.69	1.00	1.00	0.84	0.69	1.00	1.00	0.86	0.72	1.00	1.00	0.88	0.74	1.00	1.00	0.90	0.76	1.00	1.00	0.81	1.00	1.00	0.90	0.76	0.81	0.81
	ΔT	30	29	25	22	22	30	29	25	22	31	29	25	22	30	29	25	22	30	28	25	21	31	29	26	22	31	29	26	22	22
1125	kW	1.69	1.69	1.68	1.70	1.88	1.87	1.87	1.89	1.89	2.09	2.08	2.08	2.10	2.31	2.31	2.31	2.32	2.57	2.57	2.56	2.58	2.87	2.86	2.86	2.87	2.87	2.86	2.86	2.87	2.87
	Amps	6.1	6.0	6.0	6.1	6.9	6.9	6.9	6.9	7.0	7.9	7.9	7.9	7.9	8.9	8.9	8.9	9.0	10.1	10.1	10.1	10.1	11.4	11.4	11.4	11.5	11.4	11.4	11.4	11.5	11.5
	Hi PR	245	246	248	252	283	284	286	290	290	323	324	326	330	366	367	369	373	413	414	415	420	462	463	465	469	462	463	465	469	469
	Lo PR	127	129	132	137	135	136	139	145	145	141	143	146	151	147	148	151	157	152	154	157	162	159	161	164	169	159	161	164	169	169
	MBh	30.6	31.0	31.9	33.2	30.3	30.7	31.6	32.9	32.9	29.6	30.0	30.9	32.2	28.3	28.7	29.5	30.9	26.7	27.1	28.0	29.3	25.2	25.6	26.5	27.8	25.2	25.6	26.5	27.8	27.8
	S/T	1.00	1.00	0.86	0.72	0.72	1.00	1.00	0.87	0.72	1.00	1.00	0.90	0.75	1.00	1.00	0.92	0.77	1.00	1.00	1.00	0.79	1.00	1.00	0.85	1.00	1.00	0.85	0.85	0.85	0.85
	ΔT	29	28	24	21	21	29	28	24	21	30	28	24	21	29	28	24	21	29	27	24	20	30	28	25	22	30	28	25	22	22
	kW	1.70	1.69	1.69	1.71	1.88	1.88	1.88	1.89	1.89	2.09	2.09	2.09	2.10	2.32	2.32	2.32	2.33	2.58	2.57	2.57	2.59	2.87	2.87	2.87	2.88	2.87	2.87	2.87	2.87	2.88
	Amps	6.1	6.1	6.1	6.1	7.0	7.0	6.9	6.9	7.0	7.9	7.9	7.9	8.0																	

		OUTDOOR AMBIENT TEMPERATURE																																			
		65°F						75°F						85°F						95°F						105°F						115°F					
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71				
70	Mbh	30.6	31.7	34.7	-	29.8	30.9	33.9	-	29.1	30.2	33.1	-	28.4	29.5	32.3	-	27.0	28.0	30.7	-	25.0	25.9	28.4	-	25.0	25.9	28.4	-	25.0	25.9	28.4	-				
	S/T	0.71	0.59	0.41	-	0.74	0.62	0.43	-	0.76	0.63	0.44	-	0.78	0.65	0.45	-	0.81	0.68	0.47	-	0.82	0.68	0.47	-	0.81	0.68	0.47	-	0.82	0.68	0.47	-				
	ΔT	19	16	13	-	19	17	13	-	19	17	13	-	19	17	13	-	19	17	13	-	18	15	12	-	18	15	12	-	18	15	12	-				
	kW	2.23	2.27	2.34	-	2.39	2.44	2.51	-	2.53	2.58	2.66	-	2.65	2.70	2.79	-	2.75	2.81	2.90	-	2.84	2.90	2.99	-	2.84	2.90	2.99	-	2.84	2.90	2.99	-				
	Amps	8.1	8.3	8.5	-	8.7	8.9	9.2	-	9.5	9.7	10.0	-	10.1	10.4	10.7	-	10.8	11.1	11.4	-	11.5	11.7	12.1	-	11.5	11.7	12.1	-	11.5	11.7	12.1	-				
	Hi PR	219	236	249	-	246	265	280	-	280	301	318	-	319	343	362	-	359	386	407	-	396	426	450	-	396	426	450	-	396	426	450	-				
	Lo PR	103	109	120	-	109	116	126	-	113	120	131	-	119	126	138	-	124	132	144	-	129	137	149	-	129	137	149	-	129	137	149	-				
70	Mbh	33.1	34.3	37.6	-	32.3	33.5	36.7	-	31.6	32.7	35.8	-	30.8	31.9	35.0	-	29.3	30.3	33.2	-	27.1	28.1	30.8	-	27.1	28.1	30.8	-	27.1	28.1	30.8	-				
	S/T	0.74	0.62	0.43	-	0.76	0.64	0.44	-	0.78	0.65	0.45	-	0.81	0.68	0.47	-	0.84	0.70	0.49	-	0.85	0.71	0.49	-	0.85	0.71	0.49	-	0.85	0.71	0.49	-				
	ΔT	19	16	12	-	19	16	12	-	19	16	12	-	19	17	13	-	19	16	12	-	18	15	12	-	18	15	12	-	18	15	12	-				
	kW	2.28	2.33	2.39	-	2.44	2.49	2.57	-	2.59	2.64	2.72	-	2.71	2.77	2.85	-	2.82	2.88	2.97	-	2.91	2.97	3.07	-	2.91	2.97	3.07	-	2.91	2.97	3.07	-				
	Amps	8.3	8.5	8.8	-	9.0	9.2	9.5	-	9.8	10.0	10.3	-	10.4	10.7	11.1	-	11.1	11.4	11.8	-	11.8	12.1	12.5	-	11.8	12.1	12.5	-	11.8	12.1	12.5	-				
	Hi PR	226	243	257	-	254	273	288	-	288	310	328	-	329	354	373	-	370	398	420	-	408	440	464	-	408	440	464	-	408	440	464	-				
	Lo PR	106	113	123	-	112	119	130	-	116	124	135	-	122	130	142	-	128	136	149	-	133	141	154	-	133	141	154	-	133	141	154	-				
1350	Mbh	34.1	35.3	38.7	-	33.3	34.5	37.8	-	32.5	33.7	36.9	-	31.7	32.9	36.0	-	30.1	31.2	34.2	-	27.9	28.9	31.7	-	27.9	28.9	31.7	-	27.9	28.9	31.7	-				
	S/T	0.77	0.65	0.45	-	0.80	0.67	0.46	-	0.82	0.69	0.48	-	0.85	0.71	0.49	-	0.88	0.74	0.51	-	0.89	0.74	0.51	-	0.89	0.74	0.51	-	0.89	0.74	0.51	-				
	ΔT	18	16	12	-	18	16	12	-	18	16	12	-	18	16	12	-	18	16	12	-	17	15	11	-	17	15	11	-	17	15	11	-				
	kW	2.30	2.34	2.41	-	2.46	2.51	2.59	-	2.61	2.66	2.74	-	2.73	2.79	2.88	-	2.84	2.90	2.99	-	2.94	3.00	3.09	-	2.94	3.00	3.09	-	2.94	3.00	3.09	-				
	Amps	8.4	8.6	8.9	-	9.1	9.3	9.6	-	9.9	10.1	10.4	-	10.5	10.8	11.2	-	11.2	11.5	11.9	-	11.9	12.2	12.6	-	11.9	12.2	12.6	-	11.9	12.2	12.6	-				
	Hi PR	228	246	259	-	256	276	291	-	291	314	331	-	332	357	377	-	373	402	424	-	413	444	469	-	413	444	469	-	413	444	469	-				
	Lo PR	107	114	124	-	113	120	131	-	118	125	137	-	124	131	144	-	130	138	150	-	134	143	156	-	134	143	156	-	134	143	156	-				

75	1050	MBh	31.1	32.0	34.6	37.2	30.4	31.3	33.8	36.3	29.6	30.5	33.0	35.4	28.9	29.8	32.2	34.6	27.5	28.3	30.6	32.8	25.4	26.2	28.4	30.4
		S/T	0.81	0.72	0.55	0.35	0.84	0.75	0.57	0.36	0.86	0.77	0.58	0.37	0.89	0.79	0.60	0.39	0.92	0.82	0.62	0.40	0.93	0.83	0.63	0.40
		ΔT	22	20	17	11	22	21	17	12	22	21	17	12	22	21	17	12	22	20	17	12	21	19	16	11
		kW	2.25	2.29	2.36	2.43	2.41	2.45	2.53	2.60	2.55	2.60	2.68	2.76	2.67	2.73	2.81	2.90	2.78	2.83	2.92	3.01	2.87	2.93	3.02	3.11
		Amps	8.1	8.3	8.6	8.9	8.8	9.0	9.3	9.7	9.6	9.8	10.1	10.5	10.2	10.5	10.9	11.3	10.9	11.2	11.6	12.0	11.6	11.9	12.3	12.7
1200	Hi PR	222	238	252	263	249	267	282	295	283	304	321	335	322	346	366	382	362	390	412	429	400	431	455	474	
	Lo PR	104	111	121	129	110	117	128	136	114	121	133	141	120	128	139	148	126	134	146	155	130	138	151	161	
	MBh	33.7	34.7	37.5	40.3	32.9	33.9	36.6	39.3	32.1	33.1	35.8	38.4	31.3	32.2	34.9	37.5	29.8	30.6	33.2	35.6	27.6	28.4	30.7	33.0	
	S/T	0.84	0.75	0.57	0.37	0.87	0.78	0.59	0.38	0.89	0.80	0.60	0.39	0.92	0.82	0.62	0.40	0.95	0.85	0.65	0.42	0.96	0.86	0.65	0.42	
	ΔT	22	20	16	11	22	20	17	11	22	20	17	11	22	20	17	11	22	20	16	11	20	19	15	11	
1350	kW	2.30	2.34	2.41	2.48	2.46	2.51	2.59	2.67	2.61	2.66	2.74	2.83	2.73	2.79	2.88	2.97	2.84	2.90	2.99	3.09	2.94	3.00	3.09	3.19	
	Amps	8.4	8.6	8.9	9.2	9.1	9.3	9.6	10.0	9.9	10.1	10.4	10.8	10.5	10.8	11.2	11.6	11.2	11.5	11.9	12.3	11.9	12.2	12.6	13.1	
	Hi PR	228	246	260	271	256	276	291	304	291	314	331	345	332	357	377	393	373	402	424	443	413	444	469	489	
	Lo PR	107	114	124	133	113	120	131	140	118	125	137	146	124	131	144	153	130	138	150	160	134	143	156	166	
	MBh	34.7	35.7	38.6	41.5	33.9	34.9	37.7	40.5	33.1	34.0	36.9	39.6	32.3	33.2	36.0	38.6	30.6	31.6	34.2	36.7	28.4	29.2	31.6	34.0	
1200	S/T	0.88	0.79	0.60	0.38	0.91	0.81	0.62	0.40	0.93	0.84	0.63	0.41	0.96	0.86	0.65	0.42	1.00	0.90	0.68	0.44	1.00	0.90	0.68	0.44	
	ΔT	21	19	16	11	21	19	16	11	21	19	16	11	21	20	16	11	21	19	16	11	19	18	15	10	
	kW	2.32	2.36	2.43	2.50	2.48	2.53	2.61	2.69	2.63	2.68	2.76	2.85	2.76	2.81	2.90	2.99	2.86	2.93	3.02	3.11	2.96	3.02	3.12	3.22	
	Amps	8.5	8.7	8.9	9.3	9.1	9.4	9.7	10.0	9.9	10.2	10.5	10.9	10.6	10.9	11.3	11.7	11.3	11.6	12.0	12.5	12.0	12.3	12.7	13.2	
	Hi PR	231	248	262	273	259	279	294	307	294	317	334	349	335	361	381	397	377	406	429	447	417	448	474	494	
1350	Lo PR	108	115	126	134	114	122	133	141	119	126	138	147	125	133	145	154	131	139	152	162	135	144	157	167	

		OUTDOOR AMBIENT TEMPERATURE																							
		65°F				75°F				85°F				95°F				105°F				115°F			
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71
80	MBh	31.6	32.3	34.5	36.9	30.9	31.6	33.7	36.1	30.2	30.8	32.9	35.2	29.4	30.1	32.1	34.3	28.0	28.6	30.5	32.6	25.9	26.5	28.3	30.2
	S/T	0.89	0.83	0.68	0.51	0.92	0.86	0.70	0.52	0.94	0.88	0.72	0.54	0.97	0.91	0.74	0.55	1.01	0.95	0.77	0.58	1.02	0.95	0.78	0.58
	ΔT	25	24	20	16	25	24	21	17	25	24	21	17	25	24	21	17	25	24	21	16	23	22	19	15
	kW	2.26	2.31	2.38	2.45	2.42	2.47	2.55	2.62	2.57	2.62	2.70	2.78	2.69	2.75	2.83	2.92	2.80	2.86	2.94	3.04	2.89	2.95	3.04	3.14
	Amps	8.2	8.4	8.7	9.0	8.9	9.1	9.4	9.8	9.7	9.9	10.2	10.6	10.3	10.6	11.0	11.4	11.0	11.3	11.7	12.1	11.7	12.0	12.4	12.8
	Hi PR	224	241	254	265	251	270	285	298	286	307	324	338	325	350	370	385	366	394	416	434	404	435	459	479
	Lo PR	105	112	122	130	111	118	129	137	119	123	134	143	121	129	141	150	127	135	147	157	131	140	152	162
	MBh	34.3	35.0	37.4	40.0	33.5	34.2	36.5	39.1	32.7	33.4	35.7	38.1	31.9	32.6	34.8	37.2	30.3	30.9	33.1	35.3	28.1	28.7	30.6	32.7
	S/T	0.92	0.86	0.70	0.52	0.95	0.89	0.73	0.54	0.98	0.92	0.75	0.56	1.00	0.95	0.77	0.58	1.00	0.98	0.80	0.60	1.00	0.99	0.81	0.60
	ΔT	24	23	20	16	24	23	20	16	24	23	20	16	24	24	21	16	23	23	20	16	21	22	19	15
1200	kW	2.32	2.36	2.43	2.50	2.48	2.53	2.61	2.69	2.63	2.68	2.76	2.85	2.76	2.81	2.90	2.99	2.87	2.93	3.02	3.11	2.96	3.02	3.12	3.22
	Amps	8.5	8.7	8.9	9.3	9.1	9.4	9.7	10.0	9.9	10.2	10.5	10.9	10.6	10.9	11.3	11.7	11.3	11.6	12.0	12.5	12.0	12.3	12.7	13.2
	Hi PR	231	248	262	273	259	279	294	307	294	317	335	349	335	361	381	397	377	406	429	447	417	448	474	494
	Lo PR	108	115	126	134	114	122	133	141	119	126	138	147	125	133	145	154	131	139	152	162	135	144	157	167
	MBh	35.3	36.1	38.5	41.2	34.5	35.2	37.6	40.2	33.7	34.4	36.7	39.3	32.8	33.5	35.8	38.3	31.2	31.9	34.1	36.4	28.9	29.5	31.5	33.7
	S/T	0.96	0.90	0.74	0.55	1.00	0.94	0.76	0.57	1.00	0.96	0.78	0.58	1.00	1.00	0.81	0.60	1.00	1.00	0.84	0.63	1.00	1.00	0.84	0.63
	ΔT	23	22	19	15	23	22	20	16	23	23	20	16	22	23	20	16	21	22	19	16	20	20	18	15
	kW	2.33	2.38	2.45	2.52	2.50	2.55	2.63	2.71	2.65	2.70	2.78	2.87	2.78	2.84	2.92	3.02	2.89	2.95	3.04	3.14	2.98	3.05	3.14	3.24
	Amps	8.5	8.7	9.0	9.4	9.2	9.5	9.8	10.1	10.0	10.3	10.6	11.0	10.7	11.0	11.4	11.8	11.4	11.7	12.1	12.6	12.1	12.4	12.8	13.3
	Hi PR	233	251	265	276	261	281	297	310	297	320	338	352	339	364	385	401	381	410	433	452	421	453	478	499
	Lo PR	109	116	127	135	116	123	134	143	120	128	139	148	126	134	146	156	132	141	153	163	137	145	159	169

85	MBh	32.2	32.8	34.4	36.7	31.4	32.0	33.6	35.8	30.7	31.3	32.8	34.9	29.9	30.5	32.0	34.1	28.4	29.0	30.4	32.4	26.3	26.9	28.1	30.0
	S/T	0.93	0.90	0.81	0.66	0.96	0.93	0.84	0.68	0.99	0.95	0.86	0.70	1.00	0.98	0.89	0.72	1.00	1.00	0.92	0.75	1.00	1.00	0.93	0.75
	ΔT	26	26	24	21	27	26	25	21	27	26	25	21	26	26	25	22	25	25	25	21	23	24	23	20
	kW	2.28	2.33	2.39	2.46	2.44	2.49	2.57	2.64	2.59	2.64	2.72	2.80	2.71	2.77	2.85	2.94	2.82	2.88	2.97	3.06	2.91	2.97	3.07	3.16
	Amps	8.3	8.5	8.8	9.1	9.0	9.2	9.5	9.9	9.8	10.0	10.3	10.7	10.4	10.7	11.1	11.5	11.1	11.4	11.8	12.2	11.8	12.1	12.5	13.0
	Hi PR	226	243	257	268	254	273	288	301	288	310	328	342	328	353	373	389	370	398	420	438	408	439	464	484
	Lo PR	106	113	123	131	112	119	130	139	116	124	135	144	122	130	142	151	128	136	149	159	133	141	154	164
	MBh	34.9	35.5	37.2	39.7	34.1	34.7	36.4	38.8	33.2	33.9	35.5	37.9	32.4	33.1	34.6	36.9	30.8	31.4	32.9	35.1	28.5	29.1	30.5	32.5
	S/T	0.96	0.93	0.84	0.68	1.00	0.96	0.87	0.71	1.00	0.99	0.89	0.72	1.00	1.00	0.92	0.75	1.00	1.00	0.96	0.78	1.00	1.00	0.96	0.78
	ΔT	26	25	24	21	26	26	24	21	25	26	24	21	25	25	24	21	24	24	24	21	22	22	22	19
1200	kW	2.33	2.38	2.45	2.52	2.50	2.55	2.63	2.71	2.65	2.70	2.78	2.87	2.78	2.84	2.92	3.02	2.89	2.95	3.04	3.14	2.98	3.05	3.14	3.24
	Amps	8.5	8.7	9.0	9.4	9.2	9.5	9.8	10.1	10.0	10.3	10.6	11.0	10.7	11.0	11.4	11.8	11.4	11.7	12.1	12.6	12.1	12.4	12.8	13.3
	Hi PR	233	251	265	276	261	281	297	310	297	320	338	352	339	364	385	401	381	410	433	452	421	453	478	499
	Lo PR	109	116	127	135	116	123	134	143	120	128	139	148	126	134	146	156	132	141	153	163	137	145	159	169
	MBh	35.9	36.6	38.3	40.9	35.1	35.8	37.4	40.0	34.2	34.9	36.6	39.0	33.4	34.1	35.7	38.0	31.7	32.4	33.9	36.1	29.4	30.0	31.4	33.5
	S/T	1.00	0.98	0.88	0.71	1.00	1.00	0.91	0.74	1.00	1.00	0.94	0.76	1.00	1.00	0.97	0.78	1.00	1.00	1.00	0.81	1.00	1.00	1.00	0.82
	ΔT	24	24	23	20	24	24	23	20	23	24	23	20	23	23	23	20	22	22	23	20	20	20	21	19
	kW	2.35	2.40	2.47	2.54	2.52	2.57	2.65	2.73	2.67	2.72	2.81	2.89	2.80	2.86	2.95	3.04	2.91	2.97	3.07	3.16	3.01	3.07	3.17	3.27
	Amps	8.6	8.8	9.1	9.5	9.3	9.5	9.9	10.2	10.1	10.4	10.7	11.1	10.8	11.1	11.5	11.9	11.5	11.8	12.2	12.7	12.2	12.5	13.0	13.5
	Hi PR	235	253	267	279	264	284	300	313	300	323	341	356	342	368	389	405	385	414	437	456	425	457	483	504
	Lo PR	110	117	128	137	117	124	135	144	121	129	141	151	127	135	148	158	133	142	155	165	138	147	160	171

IDB: Entering Indoor Dry Bulb Temperature

High and low pressures are measured at the liquid and suction service valves.

Shaded area reflects AHRI conditions

Amps = outdoor unit amps (comp.+fan)

kW = Total system power

		OUTDOOR AMBIENT TEMPERATURE																							
		65°F				75°F				85°F				95°F				105°F				115°F			
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71				
70	1050	MBh	36.6	37.1	38.2	---	36.3	36.8	37.9	---	35.3	35.9	37.0	---	33.7	34.2	35.3	---	31.7	32.2	33.3	---			
		S/T	0.60	0.53	0.39	---	0.61	0.53	0.40	---	0.63	0.56	0.42	---	0.65	0.58	0.44	---	0.67	0.60	0.46	---			
		ΔT	21	19	15	---	21	19	15	---	21	19	16	---	21	19	15	---	21	19	15	---			
		kW	2.10	2.10	2.10	---	2.34	2.34	2.34	---	2.61	2.61	2.60	---	2.90	2.89	2.89	---	3.22	3.21	3.21	---			
		Amps	7.6	7.6	7.6	---	8.7	8.7	8.7	---	9.9	9.9	9.9	---	11.2	11.2	11.2	---	12.7	12.7	12.7	---			
	1200	Hi PR	245	246	248	---	283	285	286	---	324	325	327	---	367	369	370	---	414	416	417	---			
		Lo PR	118	120	123	---	126	127	130	---	132	133	136	---	137	139	142	---	143	144	147	---			
		MBh	37.1	37.6	38.7	---	36.8	37.3	38.4	---	35.8	36.3	37.4	---	34.2	34.7	35.8	---	32.2	32.7	33.8	---			
		S/T	0.66	0.59	0.45	---	0.67	0.59	0.46	---	0.69	0.62	0.48	---	0.71	0.64	0.50	---	1.00	0.66	0.52	---			
		ΔT	20	18	14	---	20	18	14	---	20	18	14	---	20	18	14	---	19	17	14	---			
1350	kW	2.12	2.11	2.11	---	2.35	2.35	2.35	---	2.62	2.62	2.61	---	2.91	2.91	2.90	---	3.23	3.23	3.22	---				
	Amps	7.7	7.7	7.7	---	8.8	8.8	8.7	---	10.0	10.0	10.0	---	11.3	11.3	11.3	---	12.8	12.8	12.7	---				
	Hi PR	247	248	250	---	286	287	288	---	326	327	329	---	370	371	372	---	417	418	419	---				
	Lo PR	120	122	125	---	127	129	132	---	134	135	138	---	139	140	143	---	144	146	149	---				
	MBh	37.7	38.2	39.3	---	37.4	37.9	39.0	---	36.4	36.9	38.0	---	34.8	35.3	36.4	---	32.7	33.3	34.4	---				
75	1050	S/T	0.70	0.62	0.48	---	0.70	0.63	0.49	---	0.73	0.65	0.52	---	0.75	0.67	0.54	---	1.00	0.69	0.56	---			
		ΔT	19	17	13	---	19	17	13	---	19	17	13	---	19	17	13	---	18	16	13	---			
		kW	2.13	2.12	2.12	---	2.36	2.36	2.36	---	2.63	2.63	2.62	---	2.92	2.92	2.91	---	3.24	3.24	3.23	---			
		Amps	7.7	7.7	7.7	---	8.8	8.8	8.8	---	10.0	10.0	10.0	---	11.4	11.3	11.3	---	12.8	12.8	12.8	---			
		Hi PR	249	250	252	---	288	289	290	---	328	329	331	---	372	373	374	---	419	420	421	---			
	1200	Lo PR	122	124	127	---	129	131	134	---	136	137	140	---	141	142	145	---	146	148	151	---			
		MBh	36.6	37.2	38.3	39.9	36.3	36.8	37.9	39.6	35.4	35.9	37.0	38.6	33.7	34.2	35.3	37.0	31.7	32.2	33.3	35.0			
		S/T	0.73	0.65	0.52	0.38	0.74	0.66	0.53	0.38	0.76	0.69	0.55	0.41	1.00	0.70	0.57	0.43	1.00	0.73	0.59	0.45			
		ΔT	25	23	20	16	25	23	20	16	25	23	20	16	25	23	20	16	25	23	19	16			
		kW	2.10	2.10	2.10	2.11	2.34	2.34	2.33	2.35	2.61	2.60	2.60	2.62	2.89	2.89	2.89	2.91	3.22	3.21	3.21	3.23			
1350	Amps	7.6	7.6	7.6	7.7	8.7	8.7	8.7	8.8	9.9	9.9	9.9	10.0	11.2	11.2	11.2	11.3	12.7	12.7	12.7	12.8				
	Hi PR	245	246	248	252	284	285	286	291	324	325	327	331	368	369	370	375	415	416	417	422				
	Lo PR	118	120	123	128	126	127	130	135	132	133	136	141	137	139	142	147	143	144	147	152				
	MBh	37.1	37.6	38.7	40.4	36.8	37.3	38.4	40.1	35.8	36.4	37.5	39.1	34.2	34.7	35.8	37.5	32.2	32.7	33.8	35.5				
	S/T	0.79	0.71	0.58	0.44	0.80	0.72	0.59	0.44	1.00	0.75	0.61	0.47	1.00	0.76	0.63	0.49	1.00	0.79	0.65	0.51				
75	1200	ΔT	24	22	18	15	24	22	18	15	24	22	19	15	24	22	18	15	24	22	18	14			
		kW	2.11	2.11	2.11	2.13	2.35	2.35	2.35	2.36	2.62	2.62	2.61	2.63	2.91	2.90	2.92	2.93	3.23	3.23	3.22	3.24			
		Amps	7.7	7.7	7.6	7.7	8.8	8.8	8.7	8.8	10.0	10.0	10.0	10.0	11.3	11.3	11.3	11.4	12.8	12.8	12.7	12.8			
		Hi PR	247	248	250	254	286	287	289	293	326	327	329	333	370	371	373	377	417	418	420	424			
		Lo PR	120	122	125	130	127	129	132	137	134	135	138	143	139	140	144	149	144	146	149	154			
75	1350	MBh	37.7	38.2	39.3	41.0	37.4	37.9	39.0	40.7	36.4	36.9	38.0	39.7	34.8	35.3	36.4	38.1	32.8	33.3	34.4	36.0			
		S/T	0.82	0.75	0.61	0.47	0.83	0.75	0.62	0.48	1.00	0.78	0.64	0.50	1.00	0.80	0.66	0.52	1.00	0.82	0.69	0.54			
		ΔT	23	21	17	14	23	21	17	14	23	21	18	14	23	21	17	14	23	21	17	13			
		kW	2.12	2.12	2.12	2.14	2.36	2.36	2.36	2.38	2.63	2.63	2.62	2.64	2.92	2.91	2.91	2.93	3.24	3.24	3.23	3.25			
		Amps	7.7	7.7	7.7	7.8	8.8	8.8	8.8	8.9	10.0	10.0	10.0	10.1	11.3	11.3	11.3	11.4	12.8	12.8	12.8	12.9			
75	1350	Hi PR	249	250	252	256	288	289	291	295	328	329	331	335	372	373	375	379	419	420	422	426			
		Lo PR	122	124	127	132	129	131	134	139	136	137	140	145	141	142	145	150	146	148	151	156			
		MBh	37.7	38.2	39.3	41.0	37.4	37.9	39.0	40.7	36.4	36.9	38.0	39.7	34.8	35.3	36.4	38.1	32.8	33.3	34.4	36.0			
		S/T	0.82	0.75	0.61	0.47	0.83	0.75	0.62	0.48	1.00	0.78	0.64	0.50	1.00	0.80	0.66	0.52	1.00	0.82	0.69	0.54			
		ΔT	23	21	17	14	23	21	17	14	23	21	18	14	23	21	17	14	23	21	17	13			
75	1350	kW	2.12	2.12	2.12	2.14	2.36	2.36	2.36	2.38	2.63	2.63	2.62	2.64	2.92	2.91	2.91	2.93	3.24	3.24	3.23	3.25			
		Amps	7.7	7.7	7.7	7.8	8.8	8.8	8.8	8.9	10.0	10.0	10.0	10.1	11.3	11.3	11.3	11.4	12.8	12.8	12.8	12.9			
		Hi PR	249	250	252	256	288	289	291	295	328	329	331	335	372	373	375	379	419	420	422	426			
		Lo PR	122	124	127	132	129	131	134	139	136	137	140	145	141	142	145	150	146	148	151	156			
		MBh	37.7	38.2	39.3	41.0	37.4	37.9	39.0	40.7	36.4	36.9	38.0	39.7	34.8	35.3	36.4	38.1	32.8	33.3	34.4	36.0			
75	1350	S/T	0.82	0.75	0.61	0.47	0.83	0.75	0.62	0.48	1.00	0.78	0.64	0.50	1.00	0.80	0.66	0.52	1.00	0.82	0.69	0.54			
		ΔT	23	21	17	14	23	21	17	14	23	21	18	14	23	21	17	14	23	21	17	13			
		kW	2.12	2.12	2.12	2.14	2.36	2.36	2.36	2.38	2.63	2.63	2.62	2.64	2.92	2.91	2.91	2.93	3.24	3.24	3.23	3.25			
		Amps	7.7	7.7	7.7	7.8	8.8	8.8	8.8	8.9	10.0	10.0	10.0	10.1	11.3	11.3	11.3	11.4	12.8	12.8	12.8	12.9			
		Hi PR	249	250	252	256	288	289	291	295	328	329	331	335	372	373	375	379	419	420	422	426			
75	1350	Lo PR	122	124	127	132	129	131	134	139	136	137	140	145	141	142	145	150	146	148	151	156			
		MBh	37.7	38.2	39.3	41.0	37.4	37.9	39.0	40.7	36.4	36.9	38.0	39.7	34.8	35.3	36.4	38.1	32.8	33.3	34.4	36.0			
		S/T	0.82	0.75	0.61	0.47	0.83	0.75	0.62	0.48	1.00	0.78	0.64	0.50	1.00	0.80	0.66	0.52	1.00	0.82	0.69	0.54			
		ΔT	23	21	17	14	23	21	17	14	23	21	18	14	23	21	17	14	23	21	17	13			
		kW	2.12	2.12	2.12	2.14	2.36	2.36	2.36	2.38	2.63	2.63	2.62	2.64	2.92	2.91	2.91	2.93	3.24	3.24	3.23	3.25			
75	1350	Amps	7.7	7.7	7.7	7.8	8.8	8.8	8.8	8.9	10.0	10.0	10.0	10.1	11.3	11.3	11.3	11.4	12.8	12.8	12.8	12.9			
		Hi PR	249	250	252	256	288	289	291	295	328	329	331	335	372	373	375	379	419	420	422	426			
		Lo PR	122	124	127	132	129	131	134	139	136	137	140	145	141	142	145	150	146	148	151	156			
		MBh	37.7	38.2	39.3	41.0	37.4	37.9	39.0	40.7	36.4	36.9	38.0	39.7	34.8	35.3	36.4	38.1	32.8	33.3	34.4	36.0			
		S/T	0.82	0.75	0.61	0.47	0.83	0.75	0.62	0.48	1.00	0.78	0.64	0.50	1.00	0.80	0.66	0.52	1.00	0.82	0.69	0.54			
75	1350	ΔT	23	21	17	14	23	21	17	14	23	21	18	14	23	21	17	14	23	21	17	13			
		kW	2.12	2.12	2.12	2.14	2.36	2.36	2.36	2.38	2.63	2.63	2.62	2.64	2.92	2.91	2.91	2.93	3.24	3.24	3.23	3.25			
		Amps	7.7	7.7	7.7	7.8	8.8	8.8	8.8	8.9	10.0	10.0	10.0	10.1	11.3	11.3	11.3	11.4	12.8	12.8	12.8	12.9			
		Hi PR	249	250	252	256	288	289	291	295	328	329													

IDB: Entering Indoor Dry Bulb Temperature

High and low pressures are measured at the liquid and suction service valves.

Shaded area reflects ACCA (TVA) conditions

Amps = outdoor unit amps (comp.+fan)

kW = Total system power

		OUTDOOR AMBIENT TEMPERATURE																																				
		65°F						75°F						85°F						95°F						105°F						115°F						
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71					
		ENTERING INDOOR WET BULB TEMPERATURE																																				
80	1050	MBh	36.8	37.4	38.4	40.1	36.5	37.0	38.1	39.8	35.6	36.1	37.2	38.8	33.9	34.4	35.5	37.2	31.9	32.4	33.5	35.2	30.1	30.6	31.7	33.3	30.1	30.6	31.7	33.3	30.1	30.6	31.7	33.3				
		S/T	0.85	0.78	0.64	0.50	1.00	0.79	0.65	0.51	1.00	0.81	0.68	0.53	1.00	0.83	0.69	0.55	1.00	0.85	0.72	0.57	1.00	1.00	0.77	0.63	1.00	1.00	0.77	0.63	1.00	1.00	0.77	0.63				
		ΔT	29	27	24	20	29	27	24	20	30	28	24	20	29	27	24	20	29	27	24	20	30	28	25	21	29	27	24	20	30	28	25	21				
		kW	2.10	2.10	2.10	2.12	2.34	2.34	2.34	2.35	2.61	2.61	2.60	2.62	2.90	2.89	2.89	2.91	3.22	3.21	3.21	3.23	3.59	3.59	3.59	3.61	3.59	3.59	3.59	3.61	3.59	3.59	3.59	3.61				
		Amps	7.6	7.6	7.6	7.7	8.7	8.7	8.7	8.8	9.9	9.9	9.9	10.0	11.2	11.2	11.2	11.3	12.7	12.7	12.7	12.8	14.4	14.4	14.4	14.5	14.4	14.4	14.4	14.5	14.4	14.4	14.5	14.5	14.6			
		Hi PR	245	247	248	253	284	285	287	291	325	326	327	332	368	369	371	375	415	416	418	422	465	466	468	472	465	466	468	472	465	466	468	472	465	466	468	472
	Lo PR	119	120	123	128	126	128	131	136	132	134	137	142	138	139	142	147	143	145	148	153	150	151	154	159	150	151	154	159	150	151	154	159	150	151	154	159	
	1200	MBh	37.3	37.8	38.9	40.6	37.0	37.5	38.6	40.3	36.0	36.6	37.6	39.3	34.4	34.9	36.0	37.7	32.4	32.9	34.0	35.7	30.5	31.1	32.2	33.8	30.5	31.1	32.2	33.8	30.5	31.1	32.2	33.8				
		S/T	0.91	0.84	0.70	0.56	1.00	0.84	0.71	0.57	1.00	0.87	0.73	0.59	1.00	0.89	0.75	0.61	1.00	1.00	0.78	0.63	1.00	1.00	0.83	0.69	1.00	1.00	0.83	0.69	1.00	1.00	0.83	0.69				
		ΔT	28	26	23	19	28	26	23	19	28	27	23	19	28	26	23	19	28	26	22	19	29	27	24	20	28	26	22	19	29	27	24	20	28	26	23	19
kW		2.12	2.11	2.11	2.13	2.35	2.35	2.35	2.37	2.62	2.62	2.61	2.63	2.91	2.91	2.91	2.92	3.23	3.23	3.22	3.24	3.61	3.60	3.60	3.62	3.61	3.60	3.60	3.62	3.61	3.60	3.60	3.62	3.61	3.60			
1350	Amps	7.7	7.7	7.7	7.7	8.8	8.8	8.7	8.8	10.0	10.0	10.0	10.0	11.3	11.3	11.3	11.4	12.8	12.8	12.7	12.8	14.5	14.5	14.5	14.6	14.5	14.5	14.5	14.6	14.5	14.5	14.5	14.5	14.5	14.6	14.5	14.6	
	Hi PR	248	249	250	255	286	287	289	293	327	328	329	334	370	371	373	377	417	418	420	424	467	468	470	474	467	468	470	474	467	468	470	474	467	468	470	474	
	Lo PR	121	122	125	130	128	129	132	137	134	136	139	144	140	141	144	149	145	146	149	154	151	153	156	161	151	153	156	161	151	153	156	161	151	153	156	161	
	MBh	37.9	38.4	39.5	41.2	37.6	38.1	39.2	40.9	36.6	37.1	38.2	39.9	35.0	35.5	36.6	38.2	33.0	33.5	34.6	36.2	31.1	31.6	32.7	34.4	31.1	31.6	32.7	34.4	31.1	31.6	32.7	34.4	31.1	31.6	32.7	34.4	
85	1050	S/T	1.00	0.87	0.74	0.60	1.00	0.88	0.74	0.60	1.00	0.90	0.77	0.63	1.00	0.92	0.79	0.65	1.00	1.00	0.81	0.67	1.00	1.00	0.86	0.72	1.00	1.00	0.86	0.72	1.00	1.00	0.86	0.72				
		ΔT	27	25	22	18	27	25	22	18	27	26	22	18	27	25	22	18	27	25	21	18	28	26	23	19	27	25	21	18	28	26	23	19	27	25	21	
		kW	2.13	2.12	2.12	2.14	2.36	2.36	2.36	2.38	2.63	2.63	2.62	2.64	2.92	2.92	2.91	2.93	3.24	3.24	3.23	3.25	3.62	3.61	3.61	3.63	3.62	3.61	3.61	3.63	3.62	3.61	3.61	3.63	3.62	3.61	3.63	
		Amps	7.7	7.7	7.7	7.8	8.8	8.8	8.8	8.9	10.0	10.0	10.0	10.1	11.3	11.3	11.3	11.4	12.8	12.8	12.8	12.9	14.5	14.5	14.5	14.6	14.5	14.5	14.5	14.6	14.5	14.5	14.5	14.5	14.5	14.6	14.5	14.6
		Hi PR	250	251	252	257	288	289	291	295	329	330	331	336	372	373	375	379	419	420	422	426	469	470	472	476	469	470	472	476	469	470	472	476	469	470	472	476
		Lo PR	123	124	127	132	130	131	134	139	136	138	141	146	141	143	146	151	147	148	151	156	153	155	158	163	153	155	158	163	153	155	158	163	153	155	158	163
	1200	MBh	37.5	38.0	39.1	40.7	37.1	37.6	38.7	40.4	36.2	36.7	37.8	39.5	34.5	35.0	36.1	37.8	32.5	33.0	34.1	35.8	30.7	31.2	32.3	34.0	30.7	31.2	32.3	34.0	30.7	31.2	32.3	34.0	30.7	31.2	32.3	34.0
		S/T	1.00	0.88	0.74	0.60	1.00	0.89	0.75	0.61	1.00	1.00	0.78	0.63	1.00	1.00	0.80	0.65	1.00	1.00	0.82	0.68	1.00	1.00	0.87	0.73	1.00	1.00	0.87	0.73	1.00	1.00	0.87	0.73	1.00	1.00	0.87	0.73
		ΔT	33	31	28	24	33	31	28	24	33	32	28	24	33	31	28	24	33	31	27	24	34	32	29	25	34	32	29	25	34	32	29	25	34	32	29	25
		kW	2.11	2.11	2.10	2.12	2.35	2.34	2.34	2.36	2.61	2.61	2.61	2.62	2.90	2.90	2.89	2.91	3.22	3.22	3.22	3.23	3.60	3.60	3.59	3.61	3.60	3.60	3.59	3.61	3.60	3.60	3.59	3.61	3.60	3.59	3.61	
1350	Amps	7.6	7.6	7.6	7.7	8.7	8.7	8.7	8.8	9.9	9.9	9.9	10.0	11.3	11.3	11.3	11.4	12.7	12.7	12.7	12.8	14.5	14.5	14.4	14.5	14.5	14.5	14.4	14.5	14.5	14.5	14.5	14.5	14.5	14.5	14.6	14.5	14.6
	Hi PR	247	248	249	254	285	286	288	292	326	327	329	333	369	370	372	376	416	417	419	423	466	468	469	473	466	468	469	473	466	468	469	473	466	468	469	473	
	Lo PR	121	122	125	130	128	129	132	137	134	136	139	144	140	141	144	149	145	146	149	154	151	153	156	161	151	153	156	161	151	153	156	161	151	153	156	161	
	MBh	37.9	38.5	39.5	41.2	37.6	38.1	39.2	40.9	36.7	37.2	38.3	39.9	35.0	35.5	36.6	38.3	33.0	33.5	34.6	36.3	31.2	31.7	32.8	34.4	31.2	31.7	32.8	34.4	31.2	31.7	32.8	34.4	31.2	31.7	32.8	34.4	
85	1200	S/T	1.00	0.94	0.80	0.66	1.00	0.95	0.81	0.67	1.00	1.00	0.84	0.69	1.00	1.00	0.85	0.71	1.00	1.00	0.88	0.73	1.00	1.00	0.93	0.79	1.00	1.00	0.93	0.79	1.00	1.00	0.93	0.79				
		ΔT	32	30	27	23	32	30	26	23	32	30	27	23	32	30	26	23	32	30	26	22	33	31	27	24	32	30	26	22	33	31	27	24	32	30	26	23
		kW	2.12	2.12	2.11	2.13	2.36	2.36	2.35	2.37	2.62	2.62	2.62	2.64	2.91	2.91	2.91	2.92	3.23	3.23	3.23	3.25	3.61	3.61	3.60	3.62	3.61	3.61	3.60	3.62	3.61	3.60	3.61	3.60	3.62	3.61	3.63	
		Amps	7.7	7.7	7.7	7.8	8.8	8.8	8.8	8.8	10.0	10.0	10.0	10.1	11.3	11.3	11.3	11.4	12.8	12.8	12.8	12.8	14.5	14.5	14.5	14.6	14.5	14.5	14.5	14.6	14.5	14.5	14.5	14.5	14.5	14.6	14.5	14.6
		Hi PR	249	250	251	256	287	288	290	294	328	329	331	335	371	372	374	378	418	419	421																	

IDB		AIRFLOW		OUTDOOR AMBIENT TEMPERATURE																																			
				65°F						75°F						85°F						95°F						105°F						115°F					
				ENTERING INDOOR WET BULB TEMPERATURE																																			
		59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71										
70		Mb/h	36.9	38.2	41.9	-	36.0	37.3	40.9	-	35.2	36.4	39.9	-	34.3	35.6	39.0	-	32.6	33.8	37.0	-	30.2	31.3	34.3	-	30.2	31.3	34.3	-									
		S/T	0.70	0.59	0.41	-	0.73	0.61	0.42	-	0.75	0.62	0.43	-	0.77	0.64	0.45	-	0.80	0.67	0.46	-	0.81	0.67	0.47	-	0.81	0.67	0.47	-									
		ΔT	19	17	13	-	20	17	13	-	20	17	13	-	20	17	13	-	20	17	13	-	18	16	12	-	18	16	12	-									
	1225	kW	2.70	2.76	2.83	-	2.89	2.95	3.03	-	3.06	3.12	3.21	-	3.20	3.27	3.37	-	3.33	3.39	3.50	-	3.43	3.50	3.61	-	3.43	3.50	3.61	-									
		Amps	9.9	10.1	10.4	-	10.7	10.9	11.3	-	11.6	11.8	12.2	-	12.3	12.6	13.1	-	13.1	13.4	13.9	-	13.9	14.2	14.7	-	13.9	14.2	14.7	-									
		Hi PR	220	237	250	-	247	265	280	-	281	302	319	-	320	344	363	-	359	387	409	-	397	427	451	-	397	427	451	-									
	Lo PR	102	109	119	-	108	115	125	-	112	119	130	-	118	125	137	-	124	131	143	-	128	136	148	-	128	136	148	-										
70		Mb/h	40.0	41.4	45.4	-	39.0	40.5	44.3	-	38.1	39.5	43.3	-	37.2	38.5	42.2	-	35.3	36.6	40.1	-	32.7	33.9	37.1	-	32.7	33.9	37.1	-									
		S/T	0.73	0.61	0.42	-	0.75	0.63	0.44	-	0.77	0.65	0.45	-	0.80	0.67	0.46	-	0.83	0.69	0.48	-	0.84	0.70	0.48	-	0.84	0.70	0.48	-									
		ΔT	19	17	13	-	19	17	13	-	19	17	13	-	19	17	13	-	19	17	13	-	18	16	12	-	18	16	12	-									
	1400	kW	2.76	2.82	2.90	-	2.96	3.02	3.10	-	3.13	3.19	3.29	-	3.28	3.34	3.45	-	3.40	3.48	3.58	-	3.51	3.59	3.70	-	3.51	3.59	3.70	-									
		Amps	10.1	10.4	10.7	-	10.9	11.2	11.6	-	11.9	12.2	12.6	-	12.7	13.0	13.4	-	13.5	13.8	14.3	-	14.3	14.6	15.1	-	14.3	14.6	15.1	-									
		Hi PR	227	244	258	-	254	274	289	-	289	311	329	-	329	355	374	-	371	399	421	-	409	441	465	-	409	441	465	-									
	Lo PR	105	112	122	-	111	118	129	-	116	123	134	-	122	129	141	-	127	135	148	-	132	140	153	-	132	140	153	-										
1575		Mb/h	41.2	42.7	46.7	-	40.2	41.7	45.7	-	39.2	40.7	44.6	-	38.3	39.7	43.5	-	36.4	37.7	41.3	-	33.7	34.9	38.3	-	33.7	34.9	38.3	-									
		S/T	0.76	0.64	0.44	-	0.79	0.66	0.46	-	0.81	0.68	0.47	-	0.84	0.70	0.48	-	0.87	0.73	0.50	-	0.88	0.73	0.51	-	0.88	0.73	0.51	-									
		ΔT	18	16	12	-	19	16	12	-	19	16	12	-	19	16	12	-	18	16	12	-	17	15	11	-	17	15	11	-									
	1575	kW	2.78	2.84	2.92	-	2.98	3.04	3.13	-	3.15	3.21	3.31	-	3.30	3.37	3.47	-	3.43	3.50	3.61	-	3.54	3.62	3.73	-	3.54	3.62	3.73	-									
		Amps	10.2	10.5	10.8	-	11.0	11.3	11.7	-	12.0	12.3	12.7	-	12.8	13.1	13.6	-	13.6	14.0	14.5	-	14.4	14.8	15.3	-	14.4	14.8	15.3	-									
		Hi PR	229	246	260	-	257	276	292	-	292	314	332	-	333	358	378	-	374	403	425	-	414	445	470	-	414	445	470	-									
	Lo PR	106	113	124	-	112	120	131	-	117	124	136	-	123	131	143	-	129	137	149	-	133	142	155	-	133	142	155	-										

75	AIRFLOW	37.5	38.6	41.8	44.9	36.6	37.7	40.8	43.8	35.8	36.8	39.9	42.8	34.9	35.9	38.9	41.7	33.1	34.1	36.9	39.6	30.7	31.6	34.2	36.7	30.7	31.6	34.2	36.7	30.7	31.6	34.2	36.7
	MBh	0.80	0.71	0.54	0.35	0.83	0.74	0.56	0.36	0.85	0.76	0.57	0.37	0.88	0.78	0.59	0.38	0.91	0.81	0.62	0.40	0.92	0.82	0.62	0.40	0.92	0.82	0.62	0.40	0.92	0.82	0.62	0.40
	ΔT	22	21	17	12	23	21	17	12	23	21	17	12	23	21	17	12	23	21	17	12	21	19	16	11	21	19	16	11	21	19	16	11
	kW	2.72	2.78	2.86	2.94	2.91	2.97	3.06	3.15	3.08	3.14	3.23	3.33	3.23	3.29	3.39	3.50	3.35	3.42	3.53	3.64	3.46	3.53	3.64	3.76	3.46	3.53	3.64	3.76	3.46	3.53	3.64	3.76
	Amps	10.0	10.2	10.5	10.9	10.8	11.0	11.4	11.8	11.7	11.9	12.3	12.8	12.5	12.8	13.2	13.7	13.3	13.6	14.0	14.6	14.0	14.4	14.9	15.4	14.0	14.4	14.9	15.4	14.0	14.4	14.9	15.4
	Hi PR	222	239	252	263	249	268	283	295	283	305	322	336	323	347	367	383	363	391	413	430	401	432	456	476	401	432	456	476	401	432	456	476
	Lo PR	103	110	120	128	109	116	127	135	113	121	132	140	119	127	138	147	125	133	145	154	129	137	150	160	129	137	150	160	129	137	150	160
	MBh	40.6	41.8	45.3	48.6	39.7	40.9	44.2	47.5	38.7	39.9	43.2	46.3	37.8	38.9	42.1	45.2	35.9	37.0	40.0	43.0	33.3	34.2	37.1	39.8	33.3	34.2	37.1	39.8	33.3	34.2	37.1	39.8
	S/T	0.83	0.74	0.56	0.36	0.86	0.77	0.58	0.37	0.88	0.79	0.60	0.38	0.91	0.81	0.61	0.40	0.94	0.84	0.64	0.41	0.95	0.85	0.64	0.41	0.95	0.85	0.64	0.41	0.95	0.85	0.64	0.41
	ΔT	22	20	17	12	22	21	17	12	22	21	17	12	23	21	17	12	22	20	17	12	21	19	16	11	21	19	16	11	21	19	16	11
	kW	2.78	2.84	2.92	3.01	2.98	3.04	3.13	3.22	3.15	3.21	3.31	3.41	3.30	3.37	3.47	3.58	3.43	3.50	3.61	3.72	3.54	3.62	3.73	3.85	3.54	3.62	3.73	3.85	3.54	3.62	3.73	3.85

IDB: Entering Indoor Dry Bulb Temperature
 High and low pressures are measured at the liquid and suction service valves.
 Shaded area reflects ACCA (TVA) conditions
 Amps = outdoor unit amps (comp.+fan)
 kW = Total system power

IDB		AIRFLOW		OUTDOOR AMBIENT TEMPERATURE																																			
				65°F						75°F						85°F						95°F						105°F						115°F					
				ENTERING INDOOR WET BULB TEMPERATURE																																			
70	1400	MBh	42.6	44.2	48.4	-	41.6	43.2	47.3	-	40.7	42.1	46.2	-	39.7	41.1	45.0	-	37.7	39.1	42.8	-	34.9	36.2	39.6	-													
		S/T	0.70	0.59	0.41	-	0.73	0.61	0.42	-	0.75	0.62	0.43	-	0.77	0.64	0.45	-	0.80	0.67	0.46	-	0.81	0.67	0.47	-													
		ΔT	20	17	13	-	20	17	13	-	20	17	13	-	20	17	13	-	20	17	13	-	18	16	12	-													
		kW	2.95	3.01	3.09	-	3.16	3.22	3.32	-	3.34	3.41	3.51	-	3.50	3.57	3.68	-	3.64	3.71	3.83	-	3.76	3.84	3.95	-													
		Amps	10.8	11.0	11.4	-	11.7	11.9	12.3	-	12.7	13.0	13.4	-	13.5	13.9	14.3	-	14.4	14.7	15.2	-	15.3	15.6	16.2	-													
		Hi PR	221	238	251	-	248	267	282	-	282	304	321	-	321	346	365	-	361	389	411	-	399	430	454	-													
		Lo PR	105	112	122	-	111	118	129	-	115	123	134	-	121	129	141	-	127	135	147	-	131	140	152	-													
		MBh	43.3	44.9	49.2	-	42.3	43.8	48.0	-	41.3	42.8	46.9	-	40.3	41.7	45.7	-	38.3	39.6	43.4	-	35.4	36.7	40.2	-													
1500	S/T	0.73	0.61	0.42	-	0.75	0.63	0.44	-	0.77	0.65	0.45	-	0.80	0.67	0.46	-	0.83	0.69	0.48	-	0.84	0.70	0.48	-														
	ΔT	19	17	13	-	20	17	13	-	20	17	13	-	20	17	13	-	19	17	13	-	18	16	12	-														
	kW	2.99	3.05	3.13	-	3.20	3.26	3.36	-	3.38	3.45	3.56	-	3.55	3.62	3.73	-	3.69	3.76	3.88	-	3.81	3.89	4.01	-														
	Amps	11.0	11.2	11.6	-	11.8	12.1	12.5	-	12.9	13.2	13.6	-	13.7	14.1	14.5	-	14.6	15.0	15.5	-	15.5	15.9	16.4	-														
	Hi PR	225	242	256	-	252	272	287	-	287	309	326	-	327	352	371	-	368	396	418	-	406	437	462	-														
	Lo PR	107	114	124	-	113	120	131	-	117	125	136	-	123	131	143	-	129	137	150	-	134	142	155	-														
	MBh	44.8	46.4	50.9	-	43.8	45.4	49.7	-	42.7	44.3	48.5	-	41.7	43.2	47.3	-	39.6	41.0	45.0	-	36.7	38.0	41.6	-														
	S/T	0.77	0.65	0.45	-	0.80	0.67	0.46	-	0.82	0.69	0.48	-	0.85	0.71	0.49	-	0.88	0.74	0.51	-	0.89	0.74	0.51	-														
1800	ΔT	18	15	12	-	18	16	12	-	18	16	12	-	18	16	12	-	18	15	12	-	17	14	11	-														
	kW	3.03	3.09	3.18	-	3.25	3.31	3.41	-	3.44	3.51	3.61	-	3.60	3.68	3.79	-	3.75	3.82	3.94	-	3.87	3.95	4.07	-														
	Amps	11.2	11.4	11.8	-	12.1	12.3	12.8	-	13.1	13.4	13.9	-	14.0	14.3	14.8	-	14.9	15.3	15.8	-	15.8	16.2	16.7	-														
	Hi PR	229	247	261	-	257	277	292	-	293	315	333	-	333	359	379	-	375	404	426	-	414	446	471	-														
	Lo PR	109	116	127	-	115	122	134	-	120	127	139	-	126	134	146	-	132	140	153	-	136	145	158	-														

1400	MBh	43.4	44.6	48.3	51.9	42.4	43.6	47.2	50.7	41.3	42.6	46.1	49.5	40.3	41.5	45.0	48.2	38.3	39.5	42.7	45.8	35.5	36.5	39.6	42.5
	S/T	0.80	0.71	0.54	0.35	0.83	0.74	0.56	0.36	0.85	0.76	0.57	0.37	0.88	0.78	0.59	0.38	0.91	0.81	0.62	0.40	0.92	0.82	0.62	0.40
	ΔT	23	21	17	12	23	21	17	12	23	21	17	12	23	21	17	12	23	21	17	12	21	20	16	11
	kW	2.97	3.03	3.12	3.21	3.18	3.25	3.34	3.44	3.37	3.43	3.54	3.65	3.53	3.60	3.71	3.83	3.67	3.74	3.86	3.98	3.79	3.87	3.99	4.11
	Amps	10.9	11.2	11.5	11.9	11.8	12.0	12.4	12.9	12.8	13.1	13.5	14.0	13.7	14.0	14.5	15.0	14.5	14.9	15.4	16.0	15.4	15.8	16.3	16.9
	Hi PR	223	240	254	265	251	270	285	297	285	307	324	338	325	349	369	385	365	393	415	433	403	434	458	478
	Lo PR	106	113	123	131	112	119	130	139	116	124	135	144	122	130	142	151	128	136	149	159	133	141	154	164
	1500	MBh	44.0	45.3	49.1	52.7	43.0	44.3	47.9	51.4	42.0	43.2	46.8	50.2	41.0	42.2	45.6	49.0	38.9	40.1	43.4	46.5	36.0	37.1	40.2
S/T		0.83	0.74	0.56	0.36	0.86	0.77	0.58	0.37	0.88	0.79	0.60	0.38	0.91	0.81	0.61	0.40	0.94	0.84	0.64	0.41	0.95	0.85	0.64	0.41
ΔT		22	21	17	12	23	21	17	12	23	21	17	12	23	21	17	12	22	21	17	12	21	19	16	11
kW		3.01	3.07	3.16	3.25	3.22	3.29	3.38	3.49	3.41	3.48	3.59	3.70	3.58	3.65	3.76	3.88	3.72	3.79	3.91	4.04	3.84	3.92	4.04	4.17
Amps		11.1	11.3	11.7	12.1	12.0	12.2	12.6	13.1	13.0	13.3	13.7	14.3	13.9	14.2	14.7	15.2	14.8	15.1	15.6	16.2	15.6	16.0	16.6	17.2
Hi PR		227	244	258	269	255	274	290	302	290	312	329	344	330	355	375	391	371	400	422	440	410	442	466	486
Lo PR		108	115	125	133	114	121	132	141	118	126	138	147	124	132	145	154	130	139	151	161	135	144	157	167
1800		MBh	45.6	46.9	50.8	54.5	44.5	45.8	49.6	53.2	43.4	44.7	48.4	52.0	42.4	43.6	47.2	50.7	40.3	41.5	44.9	48.2	37.3	38.4	41.6
	S/T	0.88	0.79	0.60	0.38	0.91	0.82	0.62	0.40	0.93	0.84	0.63	0.41	0.96	0.86	0.65	0.42	1.00	0.90	0.68	0.44	1.00	0.90	0.68	0.44
	ΔT	20	19	15	11	21	19	16	11	21	19	16	11	21	19	16	11	21	19	16	11	19	18	15	10
	kW	3.05	3.11	3.20	3.30	3.27	3.34	3.44	3.54	3.46	3.53	3.64	3.75	3.63	3.71	3.82	3.94	3.78	3.85	3.97	4.10	3.90	3.98	4.11	4.24
	Amps	11.3	11.5	11.9	12.3	12.2	12.5	12.9	13.4	13.4	13.2	13.5	14.0	14.5	14.1	14.5	15.0	15.5	15.0	15.4	15.9	16.5	15.9	16.3	16.9
	Hi PR	232	249	263	275	260	280	295	308	296	318	336	350	337	362	383	399	379	408	431	449	419	451	476	496
	Lo PR	110	117	128	136	116	123	135	144	121	129	140	149	127	135	147	157	133	142	155	165	138	146	160	170

IDB: Entering Indoor Dry Bulb Temperature
 High and low pressures are measured at the liquid and suction service valves.
 Shaded area reflects ACCA (TVA) conditions
 Amps = outdoor unit amps (comp.+fan)
 kW = Total system power

		OUTDOOR AMBIENT TEMPERATURE																																			
		65°F						75°F						85°F						95°F						105°F						115°F					
		ENTERING INDOOR WET BULB TEMPERATURE																																			
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71												
80	1400	MBh	44.1	45.1	48.2	51.5	43.1	44.0	47.1	50.3	42.1	43.0	45.9	49.1	41.1	41.9	44.8	47.9	39.0	39.9	42.6	45.5	36.1	36.9	39.4	42.2											
		S/T	0.88	0.82	0.67	0.50	0.91	0.85	0.69	0.52	0.93	0.87	0.71	0.53	0.96	0.90	0.73	0.55	1.00	0.93	0.76	0.57	1.00	0.94	0.77	0.57											
		ΔT	25	24	21	17	26	25	21	17	26	25	21	17	26	25	22	17	26	24	21	17	24	23	20	16											
		kW	2.99	3.05	3.14	3.23	3.21	3.27	3.37	3.47	3.39	3.46	3.57	3.68	3.56	3.63	3.74	3.86	3.70	3.77	3.89	4.01	3.82	3.90	4.02	4.15											
		Amps	11.0	11.3	11.6	12.0	11.9	12.2	12.6	13.0	12.9	13.2	13.6	14.2	13.8	14.1	14.6	15.1	14.7	15.0	15.5	16.1	15.5	15.9	16.5	17.1											
	Hi PR	226	243	256	267	253	272	288	300	288	310	327	341	328	353	373	389	369	397	419	437	408	439	463	483												
	Lo PR	107	114	124	133	113	120	131	140	118	125	137	146	124	131	144	153	130	138	150	160	134	143	156	166												
	MBh	44.8	45.8	48.9	52.3	43.8	44.7	47.8	51.1	42.7	43.7	46.6	49.9	41.7	42.6	45.5	48.6	39.6	40.5	43.2	46.2	36.7	37.5	40.0	42.8												
	S/T	0.91	0.85	0.69	0.52	0.94	0.88	0.72	0.54	0.96	0.90	0.74	0.55	1.00	0.93	0.76	0.57	1.00	0.97	0.79	0.59	1.00	0.98	0.80	0.59												
	ΔT	25	24	21	17	25	24	21	17	25	24	21	17	25	24	21	17	24	24	21	17	22	22	20	16												
1500	kW	3.03	3.09	3.18	3.28	3.25	3.31	3.41	3.51	3.44	3.51	3.61	3.73	3.60	3.68	3.79	3.91	3.75	3.82	3.94	4.07	3.87	3.95	4.07	4.20												
	Amps	11.2	11.4	11.8	12.2	12.1	12.4	12.8	13.2	13.1	13.4	13.9	14.4	14.0	14.3	14.8	15.4	14.9	15.3	15.8	16.4	15.8	16.2	16.7	17.4												
	Hi PR	229	247	261	272	257	277	293	305	293	315	333	347	334	359	379	395	375	404	426	445	415	446	471	491												
	Lo PR	109	116	127	135	115	123	134	142	120	127	139	148	126	134	146	155	132	140	153	163	136	145	158	169												
	MBh	46.4	47.4	50.6	54.1	45.3	46.3	49.4	52.9	44.2	45.2	48.3	51.6	43.1	44.1	47.1	50.3	41.0	41.9	44.7	47.8	38.0	38.8	41.4	44.3												
1800	S/T	0.96	0.90	0.74	0.55	1.00	0.94	0.76	0.57	1.00	0.96	0.78	0.58	1.00	1.00	0.81	0.60	1.00	1.00	0.84	0.63	1.00	1.00	0.85	0.63												
	ΔT	23	22	19	15	23	22	19	15	23	22	19	15	22	23	19	16	21	21	19	15	19	20	18	14												
	kW	3.08	3.14	3.23	3.33	3.30	3.36	3.46	3.57	3.49	3.56	3.67	3.78	3.66	3.74	3.85	3.97	3.81	3.88	4.01	4.13	3.93	4.01	4.14	4.27												
	Amps	11.4	11.6	12.0	12.5	12.3	12.6	13.0	13.5	13.3	13.7	14.1	14.7	14.3	14.6	15.1	15.7	15.2	15.5	16.1	16.7	16.1	16.5	17.0	17.7												
	Hi PR	234	252	266	277	263	283	298	311	299	321	339	354	340	366	387	403	383	412	435	454	423	455	481	501												
Lo PR	111	118	129	138	117	125	136	145	122	130	142	151	128	136	149	159	134	143	156	166	139	148	161	172													
85	1400	MBh	44.9	45.8	47.9	51.1	43.9	44.7	46.8	50.0	42.8	43.6	45.7	48.8	41.8	42.6	44.6	47.6	39.7	40.4	42.4	45.2	36.8	37.5	39.2	41.9											
		S/T	0.92	0.89	0.80	0.65	0.95	0.92	0.83	0.67	0.98	0.94	0.85	0.69	1.00	0.97	0.88	0.71	1.00	1.00	0.91	0.74	1.00	1.00	0.92	0.74											
		ΔT	27	27	25	22	27	27	25	22	27	27	25	22	27	27	26	22	26	27	25	22	24	25	24	20											
		kW	3.02	3.08	3.16	3.26	3.23	3.29	3.39	3.50	3.42	3.49	3.59	3.70	3.58	3.66	3.77	3.89	3.73	3.80	3.92	4.05	3.85	3.93	4.05	4.18											
		Amps	11.1	11.4	11.7	12.2	12.0	12.3	12.7	13.1	13.0	13.3	13.8	14.3	13.9	14.2	14.7	15.3	14.8	15.2	15.7	16.3	15.7	16.1	16.6	17.2											
	Hi PR	228	245	259	270	256	275	290	303	291	313	330	345	331	356	376	392	373	401	423	442	412	443	468	488												
	Lo PR	108	115	126	134	114	122	133	141	119	126	138	147	125	133	145	154	131	139	152	162	135	144	157	167												
	MBh	45.6	46.5	48.7	51.9	44.5	45.4	47.5	50.7	43.5	44.3	46.4	49.5	42.4	43.2	45.3	48.3	40.3	41.1	43.0	45.9	37.3	38.0	39.8	42.5												
	S/T	0.95	0.92	0.83	0.67	0.99	0.95	0.86	0.70	1.00	0.98	0.88	0.71	1.00	1.00	0.91	0.74	1.00	1.00	0.94	0.77	1.00	1.00	0.95	0.77												
	ΔT	27	26	25	21	27	26	25	22	27	26	25	22	26	26	25	22	25	25	25	22	23	23	23	20												
1500	kW	3.05	3.11	3.21	3.30	3.27	3.34	3.44	3.54	3.46	3.53	3.64	3.75	3.63	3.71	3.82	3.94	3.78	3.85	3.97	4.10	3.90	3.98	4.11	4.24												
	Amps	11.3	11.5	11.9	12.3	12.2	12.5	12.9	13.4	13.2	13.5	14.0	14.5	14.1	14.5	15.0	15.5	15.0	15.4	15.9	16.5	15.9	16.3	16.9	17.5												
	Hi PR	232	249	263	275	260	280	296	308	296	318	336	351	337	363	383	399	379	408	431	449	419	451	476	496												
	Lo PR	110	117	128	136	116	124	135	144	121	129	140	150	127	135	147	157	133	142	155	165	138	146	160	170												
	MBh	47.2	48.1	50.4	53.7	46.1	47.0	49.2	52.5	45.0	45.9	48.0	51.2	43.9	44.7	46.9	50.0	41.7	42.5	44.5	47.5	38.6	39.4	41.2	44.0												
1800	S/T	1.00	0.98	0.88	0.71	1.00	1.00	0.91	0.74	1.00	1.00	0.94	0.76	1.00	1.00	0.97	0.78	1.00	1.00	1.00	0.81	1.00	1.00	1.00	0.82												
	ΔT	24	24	23	20	24	24	23	20	23	23	23	20	22	23	23	20	21	22	23	20	20	20	21	18												
	kW	3.10	3.16	3.25	3.35	3.32	3.39	3.49	3.60	3.52	3.59	3.70	3.81	3.69	3.77	3.88	4.00	3.83	3.92	4.04	4.17	3.96	4.05	4.17	4.31												
	Amps	11.5	11.7	12.1	12.6	12.4	12.7	13.1	13.6	13.5	13.8	14.2	14.8	14.4	14.7	15.2	15.8	15.3	15.7	16.2	16.8	16.2	16.6	17.2	17.9												
	Hi PR	236	254	269	280	265	285	301	314	302	325	343	358	344	370	390	407	387	416	439	458	427	460	485	506												
Lo PR	112	119	130	139	119	126	138	147	123	131	143	152	130	138	150	160	136	144	158	168	140	149	163	174													
IDB: Entering Indoor Dry Bulb Temperature		Shaded area reflects AHRI conditions																																			
High and low pressures are measured at the liquid and suction service valves.		Amperage = outdoor unit amperage (comp. + fan) kW = Total system power																																			

		OUTDOOR AMBIENT TEMPERATURE																																															
		65°F								75°F								85°F								95°F								105°F								115°F							
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71																				
70	1750	MBh	51.9	53.8	58.9	-	50.7	52.5	57.6	-	49.5	51.3	56.2	-	48.3	50.0	54.8	-	45.9	47.5	52.1	-	42.5	44.0	48.2	-																							
		S/T	0.74	0.62	0.43	-	0.77	0.64	0.45	-	0.79	0.66	0.46	-	0.81	0.68	0.47	-	0.85	0.71	0.49	-	0.85	0.71	0.49	-																							
		ΔT	20	18	13	-	20	18	13	-	21	18	13	-	21	18	14	-	20	18	13	-	19	16	12	-																							
		kW	3.55	3.62	3.73	-	3.80	3.88	3.99	-	4.03	4.11	4.23	-	4.22	4.31	4.44	-	4.39	4.48	4.62	-	4.53	4.63	4.77	-																							
		Amps	13.2	13.5	14.0	-	14.3	14.6	15.1	-	15.5	15.9	16.4	-	16.6	17.0	17.5	-	17.6	18.0	18.6	-	18.6	19.1	19.7	-																							
		Hi PR	217	233	246	-	243	262	276	-	276	297	314	-	315	339	358	-	354	381	403	-	391	421	445	-																							
		LoPR	103	109	119	-	109	115	126	-	113	120	131	-	118	126	138	-	124	132	144	-	128	137	149	-																							
70	1625	MBh	51.4	53.2	58.3	-	50.2	52.0	57.0	-	49.0	50.8	55.6	-	47.8	49.5	54.3	-	45.4	47.1	51.6	-	42.1	43.6	47.8	-																							
		S/T	0.73	0.61	0.42	-	0.75	0.63	0.44	-	0.77	0.65	0.45	-	0.80	0.67	0.46	-	0.83	0.69	0.48	-	0.84	0.70	0.48	-																							
		ΔT	21	18	14	-	21	19	14	-	21	19	14	-	22	19	14	-	21	18	14	-	20	17	13	-																							
		kW	3.55	3.61	3.72	-	3.80	3.87	3.99	-	4.02	4.10	4.22	-	4.21	4.30	4.43	-	4.38	4.47	4.61	-	4.52	4.61	4.76	-																							
		Amps	13.2	13.5	13.9	-	14.2	14.6	15.1	-	15.5	15.8	16.3	-	16.5	16.9	17.5	-	17.6	18.0	18.6	-	18.6	19.0	19.7	-																							
		Hi PR	216	232	245	-	242	261	275	-	276	297	313	-	314	338	357	-	353	380	401	-	390	420	443	-																							
		LoPR	102	109	119	-	108	115	126	-	112	120	131	-	118	126	137	-	124	132	144	-	128	136	149	-																							
2250		MBh	53.2	55.1	60.4	-	51.9	53.8	59.0	-	50.7	52.5	57.6	-	49.5	51.3	56.2	-	47.0	48.7	53.4	-	43.5	45.1	49.4	-																							
		S/T	0.77	0.65	0.45	-	0.80	0.67	0.46	-	0.82	0.69	0.48	-	0.85	0.71	0.49	-	0.88	0.74	0.51	-	0.89	0.74	0.51	-																							
		ΔT	17	15	11	-	17	15	11	-	17	15	11	-	17	15	11	-	17	15	11	-	16	14	10	-																							
		kW	3.60	3.67	3.77	-	3.85	3.93	4.05	-	4.08	4.16	4.29	-	4.28	4.36	4.50	-	4.44	4.54	4.68	-	4.59	4.69	4.83	-																							
		Amps	13.4	13.7	14.2	-	14.5	14.8	15.3	-	15.7	16.1	16.6	-	16.8	17.2	17.8	-	17.9	18.3	18.9	-	18.9	19.4	20.0	-																							
		Hi PR	220	237	250	-	247	266	281	-	281	303	319	-	320	345	364	-	360	388	409	-	398	428	452	-																							
		LoPR	104	111	121	-	110	117	128	-	115	122	133	-	120	128	140	-	126	134	147	-	131	139	152	-																							
75	1750	MBh	52.8	54.3	58.8	63.1	51.5	53.1	57.4	61.6	50.3	51.8	56.1	60.2	49.1	50.5	54.7	58.7	46.6	48.0	52.0	55.8	43.2	44.5	48.1	51.7																							
		S/T	0.84	0.75	0.57	0.37	0.87	0.78	0.59	0.38	0.90	0.80	0.61	0.39	0.93	0.83	0.63	0.40	0.96	0.86	0.65	0.42	0.97	0.87	0.66	0.42																							
		ΔT	23	22	18	12	24	22	18	12	24	22	18	12	24	22	18	12	24	22	18	12	22	20	17	11																							
		kW	3.58	3.65	3.76	3.87	3.83	3.91	4.03	4.15	4.06	4.14	4.26	4.40	4.25	4.34	4.48	4.62	4.42	4.51	4.65	4.80	4.57	4.66	4.81	4.96																							
		Amps	13.4	13.7	14.1	14.6	14.4	14.8	15.2	15.8	15.6	16.0	16.5	17.2	16.7	17.1	17.7	18.3	17.8	18.2	18.8	19.5	18.8	19.3	19.9	20.7																							
		Hi PR	219	235	249	259	246	264	279	291	279	301	317	331	318	342	361	377	358	385	407	424	395	425	449	469																							
		LoPR	104	110	121	128	110	117	127	136	114	121	132	141	120	127	139	148	125	133	146	155	130	138	151	160																							
75	1625	MBh	52.2	53.8	58.2	62.5	51.0	52.5	56.9	61.0	49.8	51.3	55.5	59.6	48.6	50.0	54.2	58.1	46.2	47.5	51.5	55.2	42.8	44.0	47.7	51.2																							
		S/T	0.83	0.74	0.56	0.36	0.86	0.77	0.58	0.37	0.88	0.79	0.60	0.38	0.91	0.81	0.61	0.40	0.94	0.84	0.64	0.41	0.95	0.85	0.64	0.41																							
		ΔT	24	23	18	13	25	23	19	13	25	23	19	13	25	23	19	13	25	23	19	13	23	21	17	12																							
		kW	3.57	3.64	3.75	3.86	3.82	3.90	4.02	4.14	4.05	4.13	4.25	4.39	4.24	4.33	4.46	4.60	4.41	4.50	4.64	4.79	4.56	4.65	4.80	4.95																							
		Amps	13.3	13.6	14.1	14.6	14.4	14.7	15.2	15.8	15.6	16.0	16.5	17.1	16.7	17.1	17.6	18.3	17.7	18.2	18.8	19.5	18.8	19.2	19.9	20.6																							
		Hi PR	218	235	248	259	245	263	278	290	278	300	316	330	317	341	360	376	357	384	405	423	394	424	448	467																							
		LoPR	103	110	120	128	109	116	127	135	114	121	132	141	119	127	139	148	125	133	145	155	129	138	150	160																							
2250		MBh	54.1	55.7	60.3	64.7	52.8	54.4	58.9	63.2	51.6	53.1	57.5	61.7	50.3	51.8	56.1	60.2	47.8	49.2	53.3	57.2	44.3	45.6	49.3	52.9																							
		S/T	0.88	0.79	0.60	0.38	0.91	0.82	0.62	0.40	0.93	0.84	0.63	0.41	0.96	0.86	0.65	0.42	1.00	0.90	0.68	0.44	1.00	0.90	0.68	0.44																							
		ΔT	19	18	15	10	20	18	15	10	20	18	15	10	20	18	15	10	20	18	15	10	18	17	14	10																							
		kW	3.62	3.69	3.80	3.92	3.88	3.96	4.08	4.20	4.11	4.19	4.32	4.45	4.31	4.40	4.53	4.68	4.48	4.57	4.72	4.87	4.63	4.73	4.87	5.03																							
		Amps	13.6	13.9	14.3	14.8	14.6	15.0	15.5	16.0	15.9	16.3	16.8	17.4	17.0	17.4	17.9	18.6	18.0	18.5	19.1	19.8	19.1	19.6	20.2	21.0																							
		Hi PR	223	239	253	264	250	269	284	296	284	306	323	337	323	348	368	383	364	392	414	431	402	433	457	477																							
		LoPR	106	112	123	131	111	119	129	138	116	123	135	143	122	129	141	151	128	136	148	158	132	140	153	163																							
DB: Entering Indoor Dry Bulb Temperature		Shaded area reflects ACCA (TVA) conditions																								Amps = outdoor unit amps (comp.+fan)																							
		High and low pressures are measured at the liquid and suction service valves.																								kW = Total system power																							

IDB: Entering Indoor Dry Bulb Temperature

High and low pressures are measured at the liquid and suction service valves.

Shaded area reflects ACCA (TVA) conditions

Amps = outdoor unit amps (comp.+fan)

kW = Total system power

		OUTDOOR AMBIENT TEMPERATURE																																															
		65°F								75°F								85°F								95°F								105°F								115°F							
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71																
		ENTERING INDOOR WET BULB TEMPERATURE																																															
70	1550	MbH	54.2	56.2	61.6	-	53.0	54.9	60.1	-	51.7	53.6	58.7	-	50.4	52.3	57.3	-	47.9	49.7	54.4	-	44.4	46.0	50.4	-	44.4	46.0	50.4	-	44.4	46.0	50.4	-															
		S/T	0.66	0.55	0.38	-	0.68	0.57	0.39	-	0.70	0.58	0.40	-	0.72	0.60	0.42	-	0.75	0.62	0.43	-	0.75	0.63	0.44	-	0.75	0.63	0.44	-	0.75	0.63	0.44	-															
		ΔT	21	18	14	-	21	19	14	-	21	19	14	-	22	19	14	-	21	18	14	-	20	17	13	-	20	17	13	-	20	17	13	-															
		kW	3.75	3.83	3.95	-	4.04	4.13	4.27	-	4.31	4.40	4.55	-	4.54	4.64	4.79	-	4.73	4.84	5.00	-	4.90	5.01	5.18	-	4.90	5.01	5.18	-	4.90	5.01	5.18	-															
		Amps	13.4	13.8	14.3	-	14.6	15.0	15.5	-	16.0	16.4	17.0	-	17.2	17.6	18.3	-	18.4	18.8	19.5	-	19.5	20.0	20.8	-	19.5	20.0	20.8	-	19.5	20.0	20.8	-															
	Hi PR	227	244	248	-	257	276	280	-	292	314	318	-	333	358	363	-	359	386	392	-	426	458	464	-	426	458	464	-	426	458	464	-																
	Lo PR	113	116	127	-	116	120	131	-	120	124	135	-	123	127	139	-	126	130	141	-	129	133	145	-	129	133	145	-	129	133	145	-																
70	1750	MbH	55.9	57.9	63.4	-	54.6	56.5	62.0	-	53.3	55.2	60.5	-	52.0	53.9	59.0	-	49.4	51.2	56.1	-	45.7	47.4	51.9	-	45.7	47.4	51.9	-	45.7	47.4	51.9	-															
		S/T	0.69	0.58	0.40	-	0.71	0.60	0.41	-	0.73	0.61	0.42	-	0.76	0.63	0.44	-	0.78	0.66	0.45	-	0.79	0.66	0.46	-	0.79	0.66	0.46	-	0.79	0.66	0.46	-															
		ΔT	20	18	13	-	20	18	13	-	20	18	13	-	21	18	14	-	20	18	13	-	19	16	12	-	19	16	12	-	19	16	12	-															
		kW	3.78	3.86	3.99	-	4.08	4.17	4.31	-	4.34	4.44	4.59	-	4.57	4.68	4.83	-	4.77	4.88	5.05	-	4.94	5.06	5.23	-	4.94	5.06	5.23	-	4.94	5.06	5.23	-															
		Amps	13.6	13.9	14.4	-	14.8	15.1	15.7	-	16.1	16.6	17.2	-	17.3	17.8	18.4	-	18.5	19.0	19.7	-	19.7	20.2	21.0	-	19.7	20.2	21.0	-	19.7	20.2	21.0	-															
	Hi PR	229	247	250	-	259	279	283	-	295	317	322	-	336	361	366	-	363	390	396	-	430	462	469	-	430	462	469	-	430	462	469	-																
	Lo PR	114	117	128	-	117	121	132	-	121	125	136	-	124	128	140	-	127	131	143	-	130	134	146	-	130	134	146	-	130	134	146	-																
2000	2000	MbH	56.1	58.2	63.7	-	54.8	56.8	62.3	-	53.5	55.5	60.8	-	52.2	54.1	59.3	-	49.6	51.4	56.3	-	45.9	47.6	52.2	-	45.9	47.6	52.2	-	45.9	47.6	52.2	-															
		S/T	0.70	0.58	0.40	-	0.72	0.60	0.42	-	0.74	0.62	0.43	-	0.77	0.64	0.44	-	0.80	0.66	0.46	-	0.80	0.67	0.46	-	0.80	0.67	0.46	-	0.80	0.67	0.46	-															
		ΔT	18	16	12	-	18	16	12	-	18	16	12	-	18	16	12	-	18	16	12	-	17	15	11	-	17	15	11	-	17	15	11	-															
		kW	3.81	3.89	4.02	-	4.11	4.20	4.34	-	4.38	4.48	4.63	-	4.61	4.72	4.88	-	4.81	4.92	5.09	-	4.98	5.10	5.27	-	4.98	5.10	5.27	-	4.98	5.10	5.27	-															
		Amps	13.7	14.1	14.6	-	14.9	15.3	15.8	-	16.3	16.7	17.3	-	17.5	18.0	18.6	-	18.7	19.2	19.9	-	19.9	20.4	21.2	-	19.9	20.4	21.2	-	19.9	20.4	21.2	-															
	Hi PR	232	249	253	-	262	282	286	-	298	320	325	-	339	365	370	-	366	394	400	-	434	467	474	-	434	467	474	-	434	467	474	-																
	Lo PR	115	119	129	-	118	122	133	-	122	126	138	-	126	130	141	-	128	132	144	-	131	135	148	-	131	135	148	-	131	135	148	-																

		OUTDOOR AMBIENT TEMPERATURE																																															
		65°F								75°F								85°F								95°F				105°F								115°F											
IDB	AIRFLOW	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71												
75	1550	MBh	55.1	56.8	61.5	66.0	53.9	55.5	60.0	64.4	52.6	54.1	58.6	62.9	51.3	52.8	57.2	61.4	48.7	50.2	54.3	58.3	45.1	46.5	50.3	54.0	45.1	46.5	50.3	54.0	45.1	46.5	50.3	54.0	45.1	46.5	50.3	54.0											
		S/T	0.75	0.67	0.51	0.33	0.77	0.69	0.52	0.34	0.79	0.71	0.54	0.35	0.82	0.73	0.55	0.36	0.85	0.76	0.58	0.37	0.86	0.77	0.58	0.37	0.86	0.77	0.58	0.37	0.86	0.77	0.58	0.37	0.86	0.77	0.58	0.37											
		ΔT	24	23	18	13	25	23	19	13	25	23	19	13	25	23	19	13	25	23	19	13	23	21	17	12	23	21	17	12	23	21	17	12	23	21	17	12											
		kW	3.75	3.83	3.95	4.08	4.04	4.13	4.27	4.41	4.31	4.40	4.55	4.70	4.54	4.64	4.79	4.96	4.73	4.84	5.00	5.18	4.90	5.01	5.18	5.36	4.90	5.01	5.18	5.36	4.90	5.01	5.18	5.36	4.90	5.01	5.18	5.36											
		Amps	13.4	13.8	14.3	14.8	14.6	15.0	15.5	16.2	16.0	16.4	17.0	17.7	17.2	17.6	18.3	19.0	18.4	18.8	19.5	20.3	19.5	20.0	20.8	21.6	19.5	20.0	20.8	21.6	19.5	20.0	20.8	21.6	19.5	20.0	20.8	21.6											
	Hi PR	227	244	248	253	257	276	280	286	292	314	318	326	333	358	363	371	359	386	392	400	426	458	464	475	426	458	464	475	426	458	464	475	426	458	464	475												
	Lo PR	113	116	127	135	116	120	131	139	120	124	135	144	123	127	139	148	126	130	141	151	129	133	145	154	129	133	145	154	129	133	145	154	129	133	145	154												
75	1750	MBh	56.8	58.5	63.3	67.9	55.5	57.1	61.8	66.4	54.2	55.8	60.4	64.8	52.8	54.4	58.9	63.2	50.2	51.7	55.9	60.0	46.5	47.9	51.8	55.6	46.5	47.9	51.8	55.6	46.5	47.9	51.8	55.6	46.5	47.9	51.8	55.6											
		S/T	0.78	0.70	0.53	0.34	0.81	0.73	0.55	0.35	0.83	0.74	0.56	0.36	0.86	0.77	0.58	0.37	0.89	0.80	0.60	0.39	0.90	0.80	0.61	0.39	0.90	0.80	0.61	0.39	0.90	0.80	0.61	0.39	0.90	0.80	0.61	0.39											
		ΔT	23	22	18	12	24	22	18	12	24	22	18	12	24	22	18	12	24	22	18	12	22	20	17	11	22	20	17	11	22	20	17	11	22	20	17	11											
		kW	3.78	3.86	3.99	4.12	4.08	4.17	4.31	4.45	4.34	4.44	4.59	4.74	4.57	4.68	4.83	5.00	4.77	4.88	5.05	5.22	4.94	5.06	5.23	5.41	4.94	5.06	5.23	5.41	4.94	5.06	5.23	5.41	4.94	5.06	5.23	5.41											
		Amps	13.6	13.9	14.4	15.0	14.8	15.1	15.7	16.3	16.1	16.6	17.2	17.9	17.3	17.8	18.4	19.2	18.5	19.0	19.7	20.5	19.7	20.2	21.0	21.8	19.7	20.2	21.0	21.8	19.7	20.2	21.0	21.8	19.7	20.2	21.0	21.8											
	Hi PR	229	247	250	256	259	279	283	289	295	317	322	329	336	361	378	381	374	363	390	396	404	430	462	469	478	430	462	469	478	430	462	469	478	430	462	469	478											
	Lo PR	114	117	128	137	117	121	132	141	121	125	136	145	124	128	140	149	127	131	143	152	130	134	146	156	130	134	146	156	130	134	146	156	130	134	146	156												
2000	2000	MBh	57.1	58.8	63.6	68.3	55.8	57.4	62.1	66.7	54.4	56.0	60.7	65.1	53.1	54.7	59.2	63.5	50.4	51.9	56.2	60.3	46.7	48.1	52.1	55.9	46.7	48.1	52.1	55.9	46.7	48.1	52.1	55.9	46.7	48.1	52.1	55.9											
		S/T	0.79	0.71	0.54	0.35	0.82	0.74	0.56	0.36	0.84	0.75	0.57	0.37	0.87	0.78	0.59	0.38	0.90	0.81	0.61	0.39	0.91	0.82	0.62	0.40	0.91	0.82	0.62	0.40	0.91	0.82	0.62	0.40	0.91	0.82	0.62	0.40											
		ΔT	21	19	16	11	21	19	16	11	21	19	16	11	21	20	16	11	21	19	16	11	20	18	15	10	20	18	15	10	20	18	15	10	20	18	15	10											
		kW	3.81	3.89	4.02	4.15	4.11	4.20	4.34	4.49	4.38	4.48	4.63	4.78	4.61	4.72	4.88	5.04	4.81	4.92	5.09	5.26	4.98	5.10	5.27	5.46	4.98	5.10	5.27	5.46	4.98	5.10	5.27	5.46	4.98	5.10	5.27	5.46											
		Amps	13.7	14.1	14.6	15.1	14.9	15.3	15.8	16.5	16.3	16.7	17.3	18.0	17.5	18.0	18.6	19.4	18.7	19.2	19.9	20.7	19.9	20.4	21.2	22.0	19.9	20.4	21.2	22.0	19.9	20.4	21.2	22.0	19.9	20.4	21.2	22.0											
	Hi PR	232	249	253	258	262	282	286	292	298	320	325	332	339	365	370	378	366	394	400	408	434	467	474	484	434	467	474	484	434	467	474	484	434	467	474	484												
	Lo PR	115	119	129	138	118	122	133	142	122	126	138	147	126	130	141	151	128	132	144	154	131	135	148	157	131	135	148	157	131	135	148	157	131	135	148	157												

		65°F										75°F										85°F										95°F										105°F										115°F									
IDB	AIRFLOW	OUTDOOR AMBIENT TEMPERATURE																																																											
		ENTERING INDOOR WET BULB TEMPERATURE																																																											
		59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71	59	63	67	71																												
80	MbH	56.1	57.4	61.3	65.5	54.8	56.0	59.9	64.0	68.1	53.5	54.7	58.4	62.5	52.2	53.4	57.0	60.9	49.6	50.7	54.2	57.9	45.9	46.9	50.2	53.6																																			
	S/T	0.82	0.77	0.63	0.47	0.85	0.80	0.65	0.48		0.87	0.82	0.66	0.50	0.90	0.84	0.69	0.51	0.93	0.87	0.71	0.53	0.94	0.88	0.72	0.54																																			
	ΔT	27	26	23	18	28	26	23	18		28	26	23	18	28	27	23	19	27	26	23	18	26	25	21	17																																			
	kW	3.75	3.83	3.95	4.08	4.04	4.13	4.27	4.41		4.31	4.40	4.55	4.70	4.54	4.64	4.79	4.96	4.73	4.84	5.00	5.18	4.90	5.01	5.18	5.36																																			
	Amps	13.4	13.8	14.3	14.8	14.6	15.0	15.5	16.2		16.0	16.4	17.0	17.7	17.2	17.6	18.3	19.0	18.4	18.8	19.5	20.3	19.5	20.0	20.8	21.6																																			
	Hi PR	227	244	248	253	257	276	280	286		292	314	318	326	333	358	363	371	359	386	392	400	426	458	464	475																																			
	Lo PR	113	116	127	135	116	120	131	139		120	124	135	144	123	127	139	148	126	130	141	151	129	133	145	154																																			
1750	MbH	57.8	59.1	63.1	67.5	56.5	57.7	61.6	65.9		55.1	56.3	60.2	64.3	53.8	55.0	58.7	62.8	51.1	52.2	55.8	59.6	47.3	48.4	51.7	55.2																																			
	S/T	0.86	0.81	0.66	0.49	0.89	0.84	0.68	0.51		0.91	0.86	0.70	0.52	0.94	0.88	0.72	0.54	1.00	0.92	0.75	0.56	1.00	0.93	0.75	0.56																																			
	ΔT	26	25	22	17	26	25	22	18		26	25	22	18	27	26	22	18	27	25	22	17	25	24	20	16																																			
	kW	3.78	3.86	3.99	4.12	4.08	4.17	4.31	4.45		4.34	4.44	4.59	4.74	4.57	4.68	4.83	5.00	4.77	4.88	5.05	5.22	4.94	5.06	5.23	5.41																																			
	Amps	13.6	13.9	14.4	15.0	14.8	15.1	15.7	16.3		16.1	16.6	17.2	17.9	17.3	17.8	18.4	19.2	18.5	19.0	19.7	20.5	19.7	20.2	21.0	21.8																																			
	Hi PR	229	247	250	256	259	279	283	289		295	317	322	329	336	361	366	374	363	390	396	404	430	462	469	479																																			
	Lo PR	114	117	128	137	117	121	132	141		121	125	136	145	124	128	140	149	127	131	143	152	130	134	146	156																																			
2000	MbH	58.1	59.4	63.4	67.8	56.7	58.0	61.9	66.2		55.4	56.6	60.5	64.6	54.0	55.2	59.0	63.1	51.3	52.5	56.0	59.9	47.6	48.6	51.9	55.5																																			
	S/T	0.87	0.82	0.66	0.50	0.90	0.85	0.69	0.51		0.93	0.87	0.71	0.53	0.96	0.90	0.73	0.55	1.00	0.93	0.76	0.57	1.00	0.94	0.76	0.57																																			
	ΔT	23	22	19	15	24	23	20	16		24	23	20	16	24	23	20	16	24	22	19	16	22	21	18	15																																			
	kW	3.81	3.89	4.02	4.15	4.11	4.20	4.34	4.49		4.38	4.48	4.63	4.78	4.61	4.72	4.88	5.04	4.81	4.92	5.09	5.26	4.98	5.10	5.27	5.46																																			
	Amps	13.7	14.1	14.6	15.1	14.9	15.3	15.8	16.5		16.3	16.7	17.3	18.0	17.5	18.0	18.6	19.4	18.7	19.2	19.9	20.7	19.9	20.4	21.2	22.0																																			
	Hi PR	232	249	253	258	262	282	286	292		298	320	325	332	339	365	370	378	366	394	400	408	434	467	474	484																																			
	Lo PR	115	119	129	138	118	122	133	142		122	126	138	147	126	130	141	151	128	132	144	154	131	135	148	157																																			

85	1550	MBh	57.1	58.2	61.0	65.0	55.8	56.9	59.6	63.5	54.5	55.5	58.1	62.0	53.1	54.2	56.7	60.5	50.5	51.4	53.9	57.5	46.7	47.7	49.9	53.2
		S/T	0.86	0.83	0.75	0.61	0.89	0.86	0.78	0.63	0.91	0.88	0.80	0.65	0.94	0.91	0.82	0.67	0.98	0.94	0.85	0.69	0.99	0.95	0.86	0.70
		ΔT	29	29	27	23	29	29	27	24	29	29	27	24	30	29	28	24	29	29	27	24	27	27	25	22
		kW	3.75	3.83	3.95	4.08	4.04	4.13	4.27	4.41	4.31	4.40	4.55	4.70	4.54	4.64	4.79	4.96	4.73	4.84	5.00	5.18	4.90	5.01	5.18	5.36
		Amps	13.4	13.8	14.3	14.8	14.6	15.0	15.5	16.2	16.0	16.4	17.0	17.7	17.2	17.6	18.3	19.0	18.4	18.8	19.5	20.3	19.5	20.0	20.8	21.6
		Hi PR	227	244	248	253	257	276	280	286	292	314	318	326	333	358	363	371	359	386	392	400	426	458	464	475
		Lo PR	113	116	127	135	116	120	131	139	120	124	135	144	123	127	139	148	126	130	141	151	129	133	145	154
85	1750	MBh	58.8	60.0	62.8	67.0	57.5	58.6	61.3	65.4	56.1	57.2	59.9	63.9	54.7	55.8	58.4	62.3	52.0	53.0	55.5	59.2	48.2	49.1	51.4	54.8
		S/T	0.90	0.87	0.78	0.64	0.93	0.90	0.81	0.66	0.96	0.92	0.83	0.68	0.99	0.95	0.86	0.70	1.00	0.99	0.89	0.72	1.00	1.00	0.90	0.73
		ΔT	28	27	26	22	28	28	26	23	28	28	26	23	28	28	26	23	27	28	26	23	25	26	24	21
		kW	3.78	3.86	3.99	4.12	4.08	4.17	4.31	4.45	4.34	4.44	4.59	4.74	4.57	4.68	4.83	5.00	4.77	4.88	5.05	5.22	4.94	5.06	5.23	5.41
		Amps	13.6	13.9	14.4	15.0	14.8	15.1	15.7	16.3	16.1	16.6	17.2	17.9	17.3	17.8	18.4	19.2	18.5	19.0	19.7	20.5	19.7	20.2	21.0	21.8
		Hi PR	229	247	250	256	259	279	283	289	295	317	322	329	336	361	366	374	363	390	396	404	430	462	469	479
		Lo PR	114	117	128	137	117	121	132	141	121	125	136	145	124	128	140	149	127	131	143	152	130	134	146	156
2000	2000	MBh	59.1	60.3	63.1	67.3	57.7	58.8	61.6	65.8	56.4	57.4	60.2	64.2	55.0	56.0	58.7	62.6	52.2	53.2	55.8	59.5	48.4	49.3	51.7	55.1
		S/T	0.91	0.88	0.80	0.65	0.95	0.91	0.82	0.67	0.97	0.94	0.84	0.69	1.00	0.97	0.87	0.71	1.00	1.00	0.91	0.73	1.00	1.00	0.91	0.74
		ΔT	25	24	23	20	25	25	23	20	25	25	23	20	25	25	24	20	24	24	23	20	22	23	22	19
		kW	3.81	3.89	4.02	4.15	4.11	4.20	4.34	4.49	4.38	4.48	4.63	4.78	4.61	4.72	4.88	5.04	4.81	4.92	5.09	5.26	4.98	5.10	5.27	5.46
		Amps	13.7	14.1	14.6	15.1	14.9	15.3	15.8	16.5	16.3	16.7	17.3	18.0	17.5	18.0	18.6	19.4	18.7	19.2	19.9	20.7	19.9	20.4	21.2	22.0
		Hi PR	232	249	253	258	262	282	286	292	298	320	325	332	339	365	370	378	366	394	400	408	434	467	474	484
		Lo PR	115	119	129	138	118	122	133	142	122	126	138	147	126	130	141	151	128	132	144	154	131	135	148	157

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0181F*	ACNF24XX16D*		17,600	13,400	14.0	12.2	650	200899840
	ACNF31XX16A*+TXV		18,000	13,600	15.0	12.5	605	201430120
	ARUF25B14A*+TXV		17,800	13,600	14.0	12.2	570	201299311
	ARUF31B14A*		18,000	13,600	14.0	12.2	600	201299318
	ASPT25B14A*		18,000	13,600	16.0	13.0	580	201384179
	ASPT29B14A*		18,000	13,600	16.0	13.0	565	201384198
	ASPT30C14A*		18,000	13,600	16.0	13.0	580	200846197
	ASPT33C14A*		18,000	13,600	16.0	13.0	620	201498259
	AVPTC25B14A*		17,600	13,400	16.0	13.0	640	201441924
	AVPTC33C14A*		18,000	13,600	16.0	13.0	650	201498462
	AWUF31XX16A*+TXV		17,600	13,400	15.0	12.5	600	200824557
	AWUF32XX16A*		17,600	13,400	15.0	12.5	640	200825051
	AWUF32XX16A*+TXV		17,600	13,400	15.0	12.5	640	200824589
	CA*F3131*6D*	G*E80603B*B*	17,600	13,400	14.5	12.2	620	200889424
	CA*F3131*6D*+MBVC1200**-1A*		17,600	13,400	14.5	12.2	615	200889350
	CA*F3131*6D*+MBVC1200**-1A*+TXV		17,600	13,400	15.0	12.5	615	200844602
	CA*F3131*6D*+TXV	G*E80603B*B*	17,600	13,400	15.0	12.5	620	200844676
	CA*F3131*6D*+TXV	G*VC80604B*B*	17,600	13,400	15.0	12.5	620	200844718
	CA*F3131*6D*+TXV	A*VC80604B*B*	17,600	13,400	15.0	12.5	620	200883257
	CA*F3131*6D*+TXV	A*EH800603B*A*	17,600	13,400	15.0	12.5	620	201006853
	CA*F3636*6D*	G*EC960303ANA*	18,000	13,300	14.5	12.5	650	201525115
	CA*F3636*6D*	G*EC960403ANA*	18,000	13,300	15.0	12.5	610	201525150
	CA*F3636*6D*	G*EC960603ANA*	17,400	12,900	15.0	12.5	580	201525087
	CA*F3636*6D*	G*E80603B*B*	18,000	13,600	15.5	12.5	620	200889443
	CA*F3636*6D*	ADVC80603B*B*	18,000	13,600	15.5	12.5	620	200889591
	CA*F3636*6D*	A*EH800603B*A*	18,000	13,600	15.5	12.5	620	200963091
	CA*F3636*6D*	G*VC960403BNA*	18,000	13,600	15.0	12.5	625	201045189
	CA*F3636*6D*	G*VC960603BNA*	18,000	13,600	15.0	12.5	625	201045408
	CA*F3636*6D*	G*VC960803BNA*	18,000	13,600	15.0	12.5	625	201045564
	CA*F3636*6D*	G*VM970603BNA*	18,000	13,600	15.0	12.5	625	201050816
	CA*F3636*6D*	G*VM970803BNA*	18,000	13,600	15.0	12.5	625	201147971
	CA*F3636*6D*	A*VC960403BNA*	18,000	13,600	15.0	12.5	625	201055293
	CA*F3636*6D*	A*VC960603BNA*	18,000	13,600	15.0	12.5	625	201055537
	CA*F3636*6D*	A*VC960803BNA*	18,000	13,600	15.0	12.5	625	201055781
	CA*F3636*6D*	A*VM970603BNA*	18,000	13,600	15.0	12.5	625	201059951
	CA*F3636*6D*	A*VM970803BNA*	18,000	13,600	15.0	12.5	625	201060195
	CA*F3636*6D*	G*EC960302BNA*	18,000	13,600	15.0	12.5	600	201123058
	CA*F3636*6D*	G*EC960402BNA*	18,000	13,600	15.0	12.5	600	201123222
	CA*F3636*6D*	G*EC960603BNA*	17,400	13,200	15.0	12.5	550	201123663
	CA*F3636*6D*	G*EC960803BNA*	17,400	13,200	15.0	12.5	550	201124081
	CA*F3636*6D*	A*EC960302BNA*	18,000	13,600	15.0	12.5	600	201173046
	CA*F3636*6D*	A*EC960402BNA*	18,000	13,600	15.0	12.5	600	201132641
	CA*F3636*6D*	A*EC960603BNA*	17,400	13,200	15.0	12.5	550	201132956
	CA*F3636*6D*	A*EC960803BNA*	17,400	13,200	15.0	12.5	550	201133285
	CA*F3636*6D*	G*VC80603B*B*	18,000	13,600	15.5	12.5	600	201486240
	CA*F3636*6D*	G*VC80803B*B*	18,000	13,600	15.5	12.5	600	201486373
	CA*F3636*6D*+EEP		18,000	13,600	14.0	12.2	650	200846768
	CA*F3636*6D*+EEP+TXV		18,000	13,600	14.5	12.2	650	200810692
	CA*F3636*6D*+MBVC1200**-1A*		18,000	13,600	15.5	12.5	615	200889369
	CA*F3636*6D*+MBVC1200**-1A*+TXV		18,000	13,600	16.0	13.0	615	200844609
	CA*F3636*6D*+TXV	G*EC960303ANA*	18,000	13,300	16.0	13.0	650	201525122
	CA*F3636*6D*+TXV	G*EC960403ANA*	18,000	13,300	16.0	13.0	610	201525157
	CA*F3636*6D*+TXV	G*EC960603ANA*	17,400	12,900	16.0	13.0	580	201525094

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0181F* (Contd.)	CA*F3636*6D*+TXV	ADVC80603B*B*	18,000	13,600	16.0	13.0	620	200937465
	CA*F3636*6D*+TXV	G*EC960302BNA*	18,000	13,600	16.0	13.0	600	201123164
	CA*F3636*6D*+TXV	A*EC960302BNA*	18,000	13,600	16.0	13.0	600	201173079
	CA*F3636*6D*+TXV	G*VC80603B*B*	18,000	13,600	16.0	13.0	600	201486295
	CA*F3636*6D*+TXV	G*VC80803B*B*	18,000	13,600	16.0	13.0	600	201486428
	CA*F3743*6D*	G*VC960403BNA*	18,400	14,000	15.5	12.5	625	201045203
	CA*F3743*6D*	G*VC960603BNA*	18,400	14,000	15.5	12.5	625	201045422
	CA*F3743*6D*	G*VC960803BNA*	18,400	14,000	15.5	12.5	625	201137516
	CA*F3743*6D*	G*VM970603BNA*	18,400	14,000	15.5	12.5	625	201050830
	CA*F3743*6D*	G*VM970803BNA*	18,400	14,000	15.5	12.5	625	201151312
	CA*F3743*6D*	A*VC960403BNA*	18,400	14,000	15.5	12.5	625	201055307
	CA*F3743*6D*	A*VC960603BNA*	18,400	14,000	15.5	12.5	625	201055551
	CA*F3743*6D*	A*VC960803BNA*	18,400	14,000	15.5	12.5	625	201055795
	CA*F3743*6D*	A*VM970603BNA*	18,400	14,000	15.5	12.5	625	201059965
	CA*F3743*6D*	A*VM970803BNA*	18,400	14,000	15.5	12.5	625	201060237
	CA*F3743*6D*	G*EC960302BNA*	18,000	13,600	15.0	12.5	600	201123187
	CA*F3743*6D*	G*EC960402BNA*	18,000	13,600	15.0	12.5	600	201123383
	CA*F3743*6D*	G*EC960603BNA*	17,400	13,200	15.0	12.5	550	201123761
	CA*F3743*6D*	G*EC960803BNA*	17,400	13,200	15.0	12.5	550	201124181
	CA*F3743*6D*	A*EC960302BNA*	18,000	13,600	15.0	12.5	600	201173097
	CA*F3743*6D*	A*EC960402BNA*	18,000	13,600	15.0	12.5	600	201132676
	CA*F3743*6D*	A*EC960603BNA*	17,400	13,200	15.0	12.5	550	201132991
	CA*F3743*6D*	A*EC960803BNA*	17,400	13,200	15.0	12.5	550	201133320
	CA*F3743*6D*	G*VC80603B*B*	18,000	13,600	15.5	12.5	600	201486310
	CA*F3743*6D*	G*VC80803B*B*	18,000	13,600	15.5	12.5	600	201486443
	CA*F3743*6D*+EEP+TXV		18,400	14,000	15.0	12.5	600	200810856
	CA*F3743*6D*+TXV	G*VC960403BNA*	18,400	14,000	16.0	13.0	625	201045196
	CA*F3743*6D*+TXV	G*VC960603BNA*	18,400	14,000	16.0	13.0	625	201045415
	CA*F3743*6D*+TXV	G*VC960803BNA*	18,400	14,000	16.0	13.0	625	201045571
	CA*F3743*6D*+TXV	G*VM970603BNA*	18,400	14,000	16.0	13.0	625	201050823
	CA*F3743*6D*+TXV	G*VM970803BNA*	18,400	14,000	16.0	13.0	625	201151290
	CA*F3743*6D*+TXV	A*VC960403BNA*	18,400	14,000	16.0	13.0	625	201055300
	CA*F3743*6D*+TXV	A*VC960603BNA*	18,400	14,000	16.0	13.0	625	201055544
	CA*F3743*6D*+TXV	A*VC960803BNA*	18,400	14,000	16.0	13.0	625	201055788
	CA*F3743*6D*+TXV	A*VM970603BNA*	18,400	14,000	16.0	13.0	625	201059958
	CA*F3743*6D*+TXV	A*VM970803BNA*	18,400	14,000	16.0	13.0	625	201060202
	CA*F3743*6D*+TXV	G*EC960302BNA*	18,000	13,600	16.0	13.0	600	201123194
	CA*F3743*6D*+TXV	G*EC960402BNA*	18,000	13,600	16.0	13.0	600	201123390
	CA*F3743*6D*+TXV	G*EC960603BNA*	17,400	13,200	16.0	13.0	550	201123768
	CA*F3743*6D*+TXV	G*EC960803BNA*	17,400	13,200	16.0	13.0	550	201124188
	CA*F3743*6D*+TXV	A*EC960302BNA*	18,000	13,600	16.0	13.0	600	201132368
	CA*F3743*6D*+TXV	A*EC960402BNA*	18,000	13,600	16.0	13.0	600	201132683
	CA*F3743*6D*+TXV	A*EC960603BNA*	17,400	13,200	16.0	13.0	550	201132998
	CA*F3743*6D*+TXV	A*EC960803BNA*	17,400	13,200	16.0	13.0	550	201133327
	CA*F3743*6D*+TXV	G*VC80603B*B*	18,000	13,600	16.0	13.0	600	201486317
	CA*F3743*6D*+TXV	G*VC80803B*B*	18,000	13,600	16.0	13.0	600	201486450
	CAPT3131*4A*	G*EC960303ANA*	17,000	12,600	15.0	12.5	630	201525129
	CAPT3131*4A*	G*EC960403ANA*	17,600	13,000	15.0	12.5	610	201525164
	CAPT3131*4A*	G*EC960603ANA*	17,000	12,600	15.0	12.5	580	201525101
	CAPT3131*4A*	G*E80603B*B*	17,600	13,400	15.0	12.5	620	200844683
	CAPT3131*4A*	G*VC80604B*B*	17,600	13,400	15.0	12.5	620	200844725
	CAPT3131*4A*	A*VC80604B*B*	17,600	13,400	15.0	12.5	620	200883264
	CAPT3131*4A*	ADVC80603B*B*	17,600	13,400	15.2	12.5	625	200905928

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0181F* (Contd.)	CAPT3131*4A*	A*EH800603B*A*	17,600	13,400	15.0	12.5	620	200963831
	CAPT3131*4A*	G*EC960302BNA*	17,600	13,400	15.0	12.5	600	201123033
	CAPT3131*4A*	G*EC960402BNA*	17,600	13,400	15.0	12.5	600	201123215
	CAPT3131*4A*	G*EC960603BNA*	17,000	13,000	15.0	12.5	550	201123656
	CAPT3131*4A*	G*EC960803BNA*	17,000	13,000	15.0	12.5	550	201124062
	CAPT3131*4A*	A*EC960302BNA*	17,600	13,400	15.0	12.5	600	201132354
	CAPT3131*4A*	A*EC960402BNA*	17,600	13,400	15.0	12.5	600	201132634
	CAPT3131*4A*	A*EC960603BNA*	17,000	13,000	15.0	12.5	550	201132949
	CAPT3131*4A*	A*EC960803BNA*	17,000	13,000	15.0	12.5	550	201133278
	CAPT3131*4A*+MBVC1200**-1A*		17,600	13,400	15.0	12.5	615	200844622
	CAPT3743*4A*	G*EC960402BNA*	18,000	13,600	16.0	13.0	600	201481221
	CAPT3743*4A*	A*EC960402BNA*	18,000	13,600	16.0	13.0	600	201481228
	CAPT3743*4A*+EEP		18,000	13,600	15.0	12.5	650	200844629
	CHPF2430B6C*	G*E80603B*B*	17,600	13,400	14.5	12.2	620	200847712
	CHPF2430B6C*+EEP+TXV		17,600	13,400	14.0	12.2	650	200844642
	CHPF2430B6C*+MBVC1200**-1A*		17,600	13,400	14.5	12.2	615	200889384
	CHPF2430B6C*+MBVC1200**-1A*+TXV		17,600	13,400	15.0	12.5	615	200844649
	CHPF2430B6C*+TXV	G*E80603B*B*	17,600	13,400	15.0	12.5	620	200844708
	CHPF2430B6C*+TXV	G*VC80604B*B*	17,600	13,400	15.0	12.5	620	200844744
	CHPF2430B6C*+TXV	A*VC80604B*B*	17,600	13,400	15.0	12.5	620	200883283
	CHPF2430B6C*+TXV	A*EH800603B*A*	17,600	13,400	15.0	12.5	620	200963877
	CHPF3636B6C*	G*EC960303ANA*	18,000	13,300	14.5	12.5	650	201525136
	CHPF3636B6C*	G*EC960403ANA*	18,000	13,300	15.0	12.5	610	201525171
	CHPF3636B6C*	G*EC960603ANA*	17,400	12,900	15.0	12.5	580	201525108
	CHPF3636B6C*	G*E80603B*B*	18,000	13,600	15.0	12.5	620	200889452
	CHPF3636B6C*	A*EH800603B*A*	18,000	13,600	15.0	12.5	620	200963925
	CHPF3636B6C*	G*VC960403BNA*	18,000	13,600	15.0	12.5	625	201045216
	CHPF3636B6C*	G*VC960603BNA*	18,000	13,600	15.0	12.5	625	201045435
	CHPF3636B6C*	G*VC960803BNA*	18,000	13,600	15.0	12.5	625	201045581
	CHPF3636B6C*	G*VM970603BNA*	18,000	13,600	15.0	12.5	625	201050843
	CHPF3636B6C*	G*VM970803BNA*	18,000	13,600	15.0	12.5	625	201151355
	CHPF3636B6C*	A*VC960403BNA*	18,000	13,600	15.0	12.5	625	201055320
	CHPF3636B6C*	A*VC960603BNA*	18,000	13,600	15.0	12.5	625	201055564
	CHPF3636B6C*	A*VC960803BNA*	18,000	13,600	15.0	12.5	625	201055808
	CHPF3636B6C*	A*VM970603BNA*	18,000	13,600	15.0	12.5	625	201059978
	CHPF3636B6C*	A*VM970803BNA*	18,000	13,600	15.0	12.5	625	201060250
	CHPF3636B6C*	G*EC960302BNA*	18,000	13,600	15.0	12.5	600	201123201
	CHPF3636B6C*	G*EC960402BNA*	18,000	13,600	15.0	12.5	600	201123397
	CHPF3636B6C*	G*EC960603BNA*	17,400	13,200	15.0	12.5	550	201123787
	CHPF3636B6C*	G*EC960803BNA*	17,400	13,200	15.0	12.5	550	201124195
	CHPF3636B6C*	A*EC960302BNA*	18,000	13,600	15.0	12.5	600	201132375
	CHPF3636B6C*	A*EC960402BNA*	18,000	13,600	15.0	12.5	600	201132690
	CHPF3636B6C*	A*EC960603BNA*	17,400	13,200	15.0	12.5	550	201133005
	CHPF3636B6C*	A*EC960803BNA*	17,400	13,200	15.0	12.5	550	201133334
	CHPF3636B6C*	G*VC80603B*B*	18,000	13,600	15.0	12.5	600	201486324
	CHPF3636B6C*	G*VC80803B*B*	18,000	13,600	15.0	12.5	600	201486457
	CHPF3636B6C*+EEP		18,000	13,600	14.0	12.2	650	200889391
	CHPF3636B6C*+EEP+TXV		18,000	13,600	14.5	12.2	600	200810863
	CHPF3636B6C*+MBVC1200**-1A*		18,000	13,600	14.5	12.2	615	200889398
	CHPF3636B6C*+MBVC1200**-1A*+TXV		18,000	13,600	15.0	12.5	615	200844656
	CHPF3636B6C*+TXV	G*EC960303ANA*	18,000	13,300	16.0	13.0	650	201525143
	CHPF3636B6C*+TXV	G*EC960403ANA*	18,000	13,300	16.0	13.0	610	201525178
	CHPF3636B6C*+TXV	G*EC960603ANA*	17,400	12,900	16.0	13.0	580	201525185
	CHPF3636B6C*+TXV	G*E80603B*B*	18,000	13,600	16.0	13.0	600	200811218

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0181F* (Contd.)	CHPF3636B6C*+TXV	A*VC80604B*B*	18,000	13,600	16.0	13.0	600	200904350
	CHPF3636B6C*+TXV	G*VC80604B*B*	18,000	13,600	16.0	13.0	600	200905149
	CHPF3636B6C*+TXV	A*EH800603B*A*	18,000	13,600	16.0	13.0	600	200963980
	CHPF3636B6C*+TXV	G*VC960403BNA*	18,000	13,600	16.0	13.0	625	201045355
	CHPF3636B6C*+TXV	G*VC960603BNA*	18,000	13,600	16.0	13.0	625	201136636
	CHPF3636B6C*+TXV	G*VC960803BNA*	18,000	13,600	16.0	13.0	625	201045720
	CHPF3636B6C*+TXV	G*VM970603BNA*	18,000	13,600	16.0	13.0	625	201050982
	CHPF3636B6C*+TXV	G*VM970803BNA*	18,000	13,600	16.0	13.0	625	201151521
	CHPF3636B6C*+TXV	A*VC960403BNA*	18,000	13,600	16.0	13.0	625	201055459
	CHPF3636B6C*+TXV	A*VC960603BNA*	18,000	13,600	16.0	13.0	625	201055703
	CHPF3636B6C*+TXV	A*VC960803BNA*	18,000	13,600	16.0	13.0	625	201055947
	CHPF3636B6C*+TXV	A*VM970603BNA*	18,000	13,600	16.0	13.0	625	201060117
	CHPF3636B6C*+TXV	A*VM970803BNA*	18,000	13,600	16.0	13.0	625	201060389
	CHPF3636B6C*+TXV	G*EC960302BNA*	18,000	13,600	16.0	13.0	600	201171528
	CHPF3636B6C*+TXV	G*EC960402BNA*	18,000	13,600	16.0	13.0	600	201123614
	CHPF3636B6C*+TXV	G*EC960603BNA*	17,400	13,200	16.0	13.0	550	201124018
	CHPF3636B6C*+TXV	G*EC960803BNA*	17,400	13,200	16.0	13.0	550	201171923
	CHPF3636B6C*+TXV	A*EC960302BNA*	18,000	13,600	16.0	13.0	600	201132592
	CHPF3636B6C*+TXV	A*EC960402BNA*	18,000	13,600	16.0	13.0	600	201132907
	CHPF3636B6C*+TXV	A*EC960603BNA*	17,400	13,200	16.0	13.0	550	201133234
	CHPF3636B6C*+TXV	A*EC960803BNA*	17,400	13,200	16.0	13.0	550	201133563
	CHPF3636B6C*+TXV	G*VC80603B*B*	18,000	13,600	16.0	13.0	600	201486343
	CHPF3636B6C*+TXV	G*VC80803B*B*	18,000	13,600	16.0	13.0	600	201486476
	CHPF3743C6B*+EEP		18,000	13,600	14.0	12.2	650	200889405
	CHPF3743C6B*+EEP+TXV		18,200	13,800	15.0	12.5	600	200810870
	CSCF3036N6D*+TXV	G*VC960403BNA*	18,000	13,600	15.0	12.5	625	201045384
	CSCF3036N6D*+TXV	G*VC960603BNA*	18,000	13,600	15.0	12.5	625	201045445
	CSCF3036N6D*+TXV	G*VC960803BNA*	18,000	13,600	15.0	12.5	625	201045749
	CSCF3036N6D*+TXV	G*VM970603BNA*	18,000	13,600	15.0	12.5	625	201031075
	CSCF3036N6D*+TXV	G*VM970803BNA*	18,000	13,600	15.0	12.5	625	201051122
	CSCF3036N6D*+TXV	A*VC960403BNA*	18,000	13,600	15.0	12.5	625	201055488
	CSCF3036N6D*+TXV	A*VC960603BNA*	18,000	13,600	15.0	12.5	625	201055732
	CSCF3036N6D*+TXV	A*VC960803BNA*	18,000	13,600	15.0	12.5	625	201055976
	CSCF3036N6D*+TXV	A*VM970603BNA*	18,000	13,600	15.0	12.5	625	201060146
	CSCF3036N6D*+TXV	A*VM970803BNA*	18,000	13,600	15.0	12.5	625	201060418
	CSCF3036N6D*+TXV	G*VC80603B*B*	18,000	13,600	15.0	12.5	600	201486352
	CSCF3036N6D*+TXV	G*VC80803B*B*	18,000	13,600	15.0	12.5	600	201486485
	CSCF3642N6D*	G*VC960403BNA*	18,400	14,000	15.0	12.5	625	201045391
	CSCF3642N6D*	G*VC960603BNA*	18,400	14,000	15.0	12.5	625	201045452
	CSCF3642N6D*	G*VC960803BNA*	18,400	14,000	15.0	12.5	625	201045756
	CSCF3642N6D*	G*VM970603BNA*	18,400	14,000	15.0	12.5	625	201146624
	CSCF3642N6D*	G*VM970803BNA*	18,400	14,000	15.0	12.5	625	201051129
	CSCF3642N6D*	A*VC960403BNA*	18,400	14,000	15.0	12.5	625	201055495
	CSCF3642N6D*	A*VC960603BNA*	18,400	14,000	15.0	12.5	625	201055739
	CSCF3642N6D*	A*VC960803BNA*	18,400	14,000	15.0	12.5	625	201055983
	CSCF3642N6D*	A*VM970603BNA*	18,400	14,000	15.0	12.5	625	201060153
	CSCF3642N6D*	A*VM970803BNA*	18,400	14,000	15.0	12.5	625	201060425
	CSCF3642N6D*	G*VC80603B*B*	18,000	13,600	15.0	12.5	600	201486359
	CSCF3642N6D*	G*VC80803B*B*	18,000	13,600	15.0	12.5	600	201486492
	CSCF3642N6D*+EEP+TXV		18,000	13,600	14.5	12.2	650	200844669
	CSCF3642N6D*+TXV	G*VC960403BNA*	18,400	14,000	16.0	13.0	625	201045398
	CSCF3642N6D*+TXV	G*VC960603BNA*	18,400	14,000	16.0	13.0	625	201045459
	CSCF3642N6D*+TXV	G*VC960803BNA*	18,400	14,000	16.0	13.0	625	201045763
	CSCF3642N6D*+TXV	G*VM970603BNA*	18,400	14,000	16.0	13.0	625	201051021

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0181F* (Contd.)	CSCF3642N6D*+TXV	G*VM970803BNA*	18,400	14,000	16.0	13.0	625	201051136
	CSCF3642N6D*+TXV	A*VC960403BNA*	18,400	14,000	16.0	13.0	625	201055502
	CSCF3642N6D*+TXV	A*VC960603BNA*	18,400	14,000	16.0	13.0	625	201055746
	CSCF3642N6D*+TXV	A*VC960803BNA*	18,400	14,000	16.0	13.0	625	201056000
	CSCF3642N6D*+TXV	A*VM970603BNA*	18,400	14,000	16.0	13.0	625	201060160
	CSCF3642N6D*+TXV	A*VM970803BNA*	18,400	14,000	16.0	13.0	625	201060432
	CSCF3642N6D*+TXV	G*VC80603B*B*	18,000	13,600	15.0	12.5	600	201486366
	CSCF3642N6D*+TXV	G*VC80803B*B*	18,000	13,600	15.0	12.5	600	201486499
GSX16 0241F*	ACNF30XX16D*		23,200	18,000	14.0	12.2	800	200899899
	ACNF31XX16A*+TXV		23,000	17,800	14.5	12.5	710	201430152
	ARUF31B14A*+TXV		23,600	18,400	14.0	12.2	870	201299325
	ASPT29B14A*		23,600	18,400	16.0	13.0	790	201384243
	ASPT30C14A*		23,600	18,400	16.0	13.0	750	200825228
	ASPT33C14A*		23,600	18,400	16.0	13.0	820	201498266
	AVPTC29B14A*		23,800	18,400	16.0	13.0	795	201441931
	AVPTC30C14A*		23,600	18,400	16.0	13.0	780	200827968
	AVPTC33C14A*		23,600	18,400	16.0	13.0	785	201498469
	AVPTC36C14A*		24,000	18,600	16.0	13.0	800	201481179
	AWUF31XX16A*		24,000	18,600	15.0	12.5	750	200825070
	AWUF31XX16A*+TXV		24,000	18,600	15.0	12.5	750	200824764
	AWUF32XX16A*		24,000	18,600	15.0	12.5	750	200825079
	AWUF32XX16A*+TXV		24,000	18,600	15.0	12.5	750	200824817
	CA*F3131*6D*	G*E80603B*B*	23,000	17,800	14.5	12.5	850	200889774
	CA*F3131*6D*	A*EH800603B*A*	23,000	17,800	14.5	12.5	850	200964049
	CA*F3131*6D*+TXV	G*E80603B*B*	23,000	17,800	15.0	12.5	850	200846311
	CA*F3131*6D*+TXV	G*VC80604B*B*	23,000	17,800	15.2	12.5	750	200846355
	CA*F3131*6D*+TXV	G*VC80805C*B*	23,000	17,800	15.2	12.5	800	200846649
	CA*F3131*6D*+TXV	G*VC81005C*B*	23,000	17,800	15.2	12.5	750	200846733
	CA*F3131*6D*+TXV	A*VC80604B*B*	23,000	17,800	15.2	12.5	750	200895380
	CA*F3131*6D*+TXV	A*VC80805C*B*	23,000	17,800	15.2	12.5	800	200895427
	CA*F3131*6D*+TXV	A*VC81005C*B*	23,000	17,800	15.2	12.5	750	200895475
	CA*F3131*6D*+TXV	A*EH800603B*A*	23,000	17,800	15.0	12.5	850	200964068
	CA*F3636*6D*	G*EC960303ANA*	23,600	17,800	15.0	12.5	800	201525241
	CA*F3636*6D*	G*EC960603ANA*	23,600	17,800	15.0	12.5	775	201525192
	CA*F3636*6D*	G*E80603B*B*	23,600	18,400	15.0	12.5	850	200889781
	CA*F3636*6D*	G*VC80604B*B*	23,600	18,400	15.0	12.5	750	200889849
	CA*F3636*6D*	G*VC80805C*B*	23,600	18,400	15.0	12.5	800	200889889
	CA*F3636*6D*	G*VC81005C*B*	23,600	18,400	15.0	12.5	750	200889916
	CA*F3636*6D*	A*VC80604B*B*	23,600	18,400	15.0	12.5	750	200895387
	CA*F3636*6D*	A*VC80805C*B*	23,600	18,400	15.0	12.5	800	200895434
	CA*F3636*6D*	A*VC81005C*B*	23,600	18,400	15.0	12.5	750	200895482
	CA*F3636*6D*	A*EH800603B*A*	23,600	18,400	15.0	12.5	850	200964087
	CA*F3636*6D*	G*VC960403BNA*	23,600	18,400	15.0	12.5	805	201045910
	CA*F3636*6D*	G*VC960603BNA*	23,600	18,400	15.0	12.5	820	201046271
	CA*F3636*6D*	G*VC960803BNA*	23,600	18,400	15.0	12.5	800	201046605
	CA*F3636*6D*	G*VC960804CNA*	23,600	18,400	15.0	12.5	810	201046931
	CA*F3636*6D*	G*VM970603BNA*	23,600	18,400	15.0	12.5	820	201051227
	CA*F3636*6D*	G*VM970803BNA*	23,600	18,400	15.0	12.5	800	201051543
	CA*F3636*6D*	G*VM970804CNA*	23,600	18,400	15.0	12.5	810	201051855
	CA*F3636*6D*	A*VC960403BNA*	23,600	18,400	15.0	12.5	805	201056035
	CA*F3636*6D*	A*VC960603BNA*	23,600	18,400	15.0	12.5	820	201056294
	CA*F3636*6D*	A*VC960803BNA*	23,600	18,400	15.0	12.5	800	201056543
	CA*F3636*6D*	A*VC960804CNA*	23,600	18,400	15.0	12.5	810	201056792
	CA*F3636*6D*	A*VM970603BNA*	23,600	18,400	15.0	12.5	820	201060467

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0241F* (Contd.)	CA*F3636*6D*	A*VM970803BNA*	23,600	18,400	15.0	12.5	800	201060716
	CA*F3636*6D*	A*VM970804CNA*	23,600	18,400	15.0	12.5	810	201060965
	CA*F3636*6D*	G*EC960302BNA*	23,600	18,400	15.5	12.5	800	201124209
	CA*F3636*6D*	G*EC960402BNA*	23,600	18,400	15.0	12.5	830	201124678
	CA*F3636*6D*	G*EC960603BNA*	23,600	18,400	15.0	12.5	800	201125168
	CA*F3636*6D*	G*EC960803BNA*	23,600	18,400	15.0	12.5	800	201125656
	CA*F3636*6D*	A*EC960302BNA*	23,600	18,400	15.5	12.5	800	201133607
	CA*F3636*6D*	A*EC960402BNA*	23,600	18,400	15.0	12.5	830	201099374
	CA*F3636*6D*	A*EC960603BNA*	23,600	18,400	15.0	12.5	800	201134328
	CA*F3636*6D*	A*EC960803BNA*	23,600	18,400	15.0	12.5	800	201134713
	CA*F3636*6D*	G*VC80603B*B*	23,600	18,400	15.0	12.5	800	201486506
	CA*F3636*6D*	G*VC80803B*B*	23,600	18,400	15.0	12.5	750	201486632
	CA*F3636*6D*	G*VC80804C*B*	23,600	18,400	15.0	12.5	800	201486758
	CA*F3636*6D*	G*VC80805D*B*	23,600	18,400	15.0	12.5	800	201486821
	CA*F3636*6D*+EEP		23,600	18,400	14.0	12.2	750	200889712
	CA*F3636*6D*+EEP+TXV		23,600	18,400	14.5	12.2	750	200812541
	CA*F3636*6D*+MBVC1200**-1A*		23,600	18,400	15.5	12.5	725	200889719
	CA*F3636*6D*+MBVC1200**-1A*+TXV		23,600	18,400	16.0	13.0	725	200846271
	CA*F3636*6D*+TXV	G*EC960303ANA*	23,600	17,800	15.0	12.5	800	201525248
	CA*F3636*6D*+TXV	G*EC960403ANA*	23,600	17,800	15.0	12.5	800	201525269
	CA*F3636*6D*+TXV	G*EC960603ANA*	23,600	17,800	15.0	12.5	775	201525217
	CA*F3636*6D*+TXV	G*VC80604B*B*	23,600	18,400	15.5	12.5	750	200846380
	CA*F3636*6D*+TXV	G*VC80805C*B*	23,600	18,400	15.5	12.5	800	200846674
	CA*F3636*6D*+TXV	G*VC81005C*B*	23,600	18,400	15.5	12.5	750	200846758
	CA*F3636*6D*+TXV	ADVC80805C*B*	23,600	18,400	16.0	13.0	730	200848633
	CA*F3636*6D*+TXV	A*VC80604B*B*	23,600	18,400	15.5	12.5	750	200874449
	CA*F3636*6D*+TXV	A*VC80805C*B*	23,600	18,400	15.5	12.5	800	200874694
	CA*F3636*6D*+TXV	A*VC81005C*B*	23,600	18,400	15.5	12.5	750	200874729
	CA*F3636*6D*+TXV	G*EC960302BNA*	23,600	18,400	16.0	13.0	800	201124312
	CA*F3636*6D*+TXV	A*EC960302BNA*	23,600	18,400	16.0	13.0	800	201133632
	CA*F3636*6D*+TXV	G*VC80603B*B*	24,000	18,600	16.0	13.0	800	201486561
	CA*F3636*6D*+TXV	G*VC80803B*B*	24,000	18,600	16.0	13.0	750	201486687
	CA*F3636*6D*+TXV	G*VC80804C*B*	23,600	18,400	15.5	12.5	800	201486765
	CA*F3636*6D*+TXV	G*VC80805D*B*	23,600	18,400	15.5	12.5	800	201486828
	CA*F3642*6D*	G*VC81005C*B*	23,600	18,400	15.5	12.5	750	200889923
	CA*F3642*6D*	ADVC81005C*B*	23,600	18,400	15.5	12.5	780	200891035
	CA*F3642*6D*	A*VC81005C*B*	23,600	18,400	15.5	12.5	750	200895489
	CA*F3642*6D*+EEP		24,000	18,600	14.0	12.2	750	200889726
	CA*F3743*6D*	G*VC80604B*B*	23,600	18,400	15.5	12.5	750	200889863
	CA*F3743*6D*	G*VC80805C*B*	23,600	18,400	15.5	12.5	800	200889896
	CA*F3743*6D*	G*VC81005C*B*	23,600	18,400	15.5	12.5	750	200889930
	CA*F3743*6D*	A*VC80604B*B*	23,600	18,400	15.5	12.5	750	200895394
	CA*F3743*6D*	A*VC80805C*B*	23,600	18,400	15.5	12.5	800	200895441
	CA*F3743*6D*	A*VC81005C*B*	23,600	18,400	15.5	12.5	750	200895496
	CA*F3743*6D*	G*VC960403BNA*	23,600	18,400	15.0	12.5	805	201045924
	CA*F3743*6D*	G*VC960603BNA*	23,600	18,400	15.0	12.5	820	201046285
	CA*F3743*6D*	G*VC960803BNA*	23,600	18,400	15.0	12.5	800	201046619
	CA*F3743*6D*	G*VC960804CNA*	23,600	18,400	15.0	12.5	810	201046938
	CA*F3743*6D*	G*VM970603BNA*	23,600	18,400	15.0	12.5	820	201051241
	CA*F3743*6D*	G*VM970803BNA*	23,600	18,400	15.0	12.5	800	201051557
	CA*F3743*6D*	G*VM970804CNA*	23,600	18,400	15.0	12.5	810	201051869
	CA*F3743*6D*	A*VC960403BNA*	23,600	18,400	15.0	12.5	805	201056059
	CA*F3743*6D*	A*VC960603BNA*	23,600	18,400	15.0	12.5	820	201056308
	CA*F3743*6D*	A*VC960803BNA*	23,600	18,400	15.0	12.5	800	201056557

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0241F* (Contd.)	CA*F3743*6D*	A*VC960804CNA*	23,600	18,400	15.0	12.5	810	201056806
	CA*F3743*6D*	A*VM970603BNA*	23,600	18,400	15.0	12.5	820	201060481
	CA*F3743*6D*	A*VM970803BNA*	23,600	18,400	15.0	12.5	800	201060730
	CA*F3743*6D*	A*VM970804CNA*	23,600	18,400	15.0	12.5	810	201152335
	CA*F3743*6D*	G*EC960302BNA*	23,600	18,400	15.0	12.5	800	201124335
	CA*F3743*6D*	G*EC960402BNA*	23,600	18,400	15.0	12.5	830	201124818
	CA*F3743*6D*	G*EC960603BNA*	23,600	18,400	15.0	12.5	800	201125280
	CA*F3743*6D*	G*EC960803BNA*	23,600	18,400	15.0	12.5	800	201125749
	CA*F3743*6D*	A*EC960302BNA*	23,600	18,400	15.0	12.5	800	201133642
	CA*F3743*6D*	A*EC960402BNA*	23,600	18,400	15.0	12.5	830	201133999
	CA*F3743*6D*	A*EC960603BNA*	23,600	18,400	15.0	12.5	800	201134363
	CA*F3743*6D*	A*EC960803BNA*	23,600	18,400	15.0	12.5	800	201175717
	CA*F3743*6D*	G*VC80603B*B*	23,600	18,400	15.5	12.5	750	201486576
	CA*F3743*6D*	G*VC80803B*B*	23,600	18,400	15.5	12.5	750	201486702
	CA*F3743*6D*	G*VC80804C*B*	23,600	18,400	15.5	12.5	800	201486772
	CA*F3743*6D*	G*VC80805D*B*	23,600	18,400	15.5	12.5	800	201486835
	CA*F3743*6D*+EEP		24,000	18,600	14.0	12.2	750	200889733
	CA*F3743*6D*+EEP+TXV		24,000	18,600	15.0	12.5	700	200812724
	CA*F3743*6D*+TXV	G*VC80604B*B*	23,600	18,400	16.0	13.0	750	200846576
	CA*F3743*6D*+TXV	G*VC80805C*B*	23,600	18,400	16.0	13.0	800	200846714
	CA*F3743*6D*+TXV	G*VC81005C*B*	23,600	18,400	16.0	13.0	750	200846949
	CA*F3743*6D*+TXV	ADVC80603B*B*	23,600	18,400	16.0	13.0	800	200848415
	CA*F3743*6D*+TXV	A*VC80604B*B*	23,600	18,400	16.0	13.0	750	200874615
	CA*F3743*6D*+TXV	A*VC80805C*B*	23,600	18,400	16.0	13.0	800	200874704
	CA*F3743*6D*+TXV	A*VC81005C*B*	23,600	18,400	16.0	13.0	750	200874889
	CA*F3743*6D*+TXV	G*VC960403BNA*	23,600	18,400	16.0	13.0	805	201045917
	CA*F3743*6D*+TXV	G*VC960603BNA*	23,600	18,400	16.0	13.0	820	201046278
	CA*F3743*6D*+TXV	G*VC960803BNA*	23,600	18,400	16.0	13.0	800	201046612
	CA*F3743*6D*+TXV	G*VC960804CNA*	23,600	18,400	16.0	13.0	810	201027809
	CA*F3743*6D*+TXV	G*VM970603BNA*	23,600	18,400	16.0	13.0	820	201051234
	CA*F3743*6D*+TXV	G*VM970803BNA*	23,600	18,400	16.0	13.0	800	201051550
	CA*F3743*6D*+TXV	G*VM970804CNA*	23,600	18,400	16.0	13.0	810	201051862
	CA*F3743*6D*+TXV	A*VC960403BNA*	23,600	18,400	16.0	13.0	805	201056052
	CA*F3743*6D*+TXV	A*VC960603BNA*	23,600	18,400	16.0	13.0	820	201056301
	CA*F3743*6D*+TXV	A*VC960803BNA*	23,600	18,400	16.0	13.0	800	201056550
	CA*F3743*6D*+TXV	A*VC960804CNA*	23,600	18,400	16.0	13.0	810	201056799
	CA*F3743*6D*+TXV	A*VM970603BNA*	23,600	18,400	16.0	13.0	820	201060474
	CA*F3743*6D*+TXV	A*VM970803BNA*	23,600	18,400	16.0	13.0	800	201060723
	CA*F3743*6D*+TXV	A*VM970804CNA*	23,600	18,400	16.0	13.0	810	201152328
	CA*F3743*6D*+TXV	G*EC960302BNA*	23,600	18,400	16.0	13.0	800	201124354
	CA*F3743*6D*+TXV	G*EC960402BNA*	23,600	18,400	16.0	13.0	830	201124825
	CA*F3743*6D*+TXV	G*EC960603BNA*	23,600	18,400	16.0	13.0	800	201125287
	CA*F3743*6D*+TXV	G*EC960803BNA*	23,600	18,400	16.0	13.0	800	201125756
	CA*F3743*6D*+TXV	A*EC960302BNA*	23,600	18,400	16.0	13.0	800	201133649
	CA*F3743*6D*+TXV	A*EC960402BNA*	23,600	18,400	16.0	13.0	830	201134006
	CA*F3743*6D*+TXV	A*EC960603BNA*	23,600	18,400	16.0	13.0	800	201134370
	CA*F3743*6D*+TXV	A*EC960803BNA*	23,600	18,400	16.0	13.0	800	201175802
	CA*F3743*6D*+TXV	G*VC80603B*B*	23,600	18,400	16.0	13.0	750	201486583
	CA*F3743*6D*+TXV	G*VC80803B*B*	23,600	18,400	16.0	13.0	750	201486709
	CA*F3743*6D*+TXV	G*VC80804C*B*	23,600	18,400	16.0	13.0	800	201486809
	CA*F3743*6D*+TXV	G*VC80805D*B*	23,600	18,400	16.0	13.0	800	201486872
	CAPT3131*4A*	G*E80603B*B*	23,000	17,800	15.2	12.5	850	200846318
	CAPT3131*4A*	G*VC80604B*B*	23,000	17,800	15.2	12.5	750	200846614
	CAPT3131*4A*	G*VC80805C*B*	23,000	17,800	15.2	12.5	800	200846726

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0241F* (Contd.)	CAPT3131*4A*	G*VC81005C*B*	23,000	17,800	15.2	12.5	750	200846985
	CAPT3131*4A*	A*VC80604B*B*	23,000	17,800	15.2	12.5	750	200895401
	CAPT3131*4A*	A*VC80805C*B*	23,000	17,800	15.2	12.5	800	200895455
	CAPT3131*4A*	A*VC81005C*B*	23,000	17,800	15.2	12.5	750	200895503
	CAPT3131*4A*	ADVC80603B*B*	23,200	18,000	15.0	12.5	800	200905914
	CAPT3131*4A*	A*EH800603B*A*	23,000	17,800	15.2	12.5	850	200964592
	CAPT3131*4A*	G*EC960803BNA*	23,400	18,200	15.0	12.5	800	201125637
	CAPT3131*4A*	A*EC960803BNA*	23,400	18,200	15.0	12.5	800	201134706
	CAPT3131*4A*	G*VC80805D*B*	23,000	17,800	15.2	12.5	800	201486884
	CAPT3131*4A*+MBVC1200**-1A*		23,000	17,800	15.5	12.5	725	200905921
	CAPT3743*4A*+EEP		24,000	18,600	14.5	12.2	750	200846284
	CHPF2430B6C*+TXV	G*E80603B*B*	23,000	17,800	15.0	12.5	850	200846343
	CHPF2430B6C*+TXV	G*VC80604B*B*	23,000	17,800	15.0	12.5	750	200846633
	CHPF2430B6C*+TXV	A*VC80604B*B*	23,000	17,800	15.0	12.5	750	200874660
	CHPF2430B6C*+TXV	A*EH800603B*A*	23,000	17,800	15.0	12.5	850	200964629
	CHPF3636B6C*	G*EC960303ANA*	23,600	17,800	15.0	12.5	750	201525255
	CHPF3636B6C*	G*EC960603ANA*	23,600	17,800	15.0	12.5	700	201525227
	CHPF3636B6C*	G*E80603B*B*	23,600	18,400	15.5	12.5	850	200889794
	CHPF3636B6C*	G*VC80604B*B*	23,600	18,400	15.0	12.5	750	200889876
	CHPF3636B6C*	A*VC80604B*B*	23,600	18,400	15.0	12.5	750	200895414
	CHPF3636B6C*	A*EH800603B*A*	23,600	18,400	15.5	12.5	850	200964638
	CHPF3636B6C*	G*VC960403BNA*	23,600	18,400	15.0	12.5	805	201027642
	CHPF3636B6C*	G*VC960603BNA*	23,600	18,400	15.0	12.5	820	201046292
	CHPF3636B6C*	G*VC960803BNA*	23,600	18,400	15.0	12.5	800	201046632
	CHPF3636B6C*	G*VM970603BNA*	23,600	18,400	15.0	12.5	820	201051254
	CHPF3636B6C*	G*VM970803BNA*	23,600	18,400	15.0	12.5	800	201051570
	CHPF3636B6C*	A*VC960403BNA*	23,600	18,400	15.0	12.5	805	201056072
	CHPF3636B6C*	A*VC960603BNA*	23,600	18,400	15.0	12.5	820	201056321
	CHPF3636B6C*	A*VC960803BNA*	23,600	18,400	15.0	12.5	800	201056570
	CHPF3636B6C*	A*VM970603BNA*	23,600	18,400	15.0	12.5	820	201060494
	CHPF3636B6C*	A*VM970803BNA*	23,600	18,400	15.0	12.5	800	201060743
	CHPF3636B6C*	G*EC960302BNA*	23,600	18,400	15.0	12.5	800	201124363
	CHPF3636B6C*	G*EC960402BNA*	23,600	18,400	15.5	12.5	830	201124844
	CHPF3636B6C*	G*EC960603BNA*	23,600	18,400	15.0	12.5	800	201125306
	CHPF3636B6C*	G*EC960803BNA*	23,600	18,400	15.0	12.5	800	201125763
	CHPF3636B6C*	A*EC960302BNA*	23,600	18,400	15.0	12.5	800	201133656
	CHPF3636B6C*	A*EC960402BNA*	23,600	18,400	15.5	12.5	830	201134013
	CHPF3636B6C*	A*EC960603BNA*	23,600	18,400	15.0	12.5	800	201134377
	CHPF3636B6C*	A*EC960803BNA*	23,600	18,400	15.0	12.5	800	201134748
	CHPF3636B6C*	G*VC80603B*B*	23,600	18,400	15.5	12.5	800	201486590
	CHPF3636B6C*	G*VC80803B*B*	23,600	18,400	15.5	12.5	750	201486716
	CHPF3636B6C*+EEP		23,600	18,400	14.0	12.2	750	200889740
	CHPF3636B6C*+EEP+TXV		23,600	18,400	14.5	12.2	750	200812731
	CHPF3636B6C*+MBVC1200**-1A*		23,600	18,400	15.5	12.5	725	200889747
	CHPF3636B6C*+MBVC1200**-1A*+TXV		23,600	18,400	16.0	13.0	725	200846291
	CHPF3636B6C*+TXV	G*EC960303ANA*	23,600	17,800	15.0	12.5	750	201525262
	CHPF3636B6C*+TXV	G*EC960403ANA*	23,600	17,800	15.0	12.5	750	201525276
	CHPF3636B6C*+TXV	G*EC960603ANA*	23,600	17,800	15.0	12.5	700	201525234
	CHPF3636B6C*+TXV	G*E80603B*B*	24,000	18,600	16.0	13.0	750	200813229
	CHPF3636B6C*+TXV	G*VC80604B*B*	23,600	18,400	15.5	12.5	750	200846642
	CHPF3636B6C*+TXV	A*VC80604B*B*	23,600	18,400	15.5	12.5	750	200874669
	CHPF3636B6C*+TXV	A*EH800603B*A*	24,000	18,600	16.0	13.0	750	200964693
	CHPF3636B6C*+TXV	G*VC960403BNA*	23,600	18,400	16.0	13.0	805	201046075
	CHPF3636B6C*+TXV	G*VC960603BNA*	23,600	18,400	16.0	13.0	820	201046449

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0241F* (Contd.)	CHPF3636B6C*+TXV	G*VC960803BNA*	23,600	18,400	16.0	13.0	800	201046777
	CHPF3636B6C*+TXV	G*VM970603BNA*	23,600	18,400	16.0	13.0	820	201051409
	CHPF3636B6C*+TXV	G*VM970803BNA*	23,600	18,400	16.0	13.0	800	201051715
	CHPF3636B6C*+TXV	A*VC960403BNA*	23,600	18,400	16.0	13.0	805	201056211
	CHPF3636B6C*+TXV	A*VC960603BNA*	23,600	18,400	16.0	13.0	820	201056460
	CHPF3636B6C*+TXV	A*VC960803BNA*	23,600	18,400	16.0	13.0	800	201056709
	CHPF3636B6C*+TXV	A*VM970603BNA*	23,600	18,400	16.0	13.0	820	201060633
	CHPF3636B6C*+TXV	A*VM970803BNA*	23,600	18,400	16.0	13.0	800	201060882
	CHPF3636B6C*+TXV	G*EC960302BNA*	23,600	18,400	16.0	13.0	800	201124628
	CHPF3636B6C*+TXV	G*EC960402BNA*	23,600	18,400	16.0	13.0	830	201125117
	CHPF3636B6C*+TXV	G*EC960603BNA*	23,600	18,400	16.0	13.0	800	201125573
	CHPF3636B6C*+TXV	G*EC960803BNA*	23,600	18,400	16.0	13.0	800	201126028
	CHPF3636B6C*+TXV	A*EC960302BNA*	23,600	18,400	16.0	13.0	800	201133921
	CHPF3636B6C*+TXV	A*EC960402BNA*	23,600	18,400	16.0	13.0	830	201134278
	CHPF3636B6C*+TXV	A*EC960603BNA*	23,600	18,400	16.0	13.0	800	201134642
	CHPF3636B6C*+TXV	A*EC960803BNA*	23,600	18,400	16.0	13.0	800	201135013
	CHPF3636B6C*+TXV	G*VC80603B*B*	24,000	18,600	16.0	13.0	800	201486609
	CHPF3636B6C*+TXV	G*VC80803B*B*	24,000	18,600	16.0	13.0	750	201486735
	CHPF3642C6C*	G*VC80805C*B*	23,600	18,400	15.0	12.5	800	200889903
	CHPF3642C6C*	G*VC81005C*B*	23,600	18,400	15.0	12.5	750	200889937
	CHPF3642C6C*	A*VC80805C*B*	23,600	18,400	15.0	12.5	800	200895462
	CHPF3642C6C*	A*VC81005C*B*	23,600	18,400	15.0	12.5	750	200895514
	CHPF3642C6C*	G*EC960603BNA*	23,600	18,400	15.0	12.5	800	201125623
	CHPF3642C6C*	G*EC960803BNA*	24,000	18,600	15.0	12.5	800	201126078
	CHPF3642C6C*	A*EC960603BNA*	23,600	18,400	15.0	12.5	800	201134692
	CHPF3642C6C*	A*EC960803BNA*	24,000	18,600	15.0	12.5	800	201135063
	CHPF3642C6C*	G*VC80805D*B*	23,600	18,400	15.0	12.5	800	201486891
	CHPF3642C6C*+TXV	G*EC960603BNA*	23,600	18,400	16.0	13.0	800	201125630
	CHPF3642C6C*+TXV	G*EC960803BNA*	24,000	18,600	16.0	13.0	800	201126085
	CHPF3642C6C*+TXV	A*EC960603BNA*	23,600	18,400	16.0	13.0	800	201134699
	CHPF3642C6C*+TXV	A*EC960803BNA*	24,000	18,600	16.0	13.0	800	201135070
	CHPF3743C6B*+EEP		23,600	18,400	14.5	12.2	750	200889754
	CHPF3743C6B*+EEP+TXV		24,000	18,600	15.0	12.5	750	200812738
	CSCF3642N6D*	G*VC960403BNA*	23,400	18,200	15.0	12.5	805	201046117
	CSCF3642N6D*	G*VC960603BNA*	23,400	18,200	15.0	12.5	820	201046493
	CSCF3642N6D*	G*VC960803BNA*	23,400	18,200	15.0	12.5	800	201046819
	CSCF3642N6D*	G*VC960804CNA*	23,400	18,200	15.0	12.5	810	201046963
	CSCF3642N6D*	G*VM970603BNA*	23,400	18,200	15.0	12.5	820	201051445
	CSCF3642N6D*	G*VM970803BNA*	23,400	18,200	15.0	12.5	800	201051757
	CSCF3642N6D*	G*VM970804CNA*	23,400	18,200	15.0	12.5	810	201051888
	CSCF3642N6D*	A*VC960403BNA*	23,400	18,200	15.0	12.5	805	201056252
	CSCF3642N6D*	A*VC960603BNA*	23,400	18,200	15.0	12.5	820	201056501
	CSCF3642N6D*	A*VC960803BNA*	23,400	18,200	15.0	12.5	800	201056750
	CSCF3642N6D*	A*VC960804CNA*	23,400	18,200	15.0	12.5	810	201056831
	CSCF3642N6D*	A*VM970603BNA*	23,400	18,200	15.0	12.5	820	201060674
	CSCF3642N6D*	A*VM970803BNA*	23,400	18,200	15.0	12.5	800	201060923
	CSCF3642N6D*	A*VM970804CNA*	23,400	18,200	15.0	12.5	810	201152667
	CSCF3642N6D*	G*VC80603B*B*	23,400	18,200	15.0	12.5	750	201486618
	CSCF3642N6D*	G*VC80803B*B*	23,400	18,200	15.0	12.5	750	201486744
	CSCF3642N6D*+EEP		23,400	18,200	14.5	12.2	750	200889767
	CSCF3642N6D*+EEP+TXV		23,400	18,200	14.5	12.2	750	200846304
	CSCF3642N6D*+TXV	G*VC960403BNA*	23,400	18,200	16.0	13.0	805	201046124
	CSCF3642N6D*+TXV	G*VC960603BNA*	23,400	18,200	16.0	13.0	820	201046500
	CSCF3642N6D*+TXV	G*VC960803BNA*	23,400	18,200	16.0	13.0	800	201046826

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0241F* (Contd.)	CSCF3642N6D*+TXV	G*VC960804CNA*	23,400	18,200	16.0	13.0	810	201046970
	CSCF3642N6D*+TXV	G*VM970603BNA*	23,400	18,200	16.0	13.0	820	201051452
	CSCF3642N6D*+TXV	G*VM970803BNA*	23,400	18,200	16.0	13.0	800	201051764
	CSCF3642N6D*+TXV	G*VM970804CNA*	23,400	18,200	16.0	13.0	810	201051895
	CSCF3642N6D*+TXV	A*VC960403BNA*	23,400	18,200	16.0	13.0	805	201056259
	CSCF3642N6D*+TXV	A*VC960603BNA*	23,400	18,200	16.0	13.0	820	201056508
	CSCF3642N6D*+TXV	A*VC960803BNA*	23,400	18,200	16.0	13.0	800	201056757
	CSCF3642N6D*+TXV	A*VC960804CNA*	23,400	18,200	16.0	13.0	810	201056838
	CSCF3642N6D*+TXV	A*VM970603BNA*	23,400	18,200	16.0	13.0	820	201060681
	CSCF3642N6D*+TXV	A*VM970803BNA*	23,400	18,200	16.0	13.0	800	201060930
	CSCF3642N6D*+TXV	A*VM970804CNA*	23,400	18,200	16.0	13.0	810	201152731
	CSCF3642N6D*+TXV	G*VC80603B*B*	23,400	18,200	16.0	13.0	750	201486625
	CSCF3642N6D*+TXV	G*VC80803B*B*	23,400	18,200	16.0	13.0	750	201486751
GSX16 0301F*	ACNF30XX16D*+TXV		27,000	21,200	14.0	12.2	850	201290361
	ARUF37C14A*+TXV		29,000	22,800	14.0	12.2	1,050	201299344
	ASPT30C14A*		27,600	21,600	16.0	13.0	850	200825294
	ASPT36C14A*		28,000	22,000	16.0	13.0	900	200825327
	ASPT37B14A*		28,000	22,000	15.0	12.5	980	201384280
	ASPT37C14A*		28,000	22,000	16.0	13.0	1,000	201384674
	ASPT39C14A*		28,000	22,000	15.5	13.0	820	201498273
	AVPTC30C14A*		27,600	21,600	16.0	13.0	860	200827763
	AVPTC36C14A*		28,000	22,000	16.0	13.0	1,000	200788107
	AVPTC37B14A*		28,400	22,200	15.0	12.5	925	201441938
	AVPTC37C14A*		28,600	22,400	16.0	13.0	930	201441945
	AVPTC39C14A*		28,000	22,000	15.5	13.0	965	201498476
	AWUF31XX16A*+TXV		28,000	22,000	15.0	12.5	850	200824977
	AWUF32XX16A*		28,000	22,000	15.0	12.5	850	200825093
	AWUF32XX16A*+TXV		28,000	22,000	15.0	12.5	850	200825027
	AWUF37XX16B*		28,400	22,200	15.0	12.5	950	200825100
	AWUF37XX16B*+TXV		28,400	22,200	15.0	12.5	950	200825037
	CA*F3137*6A*	G*EC960403ANA*	28,600	21,800	14.5	12.2	975	201525346
	CA*F3137*6A*	G*EC960603ANA*	28,600	21,800	15.0	12.5	950	201525283
	CA*F3137*6A*	G*EC960403BNA*	28,400	21,600	14.5	12.2	1,000	201510742
	CA*F3137*6A*	A*EC960402BNA*	28,600	22,400	15.0	12.5	935	201163265
	CA*F3137*6A*	A*EC960603BNA*	28,600	22,400	15.0	12.5	1,020	201163286
	CA*F3137*6A*	A*EC960803BNA*	28,600	22,400	14.5	12.2	1,010	201163295
	CA*F3137*6A*	A*VC80604B*B*	28,600	22,400	15.0	12.5	990	201163314
	CA*F3137*6A*	A*VC960403BNA*	28,600	22,400	15.0	12.5	985	201163335
	CA*F3137*6A*	A*VC960603BNA*	28,600	22,400	14.5	12.2	985	201163344
	CA*F3137*6A*	A*VC960803BNA*	28,600	22,400	15.0	12.5	1,025	201163363
	CA*F3137*6A*	A*VM970603BNA*	28,600	22,400	14.5	12.2	985	201179902
	CA*F3137*6A*	A*VM970803BNA*	28,600	22,400	15.0	12.5	1,025	201163391
	CA*F3137*6A*	ADV80603B*B*	28,600	22,400	15.0	12.5	900	201163412
	CA*F3137*6A*	G*EC960402BNA*	28,600	22,400	15.0	12.5	935	201163433
	CA*F3137*6A*	G*EC960603BNA*	28,600	22,400	15.0	12.5	1,020	201179961
	CA*F3137*6A*	G*EC960803BNA*	28,600	22,400	14.5	12.2	1,010	201163470
	CA*F3137*6A*	G*VC80604B*B*	28,600	22,400	15.0	12.5	990	201163489
	CA*F3137*6A*	G*VC960403BNA*	28,600	22,400	15.0	12.5	985	201180128
	CA*F3137*6A*	G*VC960603BNA*	28,600	22,400	14.5	12.2	985	201180203
	CA*F3137*6A*	G*VC960803BNA*	28,600	22,400	15.0	12.5	1,025	201180224
	CA*F3137*6A*	G*VM970603BNA*	28,600	22,400	14.5	12.2	985	201180307
	CA*F3137*6A*	G*VM970803BNA*	28,600	22,400	15.0	12.5	1,025	201180362
	CA*F3137*6A*	G*VC80603B*B*	28,400	22,200	15.0	12.5	1,000	201486910
	CA*F3137*6A*	G*VC80803B*B*	28,400	22,200	15.0	12.5	950	201487085

See Notes on Page 76.

AHRI RATINGS (CONT.)

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0301F* (Contd.)	CA*F3137*6A*+EEP		28,600	22,400	14.0	12.2	1,000	201162850
	CA*F3137*6A*+EEP+TXV		28,600	22,400	14.5	12.2	1,000	201162843
	CA*F3137*6A*+MBVC1200**-1A*		28,600	22,400	15.0	12.5	1,025	201162864
	CA*F3137*6A*+MBVC1200**-1A*+TXV		28,600	22,400	15.0	12.5	1,025	201162857
	CA*F3137*6A*+TXV	G*EC960403ANA*	28,600	21,800	15.0	12.5	975	201525353
	CA*F3137*6A*+TXV	G*EC960603ANA*	28,600	21,800	15.0	12.5	950	201525290
	CA*F3137*6A*+TXV	G*EC960403BNA*	28,400	21,600	15.0	12.5	1,000	201510749
	CA*F3137*6A*+TXV	A*EC960402BNA*	28,600	22,400	15.0	12.5	935	201162883
	CA*F3137*6A*+TXV	A*EC960603BNA*	28,600	22,400	15.0	12.5	1,020	201162904
	CA*F3137*6A*+TXV	A*EC960803BNA*	28,600	22,400	15.0	12.5	1,010	201162925
	CA*F3137*6A*+TXV	A*VC80604B*B*	28,600	22,400	15.0	12.5	990	201162946
	CA*F3137*6A*+TXV	A*VC960403BNA*	28,600	22,400	15.0	12.5	985	201162967
	CA*F3137*6A*+TXV	A*VC960603BNA*	28,600	22,400	15.0	12.5	985	201162988
	CA*F3137*6A*+TXV	A*VC960803BNA*	28,600	22,400	15.0	12.5	1,025	201179887
	CA*F3137*6A*+TXV	A*VM970603BNA*	28,600	22,400	15.0	12.5	985	201163013
	CA*F3137*6A*+TXV	A*VM970803BNA*	28,600	22,400	15.0	12.5	1,025	201163034
	CA*F3137*6A*+TXV	ADVC80603B*B*	28,600	22,400	15.0	12.5	900	201163055
	CA*F3137*6A*+TXV	G*EC960402BNA*	28,600	22,400	15.0	12.5	935	201163076
	CA*F3137*6A*+TXV	G*EC960603BNA*	28,600	22,400	15.0	12.5	1,020	201163097
	CA*F3137*6A*+TXV	G*EC960803BNA*	28,600	22,400	15.0	12.5	1,010	201163118
	CA*F3137*6A*+TXV	G*VC80604B*B*	28,600	22,400	15.0	12.5	990	201163139
	CA*F3137*6A*+TXV	G*VC960403BNA*	28,600	22,400	15.0	12.5	985	201163160
	CA*F3137*6A*+TXV	G*VC960603BNA*	28,600	22,400	15.0	12.5	985	201163181
	CA*F3137*6A*+TXV	G*VC960803BNA*	28,600	22,400	15.0	12.5	1,025	201163202
	CA*F3137*6A*+TXV	G*VM970603BNA*	28,600	22,400	15.0	12.5	985	201163223
	CA*F3137*6A*+TXV	G*VM970803BNA*	28,600	22,400	15.0	12.5	1,025	201163244
	CA*F3137*6A*+TXV	G*VC80603B*B*	28,400	22,200	15.0	12.5	1,000	201486931
	CA*F3137*6A*+TXV	G*VC80803B*B*	28,400	22,200	15.0	12.5	950	201487106
	CA*F3636*6D*	G*VC80604B*B*	28,400	22,200	15.0	12.5	1,000	200891304
	CA*F3636*6D*	A*VC80604B*B*	28,400	22,200	15.0	12.5	1,000	200896266
	CA*F3636*6D*	G*VC960403BNA*	28,400	22,200	14.5	12.2	1,000	201046998
	CA*F3636*6D*	G*VC960603BNA*	28,400	22,200	14.5	12.2	1,000	201047333
	CA*F3636*6D*	G*VC960803BNA*	28,400	22,200	14.5	12.2	1,000	201047724
	CA*F3636*6D*	G*VM970603BNA*	28,400	22,200	14.5	12.2	1,000	201051923
	CA*F3636*6D*	G*VM970803BNA*	28,400	22,200	14.5	12.2	1,000	201052251
	CA*F3636*6D*	A*VC960403BNA*	28,400	22,200	14.5	12.2	1,000	201056852
	CA*F3636*6D*	A*VC960603BNA*	28,400	22,200	14.5	12.2	1,000	201057131
	CA*F3636*6D*	A*VC960803BNA*	28,400	22,200	14.5	12.2	1,000	201057410
	CA*F3636*6D*	A*VM970603BNA*	28,400	22,200	14.5	12.2	1,000	201152806
	CA*F3636*6D*	A*VM970803BNA*	28,400	22,200	14.5	12.2	1,000	201061260
	CA*F3636*6D*	G*VC80603B*B*	28,400	22,200	15.0	12.5	1,000	201486940
	CA*F3636*6D*	G*VC80803B*B*	28,400	22,200	15.0	12.5	950	201487115
	CA*F3636*6D*	G*VC80804C*B*	28,400	22,200	15.0	12.5	1,050	201487248
	CA*F3636*6D*+MBVC1200**-1A*		28,400	22,200	14.5	12.2	910	200891199
	CA*F3636*6D*+MBVC1200**-1A*+TXV		28,400	22,200	15.0	12.5	910	200848941
	CA*F3636*6D*+TXV	G*VC80604B*B*	28,400	22,200	15.0	12.5	1,000	200849801
	CA*F3636*6D*+TXV	A*VC80604B*B*	28,400	22,200	15.0	12.5	1,000	200876001
	CA*F3636*6D*+TXV	G*VC960403BNA*	28,400	22,200	15.0	12.5	1,000	201046989
	CA*F3636*6D*+TXV	G*VC960603BNA*	28,400	22,200	15.0	12.5	1,000	201047324
	CA*F3636*6D*+TXV	G*VC960803BNA*	28,400	22,200	15.0	12.5	1,000	201047715
	CA*F3636*6D*+TXV	G*VM970603BNA*	28,400	22,200	15.0	12.5	1,000	201051914
	CA*F3636*6D*+TXV	G*VM970803BNA*	28,400	22,200	15.0	12.5	1,000	201052241
	CA*F3636*6D*+TXV	A*VC960403BNA*	28,400	22,200	15.0	12.5	1,000	201056845
	CA*F3636*6D*+TXV	A*VC960603BNA*	28,400	22,200	15.0	12.5	1,000	201057124

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0301F* (Contd.)	CA*F3636*6D*+TXV	A*VC960803BNA*	28,400	22,200	15.0	12.5	1,000	201057403
	CA*F3636*6D*+TXV	A*VM970603BNA*	28,400	22,200	15.0	12.5	1,000	201152770
	CA*F3636*6D*+TXV	A*VM970803BNA*	28,400	22,200	15.0	12.5	1,000	201061253
	CA*F3636*6D*+TXV	G*VC80603B*B*	28,400	22,200	15.0	12.5	1,000	201486947
	CA*F3636*6D*+TXV	G*VC80803B*B*	28,400	22,200	15.0	12.5	950	201487122
	CA*F3636*6D*+TXV	G*VC80804C*B*	28,400	22,200	15.0	12.5	1,050	201487255
	CA*F3642*6D*	G*EC960403BNA*	28,200	21,400	14.5	12.2	1,000	201510756
	CA*F3642*6D*	G*VC80805C*B*	28,600	22,400	15.0	12.5	980	200891318
	CA*F3642*6D*	G*VC81005C*B*	28,600	22,400	15.0	12.5	1,000	200891346
	CA*F3642*6D*	ADVC80805C*B*	28,600	22,400	15.0	12.5	990	200892282
	CA*F3642*6D*	ADVC81005C*B*	28,600	22,400	15.0	12.5	1,000	200892289
	CA*F3642*6D*	A*VC80805C*B*	28,600	22,400	15.0	12.5	980	200896280
	CA*F3642*6D*	A*VC81005C*B*	28,600	22,400	15.0	12.5	1,000	200896308
	CA*F3642*6D*	G*EC960302BNA*	28,400	22,200	14.5	12.2	980	201126092
	CA*F3642*6D*	G*EC960402BNA*	28,400	22,200	14.5	12.2	980	201126466
	CA*F3642*6D*	G*EC960603BNA*	28,400	22,200	14.5	12.2	1,000	201126838
	CA*F3642*6D*	G*EC960803BNA*	28,400	22,200	14.5	12.2	1,000	201127265
	CA*F3642*6D*	G*EC961004CNA*	28,400	22,200	15.0	12.5	1,000	201127664
	CA*F3642*6D*	A*EC960302BNA*	28,400	22,200	14.5	12.2	980	201135077
	CA*F3642*6D*	A*EC960402BNA*	28,400	22,200	14.5	12.2	980	201135405
	CA*F3642*6D*	A*EC960603BNA*	28,400	22,200	14.5	12.2	1,000	201135727
	CA*F3642*6D*	A*EC960803BNA*	28,400	22,200	14.5	12.2	1,000	201136140
	CA*F3642*6D*	A*EC961004CNA*	28,400	22,200	15.0	12.5	1,000	201136462
	CA*F3642*6D*	G*VC80805D*B*	28,600	22,400	15.0	12.5	1,000	201487325
	CA*F3642*6D*+TXV	G*EC960403BNA*	28,200	21,400	15.0	12.5	1,000	201510763
	CA*F3642*6D*+TXV	G*E80603B*B*	28,600	22,400	15.0	12.5	1,000	200849327
	CA*F3642*6D*+TXV	G*E80805C*B*	28,600	22,400	15.0	12.5	1,000	200849424
	CA*F3642*6D*+TXV	G*E81005C*B*	28,600	22,400	15.0	12.5	1,000	200849674
	CA*F3642*6D*+TXV	G*VC80805C*B*	28,600	22,400	15.5	12.5	980	200850107
	CA*F3642*6D*+TXV	G*VC81005C*B*	28,600	22,400	15.5	12.5	1,000	200850432
	CA*F3642*6D*+TXV	ADVC80805C*B*	28,600	22,400	15.5	12.5	990	200853721
	CA*F3642*6D*+TXV	ADVC81005C*B*	28,600	22,400	15.5	12.5	1,000	200853973
	CA*F3642*6D*+TXV	A*VC80805C*B*	28,600	22,400	15.5	12.5	980	200876265
	CA*F3642*6D*+TXV	A*VC81005C*B*	28,600	22,400	15.5	12.5	1,000	200876559
	CA*F3642*6D*+TXV	A*EH800603B*A*	28,600	22,400	15.0	12.5	1,000	200965152
	CA*F3642*6D*+TXV	A*EH800805C*A*	28,600	22,400	15.0	12.5	1,000	200965176
	CA*F3642*6D*+TXV	A*EH801005C*A*	28,600	22,400	15.0	12.5	1,000	200965197
	CA*F3642*6D*+TXV	G*EC960302BNA*	28,400	22,200	15.0	12.5	980	201126111
	CA*F3642*6D*+TXV	G*EC960402BNA*	28,400	22,200	15.0	12.5	980	201126495
	CA*F3642*6D*+TXV	G*EC960603BNA*	28,400	22,200	15.0	12.5	1,000	201126863
	CA*F3642*6D*+TXV	G*EC960803BNA*	28,400	22,200	15.0	12.5	1,000	201127296
	CA*F3642*6D*+TXV	G*EC961004CNA*	28,400	22,200	15.5	12.5	1,000	201127683
	CA*F3642*6D*+TXV	A*EC960302BNA*	28,400	22,200	15.0	12.5	980	201135096
	CA*F3642*6D*+TXV	A*EC960402BNA*	28,400	22,200	15.0	12.5	980	201135424
	CA*F3642*6D*+TXV	A*EC960603BNA*	28,400	22,200	15.0	12.5	1,000	201135746
	CA*F3642*6D*+TXV	A*EC960803BNA*	28,400	22,200	15.0	12.5	1,000	201136159
	CA*F3642*6D*+TXV	A*EC961004CNA*	28,400	22,200	15.5	12.5	1,000	201103452
	CA*F3642*6D*+TXV	G*VC80805D*B*	28,600	22,400	15.5	12.5	1,000	201487332
	CA*F3743*6D*	G*EC960403BNA*	28,400	21,600	14.5	12.2	1,000	201510770
	CA*F3743*6D*	G*E80805C*B*	28,600	22,400	14.5	12.2	1,000	200891270
	CA*F3743*6D*	G*VC80805C*B*	28,600	22,400	15.5	12.5	980	200891325
	CA*F3743*6D*	G*VC81005C*B*	29,000	22,800	15.5	12.5	1,000	200891353
	CA*F3743*6D*	A*VC80805C*B*	28,600	22,400	15.5	12.5	980	200896287
	CA*F3743*6D*	A*VC81005C*B*	29,000	22,800	15.5	12.5	1,000	200896315

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0301F* (Contd.)	CA*F3743*6D*	A*EH800805C*A*	28,600	22,400	14.5	12.2	1,000	200965224
	CA*F3743*6D*	G*VC960403BNA*	28,600	22,400	15.0	12.5	1,000	201047047
	CA*F3743*6D*	G*VC960603BNA*	28,600	22,400	15.0	12.5	1,000	201047445
	CA*F3743*6D*	G*VC960803BNA*	28,600	22,400	15.0	12.5	1,000	201047773
	CA*F3743*6D*	G*VM970603BNA*	28,600	22,400	15.0	12.5	1,000	201051958
	CA*F3743*6D*	G*VM970803BNA*	28,600	22,400	15.0	12.5	1,000	201052286
	CA*F3743*6D*	A*VC960403BNA*	28,600	22,400	15.0	12.5	1,000	201056866
	CA*F3743*6D*	A*VC960603BNA*	28,600	22,400	15.0	12.5	1,000	201057145
	CA*F3743*6D*	A*VC960803BNA*	28,600	22,400	15.0	12.5	1,000	201057427
	CA*F3743*6D*	A*VM970603BNA*	28,600	22,400	15.0	12.5	1,000	201060995
	CA*F3743*6D*	A*VM970803BNA*	28,600	22,400	15.0	12.5	1,000	201061274
	CA*F3743*6D*	G*EC960302BNA*	28,600	22,400	15.0	12.5	980	201126120
	CA*F3743*6D*	G*EC960402BNA*	28,600	22,400	15.0	12.5	980	201126505
	CA*F3743*6D*	G*EC960603BNA*	28,600	22,400	15.0	12.5	1,000	201126873
	CA*F3743*6D*	G*EC960803BNA*	28,600	22,400	15.0	12.5	1,000	201127307
	CA*F3743*6D*	G*EC961004CNA*	28,600	22,400	15.5	12.5	1,000	201127692
	CA*F3743*6D*	A*EC960302BNA*	28,600	22,400	15.0	12.5	980	201135107
	CA*F3743*6D*	A*EC960402BNA*	28,600	22,400	15.0	12.5	980	201135433
	CA*F3743*6D*	A*EC960603BNA*	28,600	22,400	15.0	12.5	1,000	201135755
	CA*F3743*6D*	A*EC960803BNA*	28,600	22,400	15.0	12.5	1,000	201136168
	CA*F3743*6D*	A*EC961004CNA*	28,600	22,400	15.5	12.5	1,000	201136469
	CA*F3743*6D*	G*VC80603B*B*	28,600	22,400	15.5	12.5	1,000	201486954
	CA*F3743*6D*	G*VC80803B*B*	28,600	22,400	15.5	12.5	950	201487129
	CA*F3743*6D*	G*VC80805D*B*	28,600	22,400	15.5	12.5	1,000	201487339
	CA*F3743*6D*+EEP+TXV		29,000	22,800	14.5	12.2	1,000	200814640
	CA*F3743*6D*+MBVC1200**-1A*		28,600	22,400	14.5	12.2	910	200898963
	CA*F3743*6D*+MBVC1200**-1A*+TXV		28,600	22,400	15.0	12.5	910	200898970
	CA*F3743*6D*+MBVC1600**-1A*		28,600	22,400	14.5	12.2	945	200891218
	CA*F3743*6D*+MBVC1600**-1A*+TXV		28,600	22,400	15.0	12.5	945	200848948
	CA*F3743*6D*+TXV	G*EC960403BNA*	28,400	21,600	15.0	12.5	1,000	201510777
	CA*F3743*6D*+TXV	G*E81005C*B*	28,600	22,400	15.0	12.5	1,000	200849717
	CA*F3743*6D*+TXV	G*VC81005C*B*	28,600	22,400	16.0	13.0	1,000	200850663
	CA*F3743*6D*+TXV	A*VC81005C*B*	28,600	22,400	16.0	13.0	1,000	200876766
	CA*F3743*6D*+TXV	A*EH801005C*A*	28,600	22,400	15.0	12.5	1,000	200965250
	CA*F3743*6D*+TXV	G*VC960403BNA*	28,600	22,400	16.0	13.0	1,000	201047035
	CA*F3743*6D*+TXV	G*VC960603BNA*	28,600	22,400	16.0	13.0	1,000	201047424
	CA*F3743*6D*+TXV	G*VC960803BNA*	28,600	22,400	16.0	13.0	1,000	201047761
	CA*F3743*6D*+TXV	G*VM970603BNA*	28,600	22,400	16.0	13.0	1,000	201051948
	CA*F3743*6D*+TXV	G*VM970803BNA*	28,600	22,400	16.0	13.0	1,000	201052276
	CA*F3743*6D*+TXV	A*VC960403BNA*	28,600	22,400	16.0	13.0	1,000	201056859
	CA*F3743*6D*+TXV	A*VC960603BNA*	28,600	22,400	16.0	13.0	1,000	201057138
	CA*F3743*6D*+TXV	A*VC960803BNA*	28,600	22,400	16.0	13.0	1,000	201151571
	CA*F3743*6D*+TXV	A*VM970603BNA*	28,600	22,400	16.0	13.0	1,000	201152837
	CA*F3743*6D*+TXV	A*VM970803BNA*	28,600	22,400	16.0	13.0	1,000	201061267
	CA*F3743*6D*+TXV	G*EC960302BNA*	28,600	22,400	16.0	13.0	980	201126391
	CA*F3743*6D*+TXV	G*EC960402BNA*	28,600	22,400	16.0	13.0	980	201126764
	CA*F3743*6D*+TXV	G*EC960603BNA*	28,600	22,400	16.0	13.0	1,000	201127162
	CA*F3743*6D*+TXV	G*EC960803BNA*	28,600	22,400	16.0	13.0	1,000	201127578
	CA*F3743*6D*+TXV	A*EC960302BNA*	28,600	22,400	16.0	13.0	980	201135336
	CA*F3743*6D*+TXV	A*EC960402BNA*	28,600	22,400	16.0	13.0	980	201135662
	CA*F3743*6D*+TXV	A*EC960603BNA*	28,600	22,400	16.0	13.0	1,000	201135984
	CA*F3743*6D*+TXV	A*EC960803BNA*	28,600	22,400	16.0	13.0	1,000	201136397
	CA*F3743*6D*+TXV	G*VC961005CNA*	28,600	22,400	16.0	13.0	975	201442163
	CA*F3743*6D*+TXV	G*VC80603B*B*	28,600	22,400	16.0	13.0	1,000	201487009

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0301F* (Contd.)	CA*F3743*6D*+TXV	G*VC80803B*B*	28,600	22,400	16.0	13.0	950	201487184
	CA*F3743*6D*+TXV	G*VC80805D*B*	28,600	22,400	16.0	13.0	1,000	201487370
	CA*F4860*6D*	G*VC960804CNA*	28,600	22,400	15.0	12.5	1,000	201048079
	CA*F4860*6D*	G*VM970804CNA*	28,600	22,400	15.0	12.5	1,000	201052585
	CA*F4860*6D*	A*VC960804CNA*	28,600	22,400	15.0	12.5	1,000	201057692
	CA*F4860*6D*	A*VM970804CNA*	28,600	22,400	15.0	12.5	1,000	201061532
	CA*F4961*6D*+EEP+TXV		29,400	23,000	15.0	12.5	1,000	200814823
	CAPT3743*4A*	G*EC960403BNA*	28,400	21,600	15.0	12.5	1,000	201510784
	CAPT3743*4A*	G*E80805C*B*	28,600	22,400	15.0	12.5	1,000	200849437
	CAPT3743*4A*	G*E81005C*B*	28,600	22,400	15.0	12.5	1,000	200849724
	CAPT3743*4A*	G*VC80604B*B*	28,600	22,400	15.0	12.5	1,000	200849815
	CAPT3743*4A*	G*VC80805C*B*	28,600	22,400	16.0	13.0	980	200850385
	CAPT3743*4A*	G*VC81005C*B*	28,600	22,400	16.0	13.0	1,000	200850707
	CAPT3743*4A*	A*VC80604B*B*	28,600	22,400	15.0	12.5	1,000	200876008
	CAPT3743*4A*	A*VC80805C*B*	28,600	22,400	16.0	13.0	980	200876512
	CAPT3743*4A*	A*VC81005C*B*	28,600	22,400	16.0	13.0	1,000	200876806
	CAPT3743*4A*	G*E80603B*B*	28,600	22,400	15.0	12.5	1,050	200906457
	CAPT3743*4A*	ADVC80603B*B*	28,600	22,400	15.0	12.5	1,000	200906464
	CAPT3743*4A*	ADVC80805C*B*	28,600	22,400	15.0	12.5	1,000	200940798
	CAPT3743*4A*	ADVC81005C*B*	28,600	22,400	15.0	12.5	1,000	200906475
	CAPT3743*4A*	A*EH800603B*A*	28,600	22,400	15.0	12.5	1,050	200965275
	CAPT3743*4A*	A*EH800805C*A*	28,600	22,400	15.0	12.5	1,000	200965282
	CAPT3743*4A*	A*EH801005C*A*	28,600	22,400	15.0	12.5	1,000	200965289
	CAPT3743*4A*	G*VC960403BNA*	28,600	22,400	15.5	12.5	1,000	201047054
	CAPT3743*4A*	G*VC960603BNA*	28,600	22,400	15.5	12.5	1,000	201047452
	CAPT3743*4A*	G*VC960803BNA*	28,600	22,400	15.5	12.5	1,000	201047780
	CAPT3743*4A*	G*VC960804CNA*	28,600	22,400	15.5	12.5	1,000	201048086
	CAPT3743*4A*	G*VM970603BNA*	28,600	22,400	15.5	12.5	1,000	201051965
	CAPT3743*4A*	G*VM970803BNA*	28,600	22,400	15.5	12.5	1,000	201052293
	CAPT3743*4A*	G*VM970804CNA*	28,600	22,400	15.5	12.5	1,000	201052592
	CAPT3743*4A*	A*VC960403BNA*	28,600	22,400	15.5	12.5	1,000	201056873
	CAPT3743*4A*	A*VC960603BNA*	28,600	22,400	15.5	12.5	1,000	201057152
	CAPT3743*4A*	A*VC960803BNA*	28,600	22,400	15.5	12.5	1,000	201057434
	CAPT3743*4A*	A*VC960804CNA*	28,600	22,400	15.5	12.5	1,000	201057699
	CAPT3743*4A*	A*VM970603BNA*	28,600	22,400	15.5	12.5	1,000	201061002
	CAPT3743*4A*	A*VM970803BNA*	28,600	22,400	15.5	12.5	1,000	201061281
	CAPT3743*4A*	A*VM970804CNA*	28,600	22,400	15.5	12.5	1,000	201061539
	CAPT3743*4A*	G*EC960302BNA*	28,600	22,400	15.0	12.5	980	201126442
	CAPT3743*4A*	G*EC960402BNA*	28,600	22,400	15.0	12.5	980	201126813
	CAPT3743*4A*	G*EC960603BNA*	28,600	22,400	15.0	12.5	1,000	201172149
	CAPT3743*4A*	G*EC960803BNA*	28,600	22,400	15.0	12.5	1,000	201127629
	CAPT3743*4A*	G*EC961004CNA*	28,600	22,400	15.5	12.5	1,000	201127748
	CAPT3743*4A*	A*EC960302BNA*	28,600	22,400	15.0	12.5	980	201135380
	CAPT3743*4A*	A*EC960402BNA*	28,600	22,400	15.0	12.5	980	201135706
	CAPT3743*4A*	A*EC960603BNA*	28,600	22,400	15.0	12.5	1,000	201173156
	CAPT3743*4A*	A*EC960803BNA*	28,600	22,400	15.0	12.5	1,000	201136441
	CAPT3743*4A*	A*EC961004CNA*	28,600	22,400	15.5	12.5	1,000	201136483
	CAPT3743*4A*	G*VC80603B*B*	28,600	22,400	15.0	12.5	1,000	201487024
	CAPT3743*4A*	G*VC80803B*B*	28,600	22,400	15.0	12.5	950	201487199
	CAPT3743*4A*	G*VC80804C*B*	28,600	22,400	15.0	12.5	1,050	201487262
	CAPT3743*4A*	G*VC80805D*B*	28,600	22,400	16.0	13.0	1,000	201487381
	CAPT3743*4A*+MBVC1200**-1A*		28,600	22,400	15.0	12.5	910	200848961
	CAPT3743*4A*+MBVC1600**-1A*		28,600	22,400	15.0	12.5	945	200848968
	CHPF3636B6C*	G*EC960303ANA*	28,400	21,600	14.5	12.5	925	201525332

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0301F* (Contd.)	CHPF3636B6C*	G*EC960403ANA*	28,000	21,400	14.0	12.2	925	201525360
	CHPF3636B6C*	G*EC960603ANA*	28,400	21,600	14.5	12.5	900	201525297
	CHPF3636B6C*	G*EC960403BNA*	28,000	21,400	14.0	12.2	1,025	201510791
	CHPF3636B6C*	G*EC960302BNA*	28,400	22,200	15.0	12.5	980	201126449
	CHPF3636B6C*	G*EC960402BNA*	28,400	22,200	15.0	12.5	980	201126820
	CHPF3636B6C*	G*EC960603BNA*	28,400	22,200	15.0	12.5	1,000	201127237
	CHPF3636B6C*	G*EC960803BNA*	28,400	22,200	15.0	12.5	1,000	201127636
	CHPF3636B6C*	A*EC960302BNA*	28,400	22,200	15.0	12.5	980	201135387
	CHPF3636B6C*	A*EC960402BNA*	28,400	22,200	15.0	12.5	980	201135713
	CHPF3636B6C*	A*EC960603BNA*	28,400	22,200	15.0	12.5	1,000	201136126
	CHPF3636B6C*	A*EC960803BNA*	28,400	22,200	15.0	12.5	1,000	201136448
	CHPF3636B6C*+MBVC1200**-1A*		28,400	22,200	15.0	12.5	910	200891231
	CHPF3636B6C*+MBVC1200**-1A*+TXV		28,400	22,200	15.5	12.5	910	200848975
	CHPF3636B6C*+TXV	G*EC960303ANA*	28,400	21,600	15.0	12.5	925	201525339
	CHPF3636B6C*+TXV	G*EC960403ANA*	28,000	21,400	14.5	12.2	925	201525367
	CHPF3636B6C*+TXV	G*EC960603ANA*	28,400	21,600	15.0	12.5	900	201525322
	CHPF3636B6C*+TXV	G*EC960403BNA*	28,200	21,400	14.5	12.2	1,025	201510798
	CHPF3636B6C*+TXV	G*VC960403BNA*	28,400	22,200	15.0	12.5	1,000	201047073
	CHPF3636B6C*+TXV	G*VC960603BNA*	28,400	22,200	15.0	12.5	1,000	201047471
	CHPF3636B6C*+TXV	G*VC960803BNA*	28,400	22,200	15.0	12.5	1,000	201047799
	CHPF3636B6C*+TXV	G*VM970603BNA*	28,400	22,200	15.0	12.5	1,000	201051984
	CHPF3636B6C*+TXV	G*VM970803BNA*	28,400	22,200	15.0	12.5	1,000	201052318
	CHPF3636B6C*+TXV	A*VC960403BNA*	28,400	22,200	15.0	12.5	1,000	201056892
	CHPF3636B6C*+TXV	A*VC960603BNA*	28,400	22,200	15.0	12.5	1,000	201057171
	CHPF3636B6C*+TXV	A*VC960803BNA*	28,400	22,200	15.0	12.5	1,000	201057453
	CHPF3636B6C*+TXV	A*VM970603BNA*	28,400	22,200	15.0	12.5	1,000	201061021
	CHPF3636B6C*+TXV	A*VM970803BNA*	28,400	22,200	15.0	12.5	1,000	201061300
	CHPF3636B6C*+TXV	G*EC960302BNA*	28,400	22,200	15.5	12.5	980	201172095
	CHPF3636B6C*+TXV	G*EC960402BNA*	28,400	22,200	15.5	12.5	980	201126831
	CHPF3636B6C*+TXV	G*EC960603BNA*	28,400	22,200	15.5	12.5	1,000	201127256
	CHPF3636B6C*+TXV	G*EC960803BNA*	28,400	22,200	15.5	12.5	1,000	201127655
	CHPF3636B6C*+TXV	A*EC960302BNA*	28,400	22,200	15.5	12.5	980	201135394
	CHPF3636B6C*+TXV	A*EC960402BNA*	28,400	22,200	15.5	12.5	980	201135720
	CHPF3636B6C*+TXV	A*EC960603BNA*	28,400	22,200	15.5	12.5	1,000	201136133
	CHPF3636B6C*+TXV	A*EC960803BNA*	28,400	22,200	15.5	12.5	1,000	201136455
	CHPF3636B6C*+TXV	G*VC80603B*B*	28,400	22,200	15.0	12.5	1,000	201487031
	CHPF3636B6C*+TXV	G*VC80803B*B*	28,400	22,200	15.0	12.5	950	201487206
	CHPF3642C6C*	G*E80805C*B*	28,400	22,200	14.5	12.2	1,000	200891277
	CHPF3642C6C*	G*E81005C*B*	28,400	22,200	14.5	12.2	1,000	200891297
	CHPF3642C6C*	G*VC80604B*B*	28,400	22,200	15.0	12.5	1,000	200891311
	CHPF3642C6C*	G*VC80805C*B*	28,400	22,200	15.0	12.5	980	200891332
	CHPF3642C6C*	G*VC81005C*B*	28,400	22,200	15.0	12.5	1,000	200891360
	CHPF3642C6C*	A*VC80604B*B*	28,400	22,200	15.0	12.5	1,000	200896273
	CHPF3642C6C*	A*VC80805C*B*	28,400	22,200	15.0	12.5	980	200896294
	CHPF3642C6C*	A*VC81005C*B*	28,400	22,200	15.0	12.5	1,000	200896322
	CHPF3642C6C*	A*EH800805C*A*	28,400	22,200	14.5	12.2	1,000	200965728
	CHPF3642C6C*	A*EH801005C*A*	28,400	22,200	14.5	12.2	1,000	200965735
	CHPF3642C6C*	G*EC961004CNA*	28,600	22,400	15.0	12.5	1,000	201127755
	CHPF3642C6C*	A*EC961004CNA*	28,600	22,400	15.0	12.5	1,000	201136490
	CHPF3642C6C*	G*VC80804C*B*	28,400	22,200	15.0	12.5	1,000	201487269
	CHPF3642C6C*	G*VC80805D*B*	28,400	22,200	15.0	12.5	1,000	201487388
	CHPF3642C6C*+EEP+TXV		28,400	22,200	14.5	12.2	1,000	200848982
	CHPF3642C6C*+TXV	G*E80805C*B*	28,400	22,200	15.0	12.5	1,000	200849444
	CHPF3642C6C*+TXV	G*E81005C*B*	28,400	22,200	15.0	12.5	1,000	200849743

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0301F* (Contd.)	CHPF3642C6C*+TXV	G*VC80604B*B*	28,400	22,200	15.5	12.5	1,000	200850050
	CHPF3642C6C*+TXV	G*VC80805C*B*	28,400	22,200	15.5	12.5	980	200850392
	CHPF3642C6C*+TXV	G*VC81005C*B*	28,400	22,200	15.5	12.5	1,000	200850714
	CHPF3642C6C*+TXV	A*VC80604B*B*	28,400	22,200	15.5	12.5	1,000	200876213
	CHPF3642C6C*+TXV	A*VC80805C*B*	28,400	22,200	15.5	12.5	980	200876519
	CHPF3642C6C*+TXV	A*VC81005C*B*	28,400	22,200	15.5	12.5	1,000	200876813
	CHPF3642C6C*+TXV	A*EH800805C*A*	28,400	22,200	15.0	12.5	1,000	200965748
	CHPF3642C6C*+TXV	A*EH801005C*A*	28,400	22,200	15.0	12.5	1,000	200965755
	CHPF3642C6C*+TXV	G*EC961004CNA*	28,600	22,400	15.5	12.5	1,000	201127762
	CHPF3642C6C*+TXV	A*EC961004CNA*	28,600	22,400	15.5	12.5	1,000	201136497
	CHPF3642C6C*+TXV	G*EC960803BNA*	28,400	22,200	15.0	12.5	1,000	201474644
	CHPF3642C6C*+TXV	G*VC80804C*B*	28,400	22,200	15.5	12.5	1,000	201487312
	CHPF3642C6C*+TXV	G*VC80805D*B*	28,400	22,200	15.5	12.5	1,000	201487395
	CHPF3642D6C*+TXV	G*E80805C*B*	28,400	22,200	15.0	12.5	1,000	200849451
	CHPF3642D6C*+TXV	G*E81005C*B*	28,400	22,200	15.0	12.5	1,000	200849752
	CHPF3642D6C*+TXV	A*EH800805C*A*	28,400	22,200	15.0	12.5	1,000	200966158
	CHPF3642D6C*+TXV	A*EH801005C*A*	28,400	22,200	15.0	12.5	1,000	200966165
	CHPF3743C6B*	G*E80805C*B*	28,600	22,400	15.5	12.5	1,000	200891290
	CHPF3743C6B*	G*VC80805C*B*	28,600	22,400	15.5	12.5	980	200891339
	CHPF3743C6B*	A*VC80805C*B*	28,600	22,400	15.5	12.5	980	200896301
	CHPF3743C6B*	A*EH800805C*A*	28,600	22,400	15.5	12.5	1,000	200966178
	CHPF3743C6B*	G*VC960403BNA*	28,600	22,400	15.0	12.5	1,000	201047082
	CHPF3743C6B*	G*VC960603BNA*	28,600	22,400	15.0	12.5	1,000	201047480
	CHPF3743C6B*	G*VC960803BNA*	28,600	22,400	15.0	12.5	1,000	201140132
	CHPF3743C6B*	G*VC960804CNA*	28,600	22,400	15.0	12.5	1,000	201048093
	CHPF3743C6B*	G*VM970603BNA*	28,600	22,400	15.0	12.5	1,000	201051993
	CHPF3743C6B*	G*VM970803BNA*	28,600	22,400	15.0	12.5	1,000	201052327
	CHPF3743C6B*	G*VM970804CNA*	28,600	22,400	15.0	12.5	1,000	201052599
	CHPF3743C6B*	A*VC960403BNA*	28,600	22,400	15.0	12.5	1,000	201056901
	CHPF3743C6B*	A*VC960603BNA*	28,600	22,400	15.0	12.5	1,000	201057180
	CHPF3743C6B*	A*VC960803BNA*	28,600	22,400	15.0	12.5	1,000	201057462
	CHPF3743C6B*	A*VC960804CNA*	28,600	22,400	15.0	12.5	1,000	201057706
	CHPF3743C6B*	A*VM970603BNA*	28,600	22,400	15.0	12.5	1,000	201061030
	CHPF3743C6B*	A*VM970803BNA*	28,600	22,400	15.0	12.5	1,000	201061309
	CHPF3743C6B*	A*VM970804CNA*	28,600	22,400	15.0	12.5	1,000	201061546
	CHPF3743C6B*	G*EC961004CNA*	28,600	22,400	15.5	12.5	1,000	201127769
	CHPF3743C6B*	A*EC961004CNA*	28,600	22,400	15.5	12.5	1,000	201136665
	CHPF3743C6B*	G*VC80603B*B*	28,400	22,200	15.0	12.5	1,000	201487038
	CHPF3743C6B*	G*VC80803B*B*	28,400	22,200	15.0	12.5	950	201487213
	CHPF3743C6B*	G*VC80805D*B*	28,600	22,400	15.5	12.5	1,000	201487402
	CHPF3743C6B*+EEP+TXV		29,000	22,800	14.5	12.2	1,000	200814830
	CHPF3743C6B*+MBVC1600*-1A*		28,600	22,400	15.5	12.5	945	200891256
	CHPF3743C6B*+MBVC1600*-1A*+TXV		28,600	22,400	16.0	13.0	945	200848989
	CHPF3743C6B*+TXV	G*E80805C*B*	29,000	22,800	16.0	13.0	1,050	200815308
	CHPF3743C6B*+TXV	G*VC80805C*B*	28,600	22,400	16.0	13.0	980	200850411
	CHPF3743C6B*+TXV	A*VC80805C*B*	28,600	22,400	16.0	13.0	980	200876538
	CHPF3743C6B*+TXV	A*EH800805C*A*	29,000	22,800	16.0	13.0	1,050	200966215
	CHPF3743C6B*+TXV	G*VC960403BNA*	28,600	22,400	16.0	13.0	1,000	201047251
	CHPF3743C6B*+TXV	G*VC960603BNA*	28,600	22,400	16.0	13.0	1,000	201047649
	CHPF3743C6B*+TXV	G*VC960803BNA*	28,600	22,400	16.0	13.0	1,000	201047973
	CHPF3743C6B*+TXV	G*VC960804CNA*	28,600	22,400	16.0	13.0	1,000	201048262
	CHPF3743C6B*+TXV	G*VM970603BNA*	28,600	22,400	16.0	13.0	1,000	201052162
	CHPF3743C6B*+TXV	G*VM970803BNA*	28,600	22,400	16.0	13.0	1,000	201052496
	CHPF3743C6B*+TXV	G*VM970804CNA*	28,600	22,400	16.0	13.0	1,000	201052768

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0301F* (Contd.)	CHPF3743C6B*+TXV	A*VC960403BNA*	28,600	22,400	16.0	13.0	1,000	201057064
	CHPF3743C6B*+TXV	A*VC960603BNA*	28,600	22,400	16.0	13.0	1,000	201057343
	CHPF3743C6B*+TXV	A*VC960803BNA*	28,600	22,400	16.0	13.0	1,000	201057625
	CHPF3743C6B*+TXV	A*VC960804CNA*	28,600	22,400	16.0	13.0	1,000	201057869
	CHPF3743C6B*+TXV	A*VM970603BNA*	28,600	22,400	16.0	13.0	1,000	201061193
	CHPF3743C6B*+TXV	A*VM970803BNA*	28,600	22,400	16.0	13.0	1,000	201061472
	CHPF3743C6B*+TXV	A*VM970804CNA*	28,600	22,400	16.0	13.0	1,000	201061709
	CHPF3743C6B*+TXV	G*EC961004CNA*	28,600	22,400	16.0	13.0	1,000	201128010
	CHPF3743C6B*+TXV	A*EC961004CNA*	28,600	22,400	16.0	13.0	1,000	201136906
	CHPF3743C6B*+TXV	G*VC80603B*B*	28,400	22,200	15.0	12.5	1,000	201487045
	CHPF3743C6B*+TXV	G*VC80803B*B*	28,400	22,200	15.0	12.5	950	201487220
	CHPF3743C6B*+TXV	G*VC80805D*B*	28,600	22,400	16.0	13.0	1,000	201487427
	CHPF4860D6D*+EEP+TXV		29,400	23,000	15.0	12.5	900	200814837
	CSCF3036N6D*+TXV	G*VC960403BNA*	28,200	22,000	15.0	12.5	1,000	201047291
	CSCF3036N6D*+TXV	G*VC960603BNA*	28,200	22,000	15.0	12.5	1,000	201047689
	CSCF3036N6D*+TXV	G*VC960803BNA*	28,200	22,000	15.0	12.5	1,000	201048013
	CSCF3036N6D*+TXV	G*VM970603BNA*	28,200	22,000	15.0	12.5	1,000	201052202
	CSCF3036N6D*+TXV	G*VM970803BNA*	28,200	22,000	15.0	12.5	1,000	201052536
	CSCF3036N6D*+TXV	A*VC960403BNA*	28,200	22,000	15.0	12.5	1,000	201057103
	CSCF3036N6D*+TXV	A*VC960603BNA*	28,200	22,000	15.0	12.5	1,000	201057382
	CSCF3036N6D*+TXV	A*VC960803BNA*	28,200	22,000	15.0	12.5	1,000	201057664
	CSCF3036N6D*+TXV	A*VM970603BNA*	28,200	22,000	15.0	12.5	1,000	201061232
	CSCF3036N6D*+TXV	A*VM970803BNA*	28,200	22,000	15.0	12.5	1,000	201061511
	CSCF3036N6D*+TXV	G*VC80603B*B*	28,000	22,000	14.5	12.2	1,000	201487052
	CSCF3036N6D*+TXV	G*VC80803B*B*	28,000	22,000	14.5	12.2	950	201487227
	CSCF3642N6D*	G*VC960403BNA*	28,200	22,000	15.0	12.5	1,000	201047298
	CSCF3642N6D*	G*VC960603BNA*	28,200	22,000	15.0	12.5	1,000	201047696
	CSCF3642N6D*	G*VC960803BNA*	28,200	22,000	15.0	12.5	1,000	201140153
	CSCF3642N6D*	G*VC960804CNA*	28,400	22,200	15.0	12.5	1,000	201048296
	CSCF3642N6D*	G*VM970603BNA*	28,200	22,000	15.0	12.5	1,000	201052209
	CSCF3642N6D*	G*VM970803BNA*	28,200	22,000	15.0	12.5	1,000	201052543
	CSCF3642N6D*	G*VM970804CNA*	28,400	22,200	15.0	12.5	1,000	201052805
	CSCF3642N6D*	A*VC960403BNA*	28,200	22,000	15.0	12.5	1,000	201057110
	CSCF3642N6D*	A*VC960603BNA*	28,200	22,000	15.0	12.5	1,000	201057389
	CSCF3642N6D*	A*VC960803BNA*	28,200	22,000	15.0	12.5	1,000	201057671
	CSCF3642N6D*	A*VC960804CNA*	28,400	22,200	15.0	12.5	1,000	201057902
	CSCF3642N6D*	A*VM970603BNA*	28,200	22,000	15.0	12.5	1,000	201061239
	CSCF3642N6D*	A*VM970803BNA*	28,200	22,000	15.0	12.5	1,000	201061518
	CSCF3642N6D*	A*VM970804CNA*	28,400	22,200	15.0	12.5	1,000	201061742
	CSCF3642N6D*	G*VC80603B*B*	28,400	22,200	15.0	12.5	1,000	201487059
	CSCF3642N6D*	G*VC80803B*B*	28,400	22,200	15.0	12.5	950	201487234
	CSCF3642N6D*+EEP		28,800	22,600	14.0	12.2	1,000	200891263
	CSCF3642N6D*+EEP+TXV		28,800	22,600	14.5	12.2	1,000	200848996
	CSCF3642N6D*+TXV	G*VC960403BNA*	28,200	22,000	15.5	12.5	1,000	201047305
	CSCF3642N6D*+TXV	G*VC960603BNA*	28,200	22,000	15.5	12.5	1,000	201028075
	CSCF3642N6D*+TXV	G*VC960803BNA*	28,200	22,000	15.5	12.5	1,000	201048023
	CSCF3642N6D*+TXV	G*VC960804CNA*	28,400	22,200	15.5	12.5	1,000	201048303
	CSCF3642N6D*+TXV	G*VM970603BNA*	28,200	22,000	15.5	12.5	1,000	201052216
	CSCF3642N6D*+TXV	G*VM970803BNA*	28,200	22,000	15.5	12.5	1,000	201052550
	CSCF3642N6D*+TXV	G*VM970804CNA*	28,400	22,200	15.5	12.5	1,000	201052812
	CSCF3642N6D*+TXV	A*VC960403BNA*	28,200	22,000	15.5	12.5	1,000	201057117
	CSCF3642N6D*+TXV	A*VC960603BNA*	28,200	22,000	15.5	12.5	1,000	201057396
	CSCF3642N6D*+TXV	A*VC960803BNA*	28,200	22,000	15.5	12.5	1,000	201057678
	CSCF3642N6D*+TXV	A*VC960804CNA*	28,400	22,200	15.5	12.5	1,000	201057909

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0301F* (Contd.)	CSCF3642N6D*+TXV	A*VM970603BNA*	28,200	22,000	15.5	12.5	1,000	201061246
	CSCF3642N6D*+TXV	A*VM970803BNA*	28,200	22,000	15.5	12.5	1,000	201044700
	CSCF3642N6D*+TXV	A*VM970804CNA*	28,400	22,200	15.5	12.5	1,000	201061749
	CSCF3642N6D*+TXV	G*VC80603B*B*	28,400	22,200	15.5	12.5	1,000	201487066
	CSCF3642N6D*+TXV	G*VC80803B*B*	28,400	22,200	15.5	12.5	950	201487241
GSX16 0311A*	ACNF30XX16D*+TXV		27,000	21,600	14.0	12.2	815	201470851
	ARUF37C14A*+TXV		29,000	23,200	15.0	12.5	990	201457884
	ASPT36C14A*		28,000	22,400	16.0	13.0	810	201457817
	ASPT37B14A*		28,000	22,400	15.0	12.5	910	201457918
	ASPT37C14A*		28,000	22,400	16.0	13.0	910	201457953
	ASPT39C14A*		28,000	22,400	16.0	13.0	820	201498280
	AVPTC30C14A*		27,600	22,000	16.0	13.0	870	201457845
	AVPTC36C14A*		28,000	22,400	16.0	13.0	985	201457838
	AVPTC37B14A*		28,400	22,800	15.5	13.0	930	201457852
	AVPTC37C14A*		28,600	22,800	16.0	13.0	930	201457859
	AVPTC39C14A*		28,000	22,400	16.0	13.0	965	201498483
	AWUF31XX16A*		28,000	22,400	15.0	12.5	920	201457824
	AWUF31XX16A*+TXV		28,000	22,400	15.0	12.5	920	201457994
	AWUF32XX16A*		28,000	22,400	15.0	12.5	920	201457831
	AWUF32XX16A*+TXV		28,000	22,400	15.0	12.5	920	201458024
	CA*F3137*6A*	G*EC960403BNA*	28,400	22,000	15.0	12.5	1,000	201510805
	CA*F3137*6A*	G*VC80604B*B*	28,600	22,800	15.5	13.0	990	201458095
	CA*F3137*6A*	G*EC960603BNA*	28,600	22,800	15.0	12.5	1,020	201458165
	CA*F3137*6A*	G*EC960403ANA*	28,400	22,000	15.0	12.5	975	201525416
	CA*F3137*6A*	G*EC960603ANA*	28,600	22,200	15.0	12.5	975	201525374
	CA*F3137*6A*	G*EC960803BNA*	28,200	22,600	15.0	12.5	950	201458256
	CA*F3137*6A*	G*VC960403BNA*	28,400	22,800	15.0	12.5	950	201458361
	CA*F3137*6A*	G*VC960603BNA*	28,600	22,800	15.0	12.5	1,010	201458466
	CA*F3137*6A*	G*VC960803BNA*	28,600	22,800	15.0	12.5	1,030	201458564
	CA*F3137*6A*	G*VM970603BNA*	28,600	22,800	15.0	12.5	1,010	201458669
	CA*F3137*6A*	G*VM970803BNA*	28,600	22,800	15.0	12.5	1,030	201458774
	CA*F3137*6A*	G*EC960402BNA*	28,400	22,800	15.0	12.5	985	201459019
	CA*F3137*6A*	ADVC80603B*B*	28,600	22,800	15.5	13.0	1,000	201459607
	CA*F3137*6A*	A*VC80604B*B*	28,600	22,800	15.5	13.0	990	201459831
	CA*F3137*6A*	A*EC960603BNA*	28,600	22,800	15.0	12.5	1,020	201459915
	CA*F3137*6A*	A*EC960803BNA*	28,200	22,600	15.0	12.5	950	201460013
	CA*F3137*6A*	A*VC960403BNA*	28,400	22,800	15.0	12.5	950	201460125
	CA*F3137*6A*	A*VC960603BNA*	28,600	22,800	15.0	12.5	1,010	201460237
	CA*F3137*6A*	A*VC960803BNA*	28,600	22,800	15.0	12.5	1,030	201460342
	CA*F3137*6A*	A*VM970603BNA*	28,600	22,800	15.0	12.5	1,010	201460454
	CA*F3137*6A*	A*VM970803BNA*	28,600	22,800	15.0	12.5	1,030	201460566
	CA*F3137*6A*	A*EC960402BNA*	28,400	22,800	15.0	12.5	985	201460783
	CA*F3137*6A*	G*VC80603B*B*	28,400	22,800	15.0	12.5	1,000	201487449
	CA*F3137*6A*	G*VC80803B*B*	28,400	22,800	15.0	12.5	950	201487596
	CA*F3137*6A*+EEP		28,400	22,800	14.0	12.2	1,000	201470844
	CA*F3137*6A*+EEP+TXV		28,400	22,800	14.5	12.5	915	201457789
	CA*F3137*6A*+MBVC1200**-1A*		28,600	22,800	16.0	13.0	950	201459343
	CA*F3137*6A*+MBVC1200**-1A*+TXV		28,600	22,800	16.0	13.0	950	201459294
	CA*F3137*6A*+TXV	G*EC960403ANA*	28,600	22,200	15.0	12.5	975	201525423
	CA*F3137*6A*+TXV	G*EC960603ANA*	28,200	22,000	16.0	13.0	975	201525381
	CA*F3137*6A*+TXV	G*EC960403BNA*	28,400	22,000	16.0	13.0	1,000	201510812
	CA*F3137*6A*+TXV	G*E80603B*B*	28,400	22,800	16.0	13.0	970	201437371
	CA*F3137*6A*+TXV	G*EC960603BNA*	28,200	22,600	16.0	13.0	920	201437667
	CA*F3137*6A*+TXV	G*EC960803BNA*	28,200	22,600	16.0	13.0	935	201437821

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0311A* (Contd.)	CA*F3137*6A*+TXV	G*EC960402BNA*	28,600	22,800	16.0	13.0	985	201458956
	CA*F3137*6A*+TXV	ADVC80603B*B*	28,600	22,800	16.0	13.0	1,000	201459578
	CA*F3137*6A*+TXV	A*EC960402BNA*	28,600	22,800	16.0	13.0	985	201460720
	CA*F3137*6A*+TXV	G*VC80603B*B*	28,400	22,800	16.0	13.0	1,000	201487488
	CA*F3137*6A*+TXV	G*VC80803B*B*	28,400	22,800	16.0	13.0	950	201487635
	CA*F3636*6D*	G*VC80604B*B*	28,200	22,600	15.0	12.5	990	201458069
	CA*F3636*6D*	G*EC960803BNA*	28,200	22,600	15.0	12.5	950	201458230
	CA*F3636*6D*	G*VC960403BNA*	28,400	22,800	15.0	12.5	950	201458335
	CA*F3636*6D*	G*VC960603BNA*	28,000	22,400	15.0	12.5	1,010	201458440
	CA*F3636*6D*	G*VM970603BNA*	28,000	22,400	15.0	12.5	1,010	201458643
	CA*F3636*6D*	G*VM970803BNA*	28,400	22,800	15.0	12.5	1,030	201458748
	CA*F3636*6D*	A*VC80604B*B*	28,200	22,600	15.0	12.5	990	201459805
	CA*F3636*6D*	A*EC960803BNA*	28,200	22,600	15.0	12.5	950	201459987
	CA*F3636*6D*	A*VC960403BNA*	28,400	22,800	15.0	12.5	950	201460099
	CA*F3636*6D*	A*VC960603BNA*	28,000	22,400	15.0	12.5	1,010	201460211
	CA*F3636*6D*	A*VM970603BNA*	28,000	22,400	15.0	12.5	1,010	201460428
	CA*F3636*6D*	A*VM970803BNA*	28,400	22,800	15.0	12.5	1,030	201460540
	CA*F3636*6D*	G*VC80603B*B*	28,400	22,800	15.0	12.5	1,000	201487500
	CA*F3636*6D*	G*VC80803B*B*	28,400	22,800	15.0	12.5	950	201487647
	CA*F3636*6D*	G*VC80804C*B*	28,400	22,800	15.0	12.5	1,050	201487731
	CA*F3636*6D*+MBVC1200**-1A*		28,400	22,800	15.0	12.5	950	201459329
	CA*F3636*6D*+MBVC1200**-1A*+TXV		28,400	22,800	15.5	12.5	950	201459301
	CA*F3636*6D*+TXV	G*VC80604B*B*	28,200	22,600	15.0	12.5	990	201458048
	CA*F3636*6D*+TXV	G*VC960403BNA*	28,200	22,600	15.0	12.5	950	201458293
	CA*F3636*6D*+TXV	G*VC960603BNA*	28,200	22,600	15.0	12.5	1,010	201458398
	CA*F3636*6D*+TXV	G*VC960803BNA*	28,400	22,800	15.0	12.5	1,030	201458503
	CA*F3636*6D*+TXV	G*VM970603BNA*	28,200	22,600	15.0	12.5	1,010	201458601
	CA*F3636*6D*+TXV	G*VM970803BNA*	28,400	22,800	15.0	12.5	1,030	201458706
	CA*F3636*6D*+TXV	A*VC80604B*B*	28,200	22,600	15.0	12.5	990	201459763
	CA*F3636*6D*+TXV	A*VC960403BNA*	28,200	22,600	15.0	12.5	950	201460057
	CA*F3636*6D*+TXV	A*VC960603BNA*	28,200	22,600	15.0	12.5	1,010	201460169
	CA*F3636*6D*+TXV	A*VC960803BNA*	28,400	22,800	15.0	12.5	1,030	201460281
	CA*F3636*6D*+TXV	A*VM970603BNA*	28,200	22,600	15.0	12.5	1,010	201460386
	CA*F3636*6D*+TXV	A*VM970803BNA*	28,400	22,800	15.0	12.5	1,030	201460498
	CA*F3636*6D*+TXV	G*VC80603B*B*	28,400	22,800	15.0	12.5	1,000	201487507
	CA*F3636*6D*+TXV	G*VC80803B*B*	28,400	22,800	15.0	12.5	950	201487654
	CA*F3636*6D*+TXV	G*VC80804C*B*	28,400	22,800	15.0	12.5	1,050	201487738
	CA*F3642*6D*	G*EC960403BNA*	27,800	21,600	15.0	12.5	1,000	201510819
	CA*F3642*6D*	G*EC960603BNA*	28,400	22,800	15.0	12.5	1,020	201458139
	CA*F3642*6D*	G*EC960803BNA*	28,200	22,600	15.0	12.5	950	201458237
	CA*F3642*6D*	G*EC960302BNA*	28,400	22,800	15.0	12.5	1,000	201458895
	CA*F3642*6D*	G*EC960402BNA*	28,400	22,800	15.0	12.5	985	201458993
	CA*F3642*6D*	G*EC961004CNA*	28,400	22,800	15.0	12.5	1,050	201459119
	CA*F3642*6D*	G*VC80805C*B*	28,400	22,800	15.0	12.5	990	201459203
	CA*F3642*6D*	G*VC81005C*B*	28,400	22,800	15.0	12.5	1,000	201459273
	CA*F3642*6D*	G*E80805C*B*	28,400	22,800	15.0	12.5	1,050	201459490
	CA*F3642*6D*	ADVC80805C*B*	28,400	22,800	15.0	12.5	985	201459651
	CA*F3642*6D*	A*EC960603BNA*	28,400	22,800	15.0	12.5	1,020	201459889
	CA*F3642*6D*	A*EC960803BNA*	28,200	22,600	15.0	12.5	950	201459994
	CA*F3642*6D*	A*EC960302BNA*	28,400	22,800	15.0	12.5	1,000	201460673
	CA*F3642*6D*	A*EC960402BNA*	28,400	22,800	15.0	12.5	985	201460757
	CA*F3642*6D*	A*EC961004CNA*	28,400	22,800	15.0	12.5	1,050	201460862
	CA*F3642*6D*	A*VC80805C*B*	28,400	22,800	15.0	12.5	990	201460946
	CA*F3642*6D*	A*VC81005C*B*	28,400	22,800	15.0	12.5	1,000	201461009

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0311A* (Contd.)	CA*F3642*6D*	A*EH800805C*A*	28,400	22,800	15.0	12.5	1,050	201461100
	CA*F3642*6D*+TXV	G*EC960403BNA*	27,800	21,600	15.5	12.5	1,000	201510826
	CA*F3642*6D*+TXV	G*E80603B*B*	28,600	22,800	15.0	12.5	970	201458034
	CA*F3642*6D*+TXV	G*EC960603BNA*	28,400	22,800	15.0	12.5	1,020	201458111
	CA*F3642*6D*+TXV	G*EC960803BNA*	28,200	22,600	15.0	12.5	950	201458202
	CA*F3642*6D*+TXV	G*E81005C*B*	28,400	22,800	15.0	12.5	1,030	201458804
	CA*F3642*6D*+TXV	G*EC960302BNA*	28,400	22,800	15.0	12.5	1,000	201458867
	CA*F3642*6D*+TXV	G*EC960402BNA*	28,600	22,800	15.0	12.5	985	201458965
	CA*F3642*6D*+TXV	G*EC961004CNA*	28,600	22,800	16.0	13.0	1,050	201459084
	CA*F3642*6D*+TXV	G*VC80805C*B*	28,400	22,800	15.5	12.5	990	201459168
	CA*F3642*6D*+TXV	G*VC81005C*B*	28,400	22,800	15.5	12.5	1,000	201459245
	CA*F3642*6D*+TXV	G*E80805C*B*	28,400	22,800	15.5	12.5	1,050	201459448
	CA*F3642*6D*+TXV	ADV80805C*B*	28,400	22,800	15.5	12.5	985	201459634
	CA*F3642*6D*+TXV	ADV81005C*B*	28,600	22,800	15.5	12.5	1,000	201459658
	CA*F3642*6D*+TXV	A*EH800603B*A*	28,600	22,800	15.0	12.5	970	201459728
	CA*F3642*6D*+TXV	A*EC960603BNA*	28,400	22,800	15.0	12.5	1,020	201459861
	CA*F3642*6D*+TXV	A*EC960803BNA*	28,200	22,600	15.0	12.5	950	201459959
	CA*F3642*6D*+TXV	A*EH801005C*A*	28,400	22,800	15.0	12.5	1,030	201460596
	CA*F3642*6D*+TXV	A*EC960302BNA*	28,400	22,800	15.0	12.5	1,000	201460645
	CA*F3642*6D*+TXV	A*EC960402BNA*	28,600	22,800	15.0	12.5	985	201460729
	CA*F3642*6D*+TXV	A*EC961004CNA*	28,600	22,800	16.0	13.0	1,050	201460827
	CA*F3642*6D*+TXV	A*VC80805C*B*	28,400	22,800	15.5	12.5	990	201460911
	CA*F3642*6D*+TXV	A*VC81005C*B*	28,400	22,800	15.5	12.5	1,000	201460981
	CA*F3642*6D*+TXV	A*EH800805C*A*	28,400	22,800	15.5	12.5	1,050	201461058
	CA*F3743*6D*	G*EC960403BNA*	27,800	21,600	15.0	12.5	1,000	201510833
	CA*F3743*6D*	G*EC960603BNA*	28,400	22,800	15.0	12.5	1,020	201458132
	CA*F3743*6D*	G*EC960803BNA*	28,200	22,600	15.0	12.5	950	201458223
	CA*F3743*6D*	G*VC960403BNA*	28,600	22,800	15.0	12.5	950	201458321
	CA*F3743*6D*	G*VC960603BNA*	28,600	22,800	15.0	12.5	1,010	201458426
	CA*F3743*6D*	G*VC960803BNA*	28,600	22,800	15.0	12.5	1,030	201458531
	CA*F3743*6D*	G*VM970603BNA*	28,600	22,800	15.0	12.5	1,010	201458629
	CA*F3743*6D*	G*VM970803BNA*	28,600	22,800	15.0	12.5	1,030	201458734
	CA*F3743*6D*	G*EC960302BNA*	28,600	22,800	15.0	12.5	1,000	201458888
	CA*F3743*6D*	G*EC960402BNA*	28,400	22,800	15.0	12.5	985	201458986
	CA*F3743*6D*	G*EC961004CNA*	28,400	22,800	15.5	12.5	1,050	201459105
	CA*F3743*6D*	G*VC80805C*B*	28,400	22,800	15.5	12.5	990	201459189
	CA*F3743*6D*	G*VC81005C*B*	28,600	22,800	15.0	12.5	1,000	201459266
	CA*F3743*6D*	G*E80805C*B*	28,400	22,800	15.5	12.5	1,050	201459476
	CA*F3743*6D*	A*EC960603BNA*	28,400	22,800	15.0	12.5	1,020	201459882
	CA*F3743*6D*	A*EC960803BNA*	28,200	22,600	15.0	12.5	950	201459980
	CA*F3743*6D*	A*VC960403BNA*	28,600	22,800	15.0	12.5	950	201460085
	CA*F3743*6D*	A*VC960603BNA*	28,600	22,800	15.0	12.5	1,010	201460197
	CA*F3743*6D*	A*VC960803BNA*	28,600	22,800	15.0	12.5	1,030	201460309
	CA*F3743*6D*	A*VM970603BNA*	28,600	22,800	15.0	12.5	1,010	201460414
	CA*F3743*6D*	A*VM970803BNA*	28,600	22,800	15.0	12.5	1,030	201460526
	CA*F3743*6D*	A*EC960302BNA*	28,600	22,800	15.0	12.5	1,000	201460666
	CA*F3743*6D*	A*EC960402BNA*	28,400	22,800	15.0	12.5	985	201460750
	CA*F3743*6D*	A*EC961004CNA*	28,400	22,800	15.5	12.5	1,050	201460848
	CA*F3743*6D*	A*VC80805C*B*	28,400	22,800	15.5	12.5	990	201460932
	CA*F3743*6D*	A*VC81005C*B*	28,600	22,800	15.0	12.5	1,000	201461002
	CA*F3743*6D*	A*EH800805C*A*	28,400	22,800	15.5	12.5	1,050	201461086
	CA*F3743*6D*	G*VC80603B*B*	28,600	22,800	15.5	12.5	1,000	201487514
	CA*F3743*6D*	G*VC80803B*B*	28,600	22,800	15.5	12.5	950	201487661
	CA*F3743*6D*+EEP+TXV		28,600	22,800	14.5	12.5	1,000	201437169

See Notes on Page 76.

AHRI RATINGS (CONT.)

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0311A* (Contd.)	CA*F3743*6D*+MBVC1200**-1A*		28,600	22,800	15.5	13.0	950	201459322
	CA*F3743*6D*+MBVC1200**-1A*+TXV		28,600	22,800	16.0	13.0	950	201459287
	CA*F3743*6D*+MBVC1600**-1A*		28,600	22,800	16.0	13.0	1,000	201459371
	CA*F3743*6D*+MBVC1600**-1A*+TXV		28,600	22,800	16.0	13.0	1,000	201459350
	CA*F3743*6D*+TXV	G*EC960403BNA*	27,800	21,600	15.5	12.5	1,000	201510840
	CA*F3743*6D*+TXV	G*EC960603BNA*	28,600	22,800	15.5	13.0	1,020	201458104
	CA*F3743*6D*+TXV	G*EC960803BNA*	28,200	22,600	15.5	13.0	950	201458174
	CA*F3743*6D*+TXV	G*VC960403BNA*	28,600	22,800	16.0	13.0	950	201458265
	CA*F3743*6D*+TXV	G*VC960603BNA*	28,600	22,800	16.0	13.0	935	201458370
	CA*F3743*6D*+TXV	G*VC960803BNA*	28,600	22,800	15.5	13.0	1,030	201458475
	CA*F3743*6D*+TXV	G*VM970603BNA*	28,600	22,800	16.0	13.0	1,010	201458573
	CA*F3743*6D*+TXV	G*VM970803BNA*	28,600	22,800	15.5	13.0	1,030	201458678
	CA*F3743*6D*+TXV	G*E81005C*B*	28,600	22,800	15.5	13.0	1,030	201458795
	CA*F3743*6D*+TXV	G*EC960302BNA*	28,600	22,800	16.0	13.0	1,000	201458856
	CA*F3743*6D*+TXV	G*EC960402BNA*	28,600	22,800	16.0	13.0	985	201458933
	CA*F3743*6D*+TXV	G*EC961004CNA*	28,600	22,800	16.0	13.0	1,050	201459046
	CA*F3743*6D*+TXV	G*VC80805C*B*	28,600	22,800	16.0	13.0	990	201459133
	CA*F3743*6D*+TXV	G*VC81005C*B*	28,600	22,800	16.0	13.0	1,000	201459235
	CA*F3743*6D*+TXV	G*E80805C*B*	28,600	22,800	16.0	13.0	1,050	201459409
	CA*F3743*6D*+TXV	A*EC960603BNA*	28,600	22,800	15.5	13.0	1,020	201459852
	CA*F3743*6D*+TXV	A*EC960803BNA*	28,200	22,600	15.5	13.0	950	201459924
	CA*F3743*6D*+TXV	A*VC960403BNA*	28,600	22,800	16.0	13.0	950	201460022
	CA*F3743*6D*+TXV	A*VC960603BNA*	28,600	22,800	16.0	13.0	935	201460134
	CA*F3743*6D*+TXV	A*VC960803BNA*	28,600	22,800	15.5	13.0	1,030	201460246
	CA*F3743*6D*+TXV	A*VM970603BNA*	28,600	22,800	16.0	13.0	1,010	201460351
	CA*F3743*6D*+TXV	A*VM970803BNA*	28,600	22,800	15.5	13.0	1,030	201460463
	CA*F3743*6D*+TXV	A*EH801005C*A*	28,600	22,800	15.5	13.0	1,030	201460587
	CA*F3743*6D*+TXV	A*EC960302BNA*	28,600	22,800	16.0	13.0	1,000	201460636
	CA*F3743*6D*+TXV	A*EC960402BNA*	28,600	22,800	16.0	13.0	985	201460699
	CA*F3743*6D*+TXV	A*EC961004CNA*	28,600	22,800	16.0	13.0	1,050	201460792
	CA*F3743*6D*+TXV	A*VC80805C*B*	28,600	22,800	16.0	13.0	990	201460876
	CA*F3743*6D*+TXV	A*VC81005C*B*	28,600	22,800	16.0	13.0	1,000	201460972
	CA*F3743*6D*+TXV	A*EH800805C*A*	28,600	22,800	16.0	13.0	1,050	201461023
	CA*F3743*6D*+TXV	G*VC80603B*B*	28,600	22,800	16.0	13.0	1,000	201487533
	CA*F3743*6D*+TXV	G*VC80803B*B*	28,600	22,800	16.0	13.0	950	201487680
	CA*F4860*6D*	G*VC960804CNA*	28,600	22,800	15.5	12.5	1,000	201459553
	CA*F4860*6D*	G*VM970804CNA*	28,600	22,800	15.5	12.5	1,000	201459693
	CA*F4860*6D*	A*VC960804CNA*	28,600	22,800	15.5	12.5	1,000	201461156
	CA*F4860*6D*	A*VM970804CNA*	28,600	22,800	15.5	12.5	1,000	201461170
	CA*F4860*6D*+TXV	G*VC960804CNA*	28,600	22,800	16.0	13.0	1,000	201459539
	CA*F4860*6D*+TXV	G*VM970804CNA*	28,600	22,800	16.0	13.0	1,000	201459686
	CA*F4860*6D*+TXV	A*VC960804CNA*	28,600	22,800	16.0	13.0	1,000	201461142
	CA*F4860*6D*+TXV	A*VM970804CNA*	28,600	22,800	16.0	13.0	1,000	201461163
	CA*F4961*6D*+EEP+TXV		29,000	23,200	15.0	12.5	1,000	201457803
	CAPT3743*4A*	G*EC960403BNA*	27,800	21,600	15.5	12.5	1,000	201510847
	CAPT3743*4A*	G*E80603B*B*	28,600	22,800	15.5	13.0	970	201458041
	CAPT3743*4A*	G*VC80604B*B*	28,600	22,800	15.5	12.5	990	201458062
	CAPT3743*4A*	G*EC960603BNA*	28,600	22,800	15.0	12.5	1,020	201458125
	CAPT3743*4A*	G*EC960803BNA*	28,200	22,600	15.0	12.5	950	201458216
	CAPT3743*4A*	G*VC960403BNA*	28,600	22,800	15.0	12.5	950	201458314
	CAPT3743*4A*	G*VC960603BNA*	28,600	22,800	15.0	12.5	1,010	201458419
	CAPT3743*4A*	G*VC960803BNA*	28,600	22,800	15.0	12.5	1,030	201458524
	CAPT3743*4A*	G*VM970603BNA*	28,600	22,800	15.0	12.5	1,010	201458622
	CAPT3743*4A*	G*VM970803BNA*	28,600	22,800	15.0	12.5	1,030	201458727

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0311A* (Contd.)	CAPT3743*4A*	G*E81005C*B*	28,600	22,800	15.0	12.5	1,030	201458818
	CAPT3743*4A*	G*EC960302BNA*	28,400	22,800	15.0	12.5	1,000	201458881
	CAPT3743*4A*	G*EC960402BNA*	28,400	22,800	15.0	12.5	985	201458979
	CAPT3743*4A*	G*EC961004CNA*	28,600	22,800	15.5	12.5	1,050	201459098
	CAPT3743*4A*	G*VC80805C*B*	28,400	22,800	15.5	12.5	990	201459182
	CAPT3743*4A*	G*VC81005C*B*	28,600	22,800	16.0	13.0	1,000	201459259
	CAPT3743*4A*	G*E80805C*B*	28,400	22,800	15.5	12.5	1,050	201459462
	CAPT3743*4A*	G*VC960804CNA*	28,600	22,800	16.0	13.0	1,000	201459532
	CAPT3743*4A*	ADVC80603B*B*	28,600	22,800	15.5	13.0	1,000	201459588
	CAPT3743*4A*	ADVC80805C*B*	28,400	22,800	15.5	12.5	985	201459644
	CAPT3743*4A*	ADVC81005C*B*	28,600	22,800	16.0	13.0	1,000	201459677
	CAPT3743*4A*	A*EH800603B*A*	28,600	22,800	15.5	13.0	970	201459753
	CAPT3743*4A*	A*VC80604B*B*	28,600	22,800	15.5	12.5	990	201459798
	CAPT3743*4A*	A*EC960603BNA*	28,600	22,800	15.0	12.5	1,020	201459875
	CAPT3743*4A*	A*EC960803BNA*	28,200	22,600	15.0	12.5	950	201459973
	CAPT3743*4A*	A*VC960403BNA*	28,600	22,800	15.0	12.5	950	201460078
	CAPT3743*4A*	A*VC960603BNA*	28,600	22,800	15.0	12.5	1,010	201460190
	CAPT3743*4A*	A*VC960803BNA*	28,600	22,800	15.0	12.5	1,030	201460302
	CAPT3743*4A*	A*VM970603BNA*	28,600	22,800	15.0	12.5	1,010	201460407
	CAPT3743*4A*	A*VM970803BNA*	28,600	22,800	15.0	12.5	1,030	201460519
	CAPT3743*4A*	A*EH801005C*A*	28,600	22,800	15.0	12.5	1,030	201460610
	CAPT3743*4A*	A*EC960302BNA*	28,400	22,800	15.0	12.5	1,000	201460659
	CAPT3743*4A*	A*EC960402BNA*	28,400	22,800	15.0	12.5	985	201460743
	CAPT3743*4A*	A*EC961004CNA*	28,600	22,800	15.5	12.5	1,050	201460841
	CAPT3743*4A*	A*VC80805C*B*	28,400	22,800	15.5	12.5	990	201460925
	CAPT3743*4A*	A*VC81005C*B*	28,600	22,800	16.0	13.0	1,000	201460995
	CAPT3743*4A*	A*EH800805C*A*	28,400	22,800	15.5	12.5	1,050	201461072
	CAPT3743*4A*	A*VC960804CNA*	28,600	22,800	16.0	13.0	1,000	201461135
	CAPT3743*4A*	G*VC80603B*B*	28,400	22,800	15.0	12.5	1,000	201487542
	CAPT3743*4A*	G*VC80803B*B*	28,400	22,800	15.0	12.5	950	201487689
	CAPT3743*4A*	G*VC80804C*B*	28,400	22,800	15.5	12.5	1,050	201487757
	CAPT3743*4A*+MBVC1200**-1A*		28,600	22,800	16.0	13.0	950	201459315
	CAPT3743*4A*+MBVC1600**-1A*		28,600	22,800	16.0	13.0	1,000	201459364
	CHPF3636B6C*	G*EC960303ANA*	28,200	22,000	14.5	12.5	925	201525402
	CHPF3636B6C*	G*EC960403ANA*	27,800	21,600	14.5	12.2	925	201525430
	CHPF3636B6C*	G*EC960603ANA*	28,400	22,000	14.5	12.5	900	201525388
	CHPF3636B6C*	G*EC960403BNA*	27,800	21,600	14.5	12.2	1,025	201510854
	CHPF3636B6C*	G*EC960603BNA*	28,400	22,800	15.0	12.5	1,020	201458146
	CHPF3636B6C*	G*EC960302BNA*	28,200	22,600	15.0	12.5	1,000	201458902
	CHPF3636B6C*	G*EC960402BNA*	28,200	22,600	15.0	12.5	985	201459000
	CHPF3636B6C*	A*EC960603BNA*	28,400	22,800	15.0	12.5	1,020	201459896
	CHPF3636B6C*	A*EC960302BNA*	28,200	22,600	15.0	12.5	1,000	201460680
	CHPF3636B6C*	A*EC960402BNA*	28,200	22,600	15.0	12.5	985	201460764
	CHPF3636B6C*	G*E80603B*B*	28,400	22,800	15.0	12.5	1,000	201482019
	CHPF3636B6C*+MBVC1200**-1A*		28,400	22,800	15.0	12.5	950	201459336
	CHPF3636B6C*+MBVC1200**-1A*+TXV		28,400	22,800	16.0	13.0	950	201459308
	CHPF3636B6C*+TXV	G*EC960303ANA*	28,200	22,000	15.0	12.5	925	201525409
	CHPF3636B6C*+TXV	G*EC960403ANA*	27,800	21,600	15.0	12.2	925	201525437
	CHPF3636B6C*+TXV	G*EC960603ANA*	28,400	22,000	15.0	12.5	900	201525395
	CHPF3636B6C*+TXV	G*EC960403BNA*	27,800	21,600	15.0	12.2	1,025	201510861
	CHPF3636B6C*+TXV	G*EC960603BNA*	28,400	22,800	15.0	12.5	1,020	201458118
	CHPF3636B6C*+TXV	G*EC960803BNA*	28,200	22,600	15.0	12.5	950	201458209
	CHPF3636B6C*+TXV	G*VC960403BNA*	28,400	22,800	15.0	12.5	950	201458300
	CHPF3636B6C*+TXV	G*VC960603BNA*	28,400	22,800	15.0	12.5	1,010	201458405

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0311A* (Contd.)	CHPF3636B6C*+TXV	G*VC960803BNA*	28,400	22,800	15.0	12.5	1,030	201458510
	CHPF3636B6C*+TXV	G*VM970603BNA*	28,400	22,800	15.0	12.5	1,010	201458608
	CHPF3636B6C*+TXV	G*VM970803BNA*	28,400	22,800	15.0	12.5	1,030	201458713
	CHPF3636B6C*+TXV	G*EC960302BNA*	28,200	22,600	15.0	12.5	1,000	201458874
	CHPF3636B6C*+TXV	G*EC960402BNA*	28,200	22,600	15.0	12.5	985	201458972
	CHPF3636B6C*+TXV	A*EC960603BNA*	28,400	22,800	15.0	12.5	1,020	201459868
	CHPF3636B6C*+TXV	A*EC960803BNA*	28,200	22,600	15.0	12.5	950	201459966
	CHPF3636B6C*+TXV	A*VC960403BNA*	28,400	22,800	15.0	12.5	950	201460064
	CHPF3636B6C*+TXV	A*VC960603BNA*	28,400	22,800	15.0	12.5	1,010	201460176
	CHPF3636B6C*+TXV	A*VC960803BNA*	28,400	22,800	15.0	12.5	1,030	201460288
	CHPF3636B6C*+TXV	A*VM970603BNA*	28,400	22,800	15.0	12.5	1,010	201460393
	CHPF3636B6C*+TXV	A*VM970803BNA*	28,400	22,800	15.0	12.5	1,030	201460505
	CHPF3636B6C*+TXV	A*EC960302BNA*	28,200	22,600	15.0	12.5	1,000	201460652
	CHPF3636B6C*+TXV	A*EC960402BNA*	28,200	22,600	15.0	12.5	985	201460736
	CHPF3636B6C*+TXV	G*VC80603B*B*	28,400	22,800	15.5	12.5	1,000	201487549
	CHPF3636B6C*+TXV	G*VC80803B*B*	28,400	22,800	15.5	12.5	950	201487696
	CHPF3642C6C*	G*VC80604B*B*	28,600	22,800	15.0	12.5	990	201458076
	CHPF3642C6C*	G*EC961004CNA*	28,400	22,800	15.0	12.5	1,050	201459126
	CHPF3642C6C*	G*VC80805C*B*	28,400	22,800	15.0	12.5	990	201459210
	CHPF3642C6C*	G*VC81005C*B*	28,400	22,800	15.0	12.5	1,000	201459280
	CHPF3642C6C*	A*VC80604B*B*	28,600	22,800	15.0	12.5	990	201459812
	CHPF3642C6C*	A*EC961004CNA*	28,400	22,800	15.0	12.5	1,050	201460869
	CHPF3642C6C*	A*VC80805C*B*	28,400	22,800	15.0	12.5	990	201460953
	CHPF3642C6C*	A*VC81005C*B*	28,400	22,800	15.0	12.5	1,000	201461016
	CHPF3642C6C*	G*E81005C*B*	28,400	22,800	14.5	12.2	1,030	201470858
	CHPF3642C6C*	A*EH801005C*A*	28,400	22,800	14.5	12.2	1,030	201470865
	CHPF3642C6C*	G*VC80804C*B*	28,400	22,800	15.0	12.5	1,000	201487766
	CHPF3642C6C*+EEP+TXV		28,200	22,600	14.5	12.2	1,000	201470823
	CHPF3642C6C*+TXV	G*VC80604B*B*	28,400	22,800	15.5	12.5	990	201458055
	CHPF3642C6C*+TXV	G*E81005C*B*	28,400	22,800	15.0	12.5	1,030	201458811
	CHPF3642C6C*+TXV	G*EC961004CNA*	28,600	22,800	15.5	12.5	1,050	201459091
	CHPF3642C6C*+TXV	G*VC80805C*B*	28,400	22,800	15.5	12.5	990	201459175
	CHPF3642C6C*+TXV	G*VC81005C*B*	28,400	22,800	15.5	12.5	1,000	201459252
	CHPF3642C6C*+TXV	G*E80805C*B*	28,400	22,800	15.5	12.5	1,050	201459455
	CHPF3642C6C*+TXV	A*VC80604B*B*	28,400	22,800	15.5	12.5	990	201459788
	CHPF3642C6C*+TXV	A*EH801005C*A*	28,400	22,800	15.0	12.5	1,030	201460603
	CHPF3642C6C*+TXV	A*EC961004CNA*	28,600	22,800	15.5	12.5	1,050	201460834
	CHPF3642C6C*+TXV	A*VC80805C*B*	28,400	22,800	15.5	12.5	990	201460918
	CHPF3642C6C*+TXV	A*VC81005C*B*	28,400	22,800	15.5	12.5	1,000	201460988
	CHPF3642C6C*+TXV	A*EH800805C*A*	28,400	22,800	15.5	12.5	1,050	201461065
	CHPF3642C6C*+TXV	G*E80603B*B*	28,000	22,400	15.0	12.5	990	201482047
	CHPF3642C6C*+TXV	G*VC80804C*B*	28,400	22,800	15.5	12.5	1,000	201487785
	CHPF3642D6C*+TXV	G*E81005C*B*	28,400	22,800	15.0	12.5	1,030	201458825
	CHPF3642D6C*+TXV	G*E80805C*B*	28,400	22,800	15.5	12.5	1,050	201459469
	CHPF3642D6C*+TXV	A*EH801005C*A*	28,400	22,800	15.0	12.5	1,030	201460617
	CHPF3642D6C*+TXV	A*EH800805C*A*	28,400	22,800	15.5	12.5	1,050	201461079
	CHPF3743C6B*	G*VC960403BNA*	28,600	22,800	15.0	12.5	950	201458328
	CHPF3743C6B*	G*VC960603BNA*	28,600	22,800	15.0	12.5	1,010	201458433
	CHPF3743C6B*	G*VC960803BNA*	28,600	22,800	15.0	12.5	1,030	201458538
	CHPF3743C6B*	G*VM970603BNA*	28,600	22,800	15.0	12.5	1,010	201458636
	CHPF3743C6B*	G*VM970803BNA*	28,600	22,800	15.0	12.5	1,030	201458741
	CHPF3743C6B*	G*EC961004CNA*	28,400	22,800	15.0	12.5	1,050	201459112
	CHPF3743C6B*	G*VC80805C*B*	28,400	22,800	15.5	12.5	990	201459196
	CHPF3743C6B*	G*E80805C*B*	28,400	22,800	15.0	12.5	1,050	201459483

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0311A* (Contd.)	CHPF3743C6B*	G*VC960804CNA*	28,600	22,800	15.5	12.5	1,000	201459546
	CHPF3743C6B*	A*VC960403BNA*	28,600	22,800	15.0	12.5	950	201460092
	CHPF3743C6B*	A*VC960603BNA*	28,600	22,800	15.0	12.5	1,010	201460204
	CHPF3743C6B*	A*VC960803BNA*	28,600	22,800	15.0	12.5	1,030	201460316
	CHPF3743C6B*	A*VM970603BNA*	28,600	22,800	15.0	12.5	1,010	201460421
	CHPF3743C6B*	A*VM970803BNA*	28,600	22,800	15.0	12.5	1,030	201460533
	CHPF3743C6B*	A*EC961004CNA*	28,400	22,800	15.0	12.5	1,050	201460855
	CHPF3743C6B*	A*VC80805C*B*	28,400	22,800	15.5	12.5	990	201460939
	CHPF3743C6B*	A*EH800805C*A*	28,400	22,800	15.0	12.5	1,050	201461093
	CHPF3743C6B*	A*VC960804CNA*	28,600	22,800	15.5	12.5	1,000	201461149
	CHPF3743C6B*	G*VC80603B*B*	28,400	22,800	15.0	12.5	1,000	201487556
	CHPF3743C6B*	G*VC80803B*B*	28,400	22,800	15.0	12.5	950	201487703
	CHPF3743C6B*+EEP+TXV		28,400	22,800	14.5	12.5	1,000	201457796
	CHPF3743C6B*+MBVC1600**-.1A*		28,600	22,800	16.0	13.0	1,000	201459378
	CHPF3743C6B*+MBVC1600**-.1A*+TXV		28,600	22,800	16.0	13.0	1,000	201459357
	CHPF3743C6B*+TXV	G*EC960803BNA*	28,200	22,600	16.0	13.0	950	201458193
	CHPF3743C6B*+TXV	G*VC960403BNA*	28,600	22,800	16.0	13.0	950	201458284
	CHPF3743C6B*+TXV	G*VC960603BNA*	28,600	22,800	16.0	13.0	935	201458389
	CHPF3743C6B*+TXV	G*VC960803BNA*	28,600	22,800	16.0	13.0	1,030	201458494
	CHPF3743C6B*+TXV	G*VM970603BNA*	28,600	22,800	16.0	13.0	1,010	201458592
	CHPF3743C6B*+TXV	G*VM970803BNA*	28,600	22,800	16.0	13.0	1,030	201458697
	CHPF3743C6B*+TXV	G*EC961004CNA*	28,600	22,800	16.0	13.0	1,050	201459074
	CHPF3743C6B*+TXV	G*VC80805C*B*	28,600	22,800	16.0	13.0	990	201459158
	CHPF3743C6B*+TXV	G*E80805C*B*	28,600	22,800	16.0	13.0	1,050	201459438
	CHPF3743C6B*+TXV	G*VC960804CNA*	28,600	22,800	16.0	13.0	1,000	201459521
	CHPF3743C6B*+TXV	G*VM970804CNA*	28,600	22,800	16.0	13.0	1,000	201459718
	CHPF3743C6B*+TXV	A*EC960803BNA*	28,200	22,600	16.0	13.0	950	201459949
	CHPF3743C6B*+TXV	A*VC960403BNA*	28,600	22,800	16.0	13.0	950	201460047
	CHPF3743C6B*+TXV	A*VC960603BNA*	28,600	22,800	16.0	13.0	935	201460159
	CHPF3743C6B*+TXV	A*VC960803BNA*	28,600	22,800	16.0	13.0	1,030	201460271
	CHPF3743C6B*+TXV	A*VM970603BNA*	28,600	22,800	16.0	13.0	1,010	201460376
	CHPF3743C6B*+TXV	A*VM970803BNA*	28,600	22,800	16.0	13.0	1,030	201460488
	CHPF3743C6B*+TXV	A*EC961004CNA*	28,600	22,800	16.0	13.0	1,050	201460817
	CHPF3743C6B*+TXV	A*VC80805C*B*	28,600	22,800	16.0	13.0	990	201460901
	CHPF3743C6B*+TXV	A*EH800805C*A*	28,600	22,800	16.0	13.0	1,050	201461048
	CHPF3743C6B*+TXV	A*VC960804CNA*	28,600	22,800	16.0	13.0	1,000	201461125
	CHPF3743C6B*+TXV	A*VM970804CNA*	28,600	22,800	16.0	13.0	1,000	201461195
	CHPF3743C6B*+TXV	G*E80603B*B*	28,400	22,800	16.0	13.0	990	201482038
	CHPF3743C6B*+TXV	G*VC80603B*B*	28,400	22,800	15.0	12.5	1,000	201487563
	CHPF3743C6B*+TXV	G*VC80803B*B*	28,400	22,800	15.0	12.5	950	201487710
	CHPF4860D6D*+EEP+TXV		28,600	22,800	15.0	12.5	900	201457810
	CSCF3642N6D*	G*VC960403BNA*	28,400	22,800	15.5	13.0	950	201458342
	CSCF3642N6D*	G*VC960603BNA*	28,400	22,800	15.0	12.5	1,010	201458447
	CSCF3642N6D*	G*VC960803BNA*	28,400	22,800	15.0	12.5	1,030	201458545
	CSCF3642N6D*	G*VM970603BNA*	28,400	22,800	15.0	12.5	1,010	201458650
	CSCF3642N6D*	G*VM970803BNA*	28,400	22,800	15.0	12.5	1,030	201458755
	CSCF3642N6D*	A*VC960403BNA*	28,400	22,800	15.5	13.0	950	201460106
	CSCF3642N6D*	A*VC960603BNA*	28,400	22,800	15.0	12.5	1,010	201460218
	CSCF3642N6D*	A*VC960803BNA*	28,400	22,800	15.0	12.5	1,030	201460323
	CSCF3642N6D*	A*VM970603BNA*	28,400	22,800	15.0	12.5	1,010	201460435
	CSCF3642N6D*	A*VM970803BNA*	28,400	22,800	15.0	12.5	1,030	201460547
	CSCF3642N6D*	G*VC80603B*B*	28,400	22,800	15.0	12.5	1,000	201487570
	CSCF3642N6D*	G*VC80803B*B*	28,400	22,800	15.0	12.5	950	201487717
	CSCF3642N6D*+EEP		28,800	23,000	14.0	12.2	1,000	201470837

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0311A* (Contd.)	CSCF3642N6D*+EEP+TXV		28,600	22,800	14.5	12.2	1,000	201470830
	CSCF3642N6D*+TXV	G*VC960403BNA*	28,600	22,800	15.0	12.5	950	201458307
	CSCF3642N6D*+TXV	G*VC960603BNA*	28,600	22,800	15.0	12.5	1,010	201458412
	CSCF3642N6D*+TXV	G*VC960803BNA*	28,400	22,800	15.0	12.5	1,030	201458517
	CSCF3642N6D*+TXV	G*VM970603BNA*	28,600	22,800	15.0	12.5	1,010	201458615
	CSCF3642N6D*+TXV	G*VM970803BNA*	28,400	22,800	15.0	12.5	1,030	201458720
	CSCF3642N6D*+TXV	A*VC960403BNA*	28,600	22,800	15.0	12.5	950	201460071
	CSCF3642N6D*+TXV	A*VC960603BNA*	28,600	22,800	15.0	12.5	1,010	201460183
	CSCF3642N6D*+TXV	A*VC960803BNA*	28,400	22,800	15.0	12.5	1,030	201460295
	CSCF3642N6D*+TXV	A*VM970603BNA*	28,600	22,800	15.0	12.5	1,010	201460400
	CSCF3642N6D*+TXV	A*VM970803BNA*	28,400	22,800	15.0	12.5	1,030	201460512
	CSCF3642N6D*+TXV	G*VC80603B*B*	28,400	22,800	15.5	12.5	1,000	201487577
	CSCF3642N6D*+TXV	G*VC80803B*B*	28,400	22,800	15.5	12.5	950	201487724
GSX16 0361F*	ARUF43C14A*+TXV		33,800	27,000	14.0	12.2	1,050	201299365
	ASPT36C14A*		34,200	27,400	14.5	12.2	1,200	200937975
	ASPT37C14A*		34,200	27,400	15.0	12.5	1,120	201384309
	ASPT39C14A*		34,200	27,400	14.5	12.2	1,220	201498287
	ASPT47D14A*		35,000	28,000	16.0	13.0	1,180	201384337
	AVPTC37C14A*		34,600	27,800	15.0	12.5	1,130	201441952
	AVPTC37D14A*		35,000	28,000	16.0	13.0	1,145	201441959
	AVPTC39C14A*		34,000	27,200	14.5	12.2	1,220	201498490
	AVPTC48C14A*		34,400	27,600	14.5	12.2	1,000	200979029
	AWUF37XX16B*+TXV		33,000	26,400	14.5	12.2	1,000	200818056
	CA*F3137*6A*	A*EC960603BNA*	34,200	27,400	14.5	12.2	1,090	201164303
	CA*F3137*6A*	A*EC960803BNA*	34,200	27,400	14.5	12.2	1,090	201164310
	CA*F3137*6A*	A*EH800603B*A*	34,200	27,400	14.5	12.2	1,100	201164317
	CA*F3137*6A*	A*VC80604B*B*	34,200	27,400	14.5	12.2	1,095	201164324
	CA*F3137*6A*	A*VC960403BNA*	34,200	27,400	14.5	12.2	1,050	201164331
	CA*F3137*6A*	A*VC960603BNA*	34,200	27,400	14.5	12.2	1,055	201164338
	CA*F3137*6A*	A*VC960803BNA*	34,200	27,400	14.5	12.2	1,100	201164345
	CA*F3137*6A*	A*VM970603BNA*	34,200	27,400	14.5	12.2	1,055	201164352
	CA*F3137*6A*	A*VM970803BNA*	34,200	27,400	14.5	12.2	1,100	201164359
	CA*F3137*6A*	ADVC80603B*B*	34,200	27,400	14.5	12.2	1,075	201164366
	CA*F3137*6A*	G*E80603B*B*	34,200	27,400	14.5	12.2	1,100	201164373
	CA*F3137*6A*	G*EC960603BNA*	34,200	27,400	14.5	12.2	1,090	201164380
	CA*F3137*6A*	G*EC960803BNA*	34,200	27,400	14.5	12.2	1,090	201164387
	CA*F3137*6A*	G*VC80604B*B*	34,200	27,400	14.5	12.2	1,095	201164394
	CA*F3137*6A*	G*VC960403BNA*	34,200	27,400	14.5	12.2	1,050	201164401
	CA*F3137*6A*	G*VC960603BNA*	34,200	27,400	14.5	12.2	1,055	201164408
	CA*F3137*6A*	G*VC960803BNA*	34,200	27,400	14.5	12.2	1,100	201164415
	CA*F3137*6A*	G*VM970603BNA*	34,200	27,400	14.5	12.2	1,055	201164422
	CA*F3137*6A*	G*VM970803BNA*	34,200	27,400	14.5	12.2	1,100	201164429
	CA*F3137*6A*	G*VC80603B*B*	34,200	27,400	14.5	12.2	1,200	201487794
	CA*F3137*6A*	G*VC80803B*B*	34,200	27,400	14.5	12.2	1,150	201487836
	CA*F3137*6A*+EEP		34,200	27,400	14.0	12.2	1,080	201163526
	CA*F3137*6A*+EEP+TXV		34,200	27,400	14.5	12.2	1,080	201180379
	CA*F3137*6A*+MBVC1200**-1A*		34,200	27,400	14.5	12.2	1,050	201163540
	CA*F3137*6A*+MBVC1200**-1A*+TXV		34,200	27,400	15.0	12.5	1,050	201163533
	CA*F3137*6A*+TXV	G*EC960603ANA*	34,200	26,600	14.5	12.2	1125	201525444
	CA*F3137*6A*+TXV	A*EC960603BNA*	34,200	27,400	15.0	12.5	1,090	201163559
	CA*F3137*6A*+TXV	A*EC960803BNA*	34,200	27,400	15.0	12.5	1,090	201163580
	CA*F3137*6A*+TXV	A*EH800603B*A*	34,200	27,400	15.0	12.5	1,100	201163601
	CA*F3137*6A*+TXV	A*VC80604B*B*	34,200	27,400	15.0	12.5	1,095	201163622
	CA*F3137*6A*+TXV	A*VC960403BNA*	34,200	27,400	15.0	12.5	1,050	201163649

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0361F* (Contd.)	CA*F3137*6A*+TXV	A*VC960603BNA*	34,200	27,400	15.0	12.5	1,055	201163677
	CA*F3137*6A*+TXV	A*VC960803BNA*	34,200	27,400	15.0	12.5	1,100	201163705
	CA*F3137*6A*+TXV	A*VM970603BNA*	34,200	27,400	15.0	12.5	1,055	201163733
	CA*F3137*6A*+TXV	A*VM970803BNA*	34,200	27,400	15.0	12.5	1,100	201163761
	CA*F3137*6A*+TXV	ADVC80603B*B*	34,200	27,400	15.0	12.5	1,075	201163789
	CA*F3137*6A*+TXV	G*E80603B*B*	34,200	27,400	15.0	12.5	1,100	201163811
	CA*F3137*6A*+TXV	G*EC960603BNA*	34,200	27,400	15.0	12.5	1,090	201163850
	CA*F3137*6A*+TXV	G*EC960803BNA*	34,200	27,400	15.0	12.5	1,090	201163892
	CA*F3137*6A*+TXV	G*VC80604B*B*	34,200	27,400	15.0	12.5	1,095	201163916
	CA*F3137*6A*+TXV	G*VC960403BNA*	34,200	27,400	15.0	12.5	1,050	201163991
	CA*F3137*6A*+TXV	G*VC960603BNA*	34,200	27,400	15.0	12.5	1,055	201164063
	CA*F3137*6A*+TXV	G*VC960803BNA*	34,200	27,400	15.0	12.5	1,100	201164133
	CA*F3137*6A*+TXV	G*VM970603BNA*	34,200	27,400	15.0	12.5	1,055	201164209
	CA*F3137*6A*+TXV	G*VM970803BNA*	34,200	27,400	15.0	12.5	1,100	201164286
	CA*F3137*6A*+TXV	G*VC80603B*B*	34,200	27,400	15.0	12.5	1,200	201487825
	CA*F3137*6A*+TXV	G*VC80803B*B*	34,200	27,400	15.0	12.5	1,150	201487867
	CA*F3642*6D*+MBVC2000**-1A*		34,000	27,200	15.0	12.5	1,120	200892536
	CA*F3743*6D*	G*E80603B*B*	34,600	27,800	14.5	12.2	1,150	200892638
	CA*F3743*6D*	G*E80805C*B*	34,600	27,800	14.5	12.2	1,180	200892651
	CA*F3743*6D*	G*VC80805C*B*	34,600	27,800	15.0	12.5	1,180	200892728
	CA*F3743*6D*	G*VC81005C*B*	34,600	27,800	15.5	12.5	1,200	200893064
	CA*F3743*6D*	A*VC80805C*B*	34,600	27,800	15.5	12.5	1,180	200896857
	CA*F3743*6D*	A*VC81005C*B*	34,600	27,800	15.5	12.5	1,200	200897242
	CA*F3743*6D*	A*EH800603B*A*	34,600	27,800	14.5	12.2	1,150	200966285
	CA*F3743*6D*	A*EH800805C*A*	34,600	27,800	14.5	12.2	1,180	200966292
	CA*F3743*6D*	G*VC960804CNA*	34,000	27,200	14.5	12.2	980	201048317
	CA*F3743*6D*	G*VM970804CNA*	34,000	27,200	14.5	12.2	980	201052826
	CA*F3743*6D*	A*VC960804CNA*	34,000	27,200	14.5	12.2	980	201057923
	CA*F3743*6D*	A*VM970804CNA*	34,000	27,200	14.5	12.2	980	201061763
	CA*F3743*6D*	G*VC961005CNA*	34,000	27,200	14.5	12.2	1,020	201063941
	CA*F3743*6D*	G*VC961205DNA*	34,600	27,800	15.0	12.2	1,060	201157079
	CA*F3743*6D*	G*VM971005CNA*	34,000	27,200	14.5	12.2	1,020	201065585
	CA*F3743*6D*	G*VM971205DNA*	34,600	27,800	15.0	12.2	1,060	201066012
	CA*F3743*6D*	A*VC961005CNA*	34,000	27,200	14.5	12.2	1,020	201067230
	CA*F3743*6D*	A*VC961205DNA*	34,600	27,800	15.0	12.2	1,060	201161495
	CA*F3743*6D*	A*VM971005CNA*	34,000	27,200	14.5	12.2	1,020	201068710
	CA*F3743*6D*	A*VM971205DNA*	34,600	27,800	15.0	12.2	1,060	201069102
	CA*F3743*6D*	G*EC960603BNA*	34,200	27,400	14.0	12.2	1,175	201128056
	CA*F3743*6D*	G*EC960803BNA*	33,600	27,000	14.0	12.2	1,175	201128544
	CA*F3743*6D*	G*EC961004CNA*	34,000	27,200	14.5	12.2	1,175	201129025
	CA*F3743*6D*	G*EC961205DNA*	34,000	27,200	15.0	12.5	1,100	201129529
	CA*F3743*6D*	A*EC960603BNA*	34,200	27,400	14.0	12.2	1,175	201136952
	CA*F3743*6D*	A*EC960803BNA*	33,600	27,000	14.0	12.2	1,175	201137496
	CA*F3743*6D*	A*EC961004CNA*	34,000	27,200	14.5	12.2	1,175	201174275
	CA*F3743*6D*	A*EC961205DNA*	34,000	27,200	15.0	12.5	1,100	201137969
	CA*F3743*6D*	G*VC80805D*B*	34,600	27,800	15.5	12.5	1,200	201487899
	CA*F3743*6D*+EEP+TXV		34,600	27,800	14.5	12.2	1,200	200854604
	CA*F3743*6D*+MBVC1600**-1A*		34,600	27,800	15.0	12.5	1,200	200892549
	CA*F3743*6D*+MBVC1600**-1A*+TXV		34,600	27,800	15.5	12.5	1,200	200854611
	CA*F3743*6D*+MBVC2000**-1A*		34,600	27,800	15.0	12.5	1,120	200892556
	CA*F3743*6D*+MBVC2000**-1A*+TXV		34,600	27,800	15.5	12.5	1,120	200854618
	CA*F3743*6D*+TXV	G*E80603B*B*	34,600	27,800	15.0	12.5	1,150	200855029
	CA*F3743*6D*+TXV	G*E80805C*B*	34,600	27,800	15.0	12.5	1,180	200855140
	CA*F3743*6D*+TXV	G*VC80805C*B*	34,600	27,800	15.5	12.5	1,180	200855504

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0361F* (Contd.)	CA*F3743*6D*+TXV	G*VC81005C*B*	34,600	27,800	15.0	12.5	1,200	200855623
	CA*F3743*6D*+TXV	A*VC80805C*B*	34,600	27,800	15.0	12.5	1,180	200879238
	CA*F3743*6D*+TXV	A*VC81005C*B*	34,600	27,800	15.0	12.5	1,200	200879264
	CA*F3743*6D*+TXV	A*EH800603B*A*	34,600	27,800	15.0	12.5	1,150	200966311
	CA*F3743*6D*+TXV	A*EH800805C*A*	34,600	27,800	15.0	12.5	1,180	200966318
	CA*F3743*6D*+TXV	G*VC960804CNA*	34,000	27,200	15.0	12.5	980	201048310
	CA*F3743*6D*+TXV	G*VM970804CNA*	34,000	27,200	15.0	12.5	980	201052819
	CA*F3743*6D*+TXV	A*VC960804CNA*	34,000	27,200	15.0	12.5	980	201057916
	CA*F3743*6D*+TXV	A*VM970804CNA*	34,000	27,200	15.0	12.5	980	201061756
	CA*F3743*6D*+TXV	G*VC961005CNA*	34,000	27,200	15.0	12.5	1,020	201063934
	CA*F3743*6D*+TXV	G*VC961205DNA*	34,600	27,800	15.5	12.5	1,060	201155740
	CA*F3743*6D*+TXV	G*VM971005CNA*	34,000	27,200	15.0	12.5	1,020	201065578
	CA*F3743*6D*+TXV	G*VM971205DNA*	34,600	27,800	15.5	12.5	1,060	201066005
	CA*F3743*6D*+TXV	A*VC961005CNA*	34,000	27,200	15.0	12.5	1,020	201067223
	CA*F3743*6D*+TXV	A*VC961205DNA*	34,600	27,800	15.5	12.5	1,060	201067615
	CA*F3743*6D*+TXV	A*VM971005CNA*	34,000	27,200	15.0	12.5	1,020	201068703
	CA*F3743*6D*+TXV	A*VM971205DNA*	34,600	27,800	15.5	12.5	1,060	201069095
	CA*F3743*6D*+TXV	G*EC960603BNA*	34,200	27,400	14.5	12.2	1,175	201128063
	CA*F3743*6D*+TXV	G*EC960803BNA*	33,600	27,000	14.5	12.2	1,175	201128551
	CA*F3743*6D*+TXV	G*EC961004CNA*	34,000	27,200	15.0	12.5	1,175	201129032
	CA*F3743*6D*+TXV	G*EC961205DNA*	34,000	27,200	15.5	12.5	1,100	201129536
	CA*F3743*6D*+TXV	A*EC960603BNA*	34,200	27,400	14.5	12.2	1,175	201137043
	CA*F3743*6D*+TXV	A*EC960803BNA*	33,600	27,000	14.5	12.2	1,175	201137503
	CA*F3743*6D*+TXV	A*EC961004CNA*	34,000	27,200	15.0	12.5	1,175	201174284
	CA*F3743*6D*+TXV	A*EC961205DNA*	34,000	27,200	15.5	12.5	1,100	201137976
	CA*F3743*6D*+TXV	G*VC80805D*B*	34,600	27,800	15.0	12.5	1,200	201487906
	CA*F4860*6D*	G*E80805C*B*	34,600	27,800	15.5	12.5	1,180	200892658
	CA*F4860*6D*	G*E81005C*B*	34,600	27,800	15.5	12.5	1,200	200892698
	CA*F4860*6D*	G*VC80805C*B*	34,600	27,800	15.0	12.5	1,180	200892735
	CA*F4860*6D*	G*VC81005C*B*	34,600	27,800	15.0	12.5	1,200	200893071
	CA*F4860*6D*	ADVC80805C*B*	34,600	27,800	15.0	12.5	1,200	200893890
	CA*F4860*6D*	ADVC81005C*B*	34,600	27,800	15.0	12.5	1,115	200893897
	CA*F4860*6D*	A*VC80805C*B*	34,600	27,800	15.0	12.5	1,180	200883232
	CA*F4860*6D*	A*VC81005C*B*	34,600	27,800	15.0	12.5	1,200	200897249
	CA*F4860*6D*	A*EH800805C*A*	34,600	27,800	15.5	12.5	1,180	200966337
	CA*F4860*6D*	A*EH801005C*A*	34,600	27,800	15.5	12.5	1,200	200966356
	CA*F4860*6D*	G*VC960804CNA*	34,000	27,200	15.0	12.2	980	201048331
	CA*F4860*6D*	G*VM970804CNA*	34,000	27,200	15.0	12.2	980	201052840
	CA*F4860*6D*	A*VC960804CNA*	34,000	27,200	15.0	12.2	980	201057937
	CA*F4860*6D*	A*VM970804CNA*	34,000	27,200	15.0	12.2	980	201061777
	CA*F4860*6D*	G*VC961005CNA*	34,000	27,200	15.0	12.5	1,020	201063969
	CA*F4860*6D*	G*VM971005CNA*	34,000	27,200	15.0	12.5	1,020	201065599
	CA*F4860*6D*	A*VC961005CNA*	34,000	27,200	15.0	12.5	1,020	201067244
	CA*F4860*6D*	A*VM971005CNA*	34,000	27,200	15.0	12.5	1,020	201068724
	CA*F4860*6D*	G*EC961004CNA*	34,000	27,200	15.0	12.5	1,175	201129039
	CA*F4860*6D*	G*EC961205DNA*	34,000	27,200	15.0	12.5	1,100	201129543
	CA*F4860*6D*	A*EC961004CNA*	34,000	27,200	15.0	12.5	1,175	201174469
	CA*F4860*6D*	A*EC961205DNA*	34,000	27,200	15.0	12.5	1,100	201137983
	CA*F4860*6D*	G*VC80805D*B*	34,600	27,800	15.0	12.5	1,200	201487913
	CA*F4860*6D*+EEP		34,600	27,800	14.0	12.2	1,200	200892563
	CA*F4860*6D*+EEP+TXV		34,800	27,800	14.5	12.2	1,200	200816798
	CA*F4860*6D*+MBVC2000**-1A*		34,600	27,800	15.5	12.5	1,120	200892570
	CA*F4860*6D*+MBVC2000**-1A*+TXV		34,600	27,800	16.0	13.0	1,120	200854625
	CA*F4860*6D*+TXV	G*E81005C*B*	34,600	27,800	15.5	12.5	1,200	200855445

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0361F* (Contd.)	CA*F4860*6D*+TXV	G*VC80805C*B*	34,600	27,800	15.5	12.5	1,180	200855553
	CA*F4860*6D*+TXV	G*VC81005C*B*	34,600	27,800	15.5	12.5	1,200	200855888
	CA*F4860*6D*+TXV	ADVC80805C*B*	34,600	27,800	15.5	12.5	1,200	200859129
	CA*F4860*6D*+TXV	ADVC81005C*B*	34,600	27,800	15.5	12.5	1,115	200859437
	CA*F4860*6D*+TXV	A*VC80805C*B*	34,600	27,800	15.5	12.5	1,180	200879245
	CA*F4860*6D*+TXV	A*VC81005C*B*	34,600	27,800	15.5	12.5	1,200	200879529
	CA*F4860*6D*+TXV	A*EH801005C*A*	34,600	27,800	15.5	12.5	1,200	200966390
	CA*F4860*6D*+TXV	G*VC960804CNA*	34,000	27,200	15.5	12.5	980	201048324
	CA*F4860*6D*+TXV	G*VM970804CNA*	34,000	27,200	15.5	12.5	980	201052833
	CA*F4860*6D*+TXV	A*VC960804CNA*	34,000	27,200	15.5	12.5	980	201057930
	CA*F4860*6D*+TXV	A*VM970804CNA*	34,000	27,200	15.5	12.5	980	201061770
	CA*F4860*6D*+TXV	G*VC961005CNA*	34,000	27,200	15.5	12.5	1,020	201063960
	CA*F4860*6D*+TXV	G*VC961205DNA*	34,600	27,800	16.0	13.0	1,060	201157958
	CA*F4860*6D*+TXV	G*VM971005CNA*	34,000	27,200	15.5	12.5	1,020	201065592
	CA*F4860*6D*+TXV	G*VM971205DNA*	34,600	27,800	16.0	13.0	1,060	201066037
	CA*F4860*6D*+TXV	A*VC961005CNA*	34,000	27,200	15.5	12.5	1,020	201067237
	CA*F4860*6D*+TXV	A*VC961205DNA*	34,600	27,800	16.0	13.0	1,060	201067625
	CA*F4860*6D*+TXV	A*VM971005CNA*	34,000	27,200	15.5	12.5	1,020	201068717
	CA*F4860*6D*+TXV	A*VM971205DNA*	34,600	27,800	16.0	13.0	1,060	201069109
	CA*F4860*6D*+TXV	G*EC960603BNA*	34,600	27,800	15.0	12.5	1,175	201128100
	CA*F4860*6D*+TXV	G*EC960803BNA*	34,000	27,200	15.0	12.5	1,175	201128594
	CA*F4860*6D*+TXV	G*EC961004CNA*	34,000	27,200	15.5	12.5	1,175	201129046
	CA*F4860*6D*+TXV	G*EC961205DNA*	34,000	27,200	15.5	12.5	1,100	201129550
	CA*F4860*6D*+TXV	A*EC960603BNA*	34,600	27,800	15.0	12.5	1,175	201137056
	CA*F4860*6D*+TXV	A*EC960803BNA*	34,000	27,200	15.0	12.5	1,175	201173409
	CA*F4860*6D*+TXV	A*EC961004CNA*	34,000	27,200	15.5	12.5	1,175	201174596
	CA*F4860*6D*+TXV	A*EC961205DNA*	34,000	27,200	15.5	12.5	1,100	201137990
	CA*F4860*6D*+TXV	G*VC80805D*B*	34,000	27,200	16.0	13.0	1,200	201487944
	CA*F4961*6D*	G*E80805C*B*	35,000	28,000	15.5	12.5	1,180	200892665
	CA*F4961*6D*	A*EH800805C*A*	35,000	28,000	15.5	12.5	1,180	200966913
	CA*F4961*6D*+EEP		35,000	28,000	14.5	12.2	1,200	200892577
	CA*F4961*6D*+EEP+TXV		35,000	28,000	15.0	12.5	1,100	200816986
	CA*F4961*6D*+MBVC1600**-1A*		35,000	28,000	15.5	12.5	1,200	200892584
	CA*F4961*6D*+MBVC1600**-1A*+TXV		35,000	28,000	16.0	13.0	1,200	200854632
	CA*F4961*6D*+TXV	G*E80805C*B*	35,000	28,000	16.0	13.0	1,180	200855147
	CA*F4961*6D*+TXV	A*EH800805C*A*	35,000	28,000	16.0	13.0	1,180	200966920
	CA*F4961*6D*+TXV	G*VC960804CNA*	34,400	27,600	16.0	13.0	980	201048411
	CA*F4961*6D*+TXV	A*VC960804CNA*	34,400	27,600	16.0	13.0	980	201057951
	CA*F4961*6D*+TXV	G*VC961205DNA*	34,800	27,800	16.0	13.0	1,060	201159585
	CA*F4961*6D*+TXV	G*VM971205DNA*	34,800	27,800	16.0	13.0	1,060	201066054
	CA*F4961*6D*+TXV	A*VC961205DNA*	34,800	27,800	16.0	13.0	1,060	201067639
	CA*F4961*6D*+TXV	A*VM971205DNA*	34,800	27,800	16.0	13.0	1,060	201069123
	CA*F4961*6D*+TXV	G*EC961205DNA*	34,800	27,800	16.0	13.0	1,100	201172290
	CA*F4961*6D*+TXV	A*EC961205DNA*	34,800	27,800	16.0	13.0	1,100	201138004
	CA*F4961*6D*+TXV	G*EC961004CNA*	33,600	27,000	15.5	12.5	1,100	201385145
	CA*F4961*6D*+TXV	G*VC81005C*B*	34,400	27,600	16.0	13.0	1,150	201488029
	CAPT3743*4A*	ADVC81005C*B*	34,000	27,200	15.0	12.5	1,115	200906482
	CAPT3743*4A*	G*VC80604B*B*	34,600	27,800	15.0	12.5	1,125	200906537
	CAPT3743*4A*	ADVC80805C*B*	34,600	27,800	15.0	12.5	1,200	200906552
	CAPT3743*4A*	G*VC80805C*B*	34,600	27,800	15.0	12.5	1,200	200906559
	CAPT3743*4A*	G*VC81005C*B*	34,600	27,800	15.0	12.5	1,200	200906566
	CAPT3743*4A*	G*E81005C*B*	34,600	27,800	15.0	12.5	1,200	200906573
	CAPT3743*4A*	G*E80805C*B*	34,600	27,800	15.0	12.5	1,200	200940815
	CAPT3743*4A*	ADVC80603B*B*	34,600	27,800	14.5	12.5	1,175	200906619

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0361F* (Contd.)	CAPT3743*4A*	G*E80603B*B*	34,600	27,800	14.5	12.5	1,150	200906626
	CAPT3743*4A*	A*VC80604B*B*	34,600	27,800	15.0	12.5	1,125	200906699
	CAPT3743*4A*	A*VC80805C*B*	34,600	27,800	15.0	12.5	1,200	200906706
	CAPT3743*4A*	A*VC81005C*B*	34,600	27,800	15.0	12.5	1,200	200906713
	CAPT3743*4A*	A*EH800603B*A*	34,600	27,800	14.5	12.5	1,150	200966927
	CAPT3743*4A*	A*EH800805C*A*	34,600	27,800	15.0	12.5	1,200	200966934
	CAPT3743*4A*	A*EH801005C*A*	34,600	27,800	15.0	12.5	1,200	200966941
	CAPT3743*4A*	G*VC960804CNA*	34,000	27,200	15.0	12.5	980	201048338
	CAPT3743*4A*	G*VM970804CNA*	34,000	27,200	15.0	12.5	980	201052847
	CAPT3743*4A*	A*VC960804CNA*	34,000	27,200	15.0	12.5	980	201057944
	CAPT3743*4A*	A*VM970804CNA*	34,000	27,200	15.0	12.5	980	201061784
	CAPT3743*4A*	G*VC961005CNA*	34,000	27,200	15.0	12.5	1,020	201063976
	CAPT3743*4A*	G*VC961205DNA*	34,600	27,800	15.0	12.5	1,060	201158558
	CAPT3743*4A*	G*VM971005CNA*	34,000	27,200	15.0	12.5	1,020	201065606
	CAPT3743*4A*	G*VM971205DNA*	34,600	27,800	15.0	12.5	1,060	201066047
	CAPT3743*4A*	A*VC961005CNA*	34,000	27,200	15.0	12.5	1,020	201067251
	CAPT3743*4A*	A*VC961205DNA*	34,600	27,800	15.0	12.5	1,060	201067632
	CAPT3743*4A*	A*VM971005CNA*	34,000	27,200	15.0	12.5	1,020	201068731
	CAPT3743*4A*	A*VM971205DNA*	34,600	27,800	15.0	12.5	1,060	201069116
	CAPT3743*4A*	G*EC961004CNA*	34,000	27,200	15.0	12.5	1,175	201129053
	CAPT3743*4A*	G*EC961205DNA*	34,000	27,200	15.5	12.5	1,100	201129557
	CAPT3743*4A*	A*EC961004CNA*	34,000	27,200	15.0	12.5	1,175	201175037
	CAPT3743*4A*	A*EC961205DNA*	34,000	27,200	15.5	12.5	1,100	201137997
	CAPT3743*4A*	G*VC80804C*B*	34,600	27,800	15.0	12.5	1,250	201487890
	CAPT3743*4A*	G*VC80805D*B*	34,600	27,800	15.0	12.5	1,200	201487955
	CAPT3743*4A*+MBVC1200**-1A*		34,000	27,200	15.0	12.5	1,100	200906600
	CAPT3743*4A*+MBVC1600**-1A*		34,600	27,800	15.0	12.5	1,220	200854645
	CAPT3743*4A*+MBVC2000**-1A*		34,600	27,800	15.0	12.5	1,120	200854652
	CAPT4961*4A*	G*VC960804CNA*	34,400	27,600	15.5	12.5	980	201048429
	CAPT4961*4A*	G*VM970804CNA*	34,400	27,600	15.5	12.5	980	201052882
	CAPT4961*4A*	A*VC960804CNA*	34,400	27,600	15.5	12.5	980	201057958
	CAPT4961*4A*	A*VM970804CNA*	34,400	27,600	15.5	12.5	980	201061798
	CAPT4961*4A*	G*VC961005CNA*	34,400	27,600	15.5	12.5	1,020	201064011
	CAPT4961*4A*	G*VC961205DNA*	34,800	27,800	16.0	13.0	1,060	201161278
	CAPT4961*4A*	G*VM971005CNA*	34,400	27,600	15.5	12.5	1,020	201065641
	CAPT4961*4A*	G*VM971205DNA*	34,800	27,800	16.0	13.0	1,060	201066061
	CAPT4961*4A*	A*VC961005CNA*	34,400	27,600	15.5	12.5	1,020	201067265
	CAPT4961*4A*	A*VC961205DNA*	34,800	27,800	16.0	13.0	1,060	201067646
	CAPT4961*4A*	A*VM971005CNA*	34,400	27,600	15.5	12.5	1,020	201068745
	CAPT4961*4A*	A*VM971205DNA*	34,800	27,800	16.0	13.0	1,060	201069130
	CAPT4961*4A*	G*VC81005C*B*	34,000	27,200	15.0	12.5	1,150	201488039
	CHPF3636B6C*+TXV	G*VC80604B*B*	34,000	27,200	14.5	12.2	1,220	201481207
	CHPF3642C6C*	G*E80805C*B*	34,600	27,800	15.0	12.5	1,180	200892672
	CHPF3642C6C*	G*E81005C*B*	34,600	27,800	15.0	12.5	1,200	200892719
	CHPF3642C6C*	G*VC80805C*B*	34,600	27,800	14.5	12.2	1,180	200892742
	CHPF3642C6C*	G*VC81005C*B*	34,600	27,800	14.5	12.2	1,200	200893078
	CHPF3642C6C*	A*VC80805C*B*	34,600	27,800	14.5	12.2	1,180	200896864
	CHPF3642C6C*	A*VC81005C*B*	34,600	27,800	14.5	12.2	1,200	200897256
	CHPF3642C6C*	A*EH800805C*A*	34,600	27,800	15.0	12.5	1,180	200967476
	CHPF3642C6C*	A*EH801005C*A*	34,600	27,800	15.0	12.5	1,200	200967483
	CHPF3642C6C*	G*EC960603BNA*	34,600	27,800	14.0	12.2	1,175	201128117
	CHPF3642C6C*	A*EC960603BNA*	34,600	27,800	14.0	12.2	1,175	201137069
	CHPF3642C6C*	G*VC80805D*B*	34,600	27,800	14.5	12.2	1,200	201487962
	CHPF3642C6C*+MBVC1600**-1A*		34,600	27,800	14.5	12.2	1,220	200892597

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0361F* (Contd.)	CHPF3642C6C*+MBVC1600**-1A*+TXV		34,600	27,800	15.0	12.5	1,220	200854665
	CHPF3642C6C*+TXV	G*E80603B*B*	34,600	27,800	15.0	12.5	1,150	200855127
	CHPF3642C6C*+TXV	G*E80805C*B*	34,600	27,800	15.5	12.5	1,180	200855166
	CHPF3642C6C*+TXV	G*E81005C*B*	34,600	27,800	15.0	12.5	1,200	200855497
	CHPF3642C6C*+TXV	G*VC80805C*B*	34,600	27,800	15.0	12.5	1,180	200855567
	CHPF3642C6C*+TXV	G*VC81005C*B*	34,600	27,800	15.0	12.5	1,200	200855938
	CHPF3642C6C*+TXV	A*VC80805C*B*	34,600	27,800	15.0	12.5	1,180	200939659
	CHPF3642C6C*+TXV	A*VC81005C*B*	34,600	27,800	15.0	12.5	1,200	200879579
	CHPF3642C6C*+TXV	A*EH800603B*A*	34,600	27,800	15.0	12.5	1,150	200967508
	CHPF3642C6C*+TXV	A*EH800805C*A*	34,600	27,800	15.5	12.5	1,180	200967517
	CHPF3642C6C*+TXV	A*EH801005C*A*	34,600	27,800	15.0	12.5	1,200	200967524
	CHPF3642C6C*+TXV	G*EC960603BNA*	34,600	27,800	14.5	12.2	1,175	201128124
	CHPF3642C6C*+TXV	A*EC960603BNA*	34,600	27,800	14.5	12.2	1,175	201137076
	CHPF3642C6C*+TXV	A*VC80604B*B*	34,600	27,800	15.0	12.5	1,125	201423601
	CHPF3642C6C*+TXV	G*VC80805D*B*	34,600	27,800	15.0	12.5	1,200	201487969
	CHPF3743C6B*	G*VC960804CNA*	34,000	27,200	15.0	12.5	980	201048436
	CHPF3743C6B*	G*VM970804CNA*	34,000	27,200	15.0	12.5	980	201052889
	CHPF3743C6B*	A*VC960804CNA*	34,000	27,200	15.0	12.5	980	201041419
	CHPF3743C6B*	A*VM970804CNA*	34,000	27,200	15.0	12.5	980	201061805
	CHPF3743C6B*	G*VC961005CNA*	34,000	27,200	14.5	12.2	1,020	201154318
	CHPF3743C6B*	G*VM971005CNA*	34,000	27,200	14.5	12.2	1,020	201065669
	CHPF3743C6B*	A*VC961005CNA*	34,000	27,200	14.5	12.2	1,020	201067293
	CHPF3743C6B*	A*VM971005CNA*	34,000	27,200	14.5	12.2	1,020	201068773
	CHPF3743C6B*	G*EC960603BNA*	34,600	27,800	14.5	12.2	1,175	201128131
	CHPF3743C6B*	G*EC960803BNA*	33,600	27,000	14.5	12.2	1,175	201128612
	CHPF3743C6B*	G*EC961004CNA*	34,000	27,200	15.0	12.5	1,175	201129060
	CHPF3743C6B*	A*EC960603BNA*	34,600	27,800	14.5	12.2	1,175	201137083
	CHPF3743C6B*	A*EC960803BNA*	33,600	27,000	14.5	12.2	1,175	201173470
	CHPF3743C6B*	A*EC961004CNA*	34,000	27,200	15.0	12.5	1,175	201175211
	CHPF3743C6B*	G*VC81005C*B*	34,000	27,200	14.5	12.2	1,150	201488046
	CHPF3743C6B*+EEP+TXV		34,800	27,800	14.5	12.2	1,100	200816993
	CHPF3743C6B*+TXV	G*VC960804CNA*	34,000	27,200	14.5	12.2	980	201048455
	CHPF3743C6B*+TXV	G*VM970804CNA*	34,000	27,200	14.5	12.2	980	201052908
	CHPF3743C6B*+TXV	A*VC960804CNA*	34,000	27,200	14.5	12.2	980	201057977
	CHPF3743C6B*+TXV	A*VM970804CNA*	34,000	27,200	14.5	12.2	980	201061824
	CHPF3743C6B*+TXV	G*VC961005CNA*	34,000	27,200	15.0	12.5	1,020	201154117
	CHPF3743C6B*+TXV	G*VM971005CNA*	34,000	27,200	15.0	12.5	1,020	201065660
	CHPF3743C6B*+TXV	A*VC961005CNA*	34,000	27,200	15.0	12.5	1,020	201067284
	CHPF3743C6B*+TXV	A*VM971005CNA*	34,000	27,200	15.0	12.5	1,020	201068764
	CHPF3743C6B*+TXV	G*EC960603BNA*	34,600	27,800	15.0	12.5	1,175	201128480
	CHPF3743C6B*+TXV	G*EC960803BNA*	33,600	27,000	15.0	12.5	1,175	201128961
	CHPF3743C6B*+TXV	G*EC961004CNA*	34,000	27,200	15.5	12.5	1,175	201172262
	CHPF3743C6B*+TXV	A*EC960603BNA*	34,600	27,800	15.0	12.5	1,175	201137432
	CHPF3743C6B*+TXV	A*EC960803BNA*	33,600	27,000	15.0	12.5	1,175	201174179
	CHPF3743C6B*+TXV	A*EC961004CNA*	34,000	27,200	15.5	12.5	1,175	201137547
	CHPF3743C6B*+TXV	G*VC81005C*B*	34,000	27,200	15.0	12.5	1,150	201488053
	CHPF3743D6B*	G*VC961205DNA*	34,600	27,800	15.0	12.5	1,060	201064339
	CHPF3743D6B*	G*VM971205DNA*	34,600	27,800	15.0	12.5	1,060	201066068
	CHPF3743D6B*	A*VC961205DNA*	34,600	27,800	15.0	12.5	1,060	201067653
	CHPF3743D6B*	A*VM971205DNA*	34,600	27,800	15.0	12.5	1,060	201069137
	CHPF3743D6B*+EEP+TXV		34,800	27,800	14.5	12.2	1,200	200854672
	CHPF3743D6B*+TXV	G*VC961205DNA*	34,600	27,800	15.5	12.5	1,060	201064346
	CHPF3743D6B*+TXV	G*VM971205DNA*	34,600	27,800	15.5	12.5	1,060	201066075
	CHPF3743D6B*+TXV	A*VC961205DNA*	34,600	27,800	15.5	12.5	1,060	201067660

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0361F* (Contd.)	CHPF3743D6B*+TXV	A*VM971205DNA*	34,600	27,800	15.5	12.5	1,060	201069144
	CHPF4860D6D*	G*E80805C*B*	34,800	27,800	15.5	12.5	1,180	200892679
	CHPF4860D6D*	G*VC80805C*B*	34,800	27,800	15.5	12.5	1,180	200893013
	CHPF4860D6D*	G*VC81005C*B*	34,800	27,800	14.5	12.2	1,200	200893085
	CHPF4860D6D*	A*VC80805C*B*	34,800	27,800	16.0	13.0	1,180	200897165
	CHPF4860D6D*	A*VC81005C*B*	34,800	27,800	14.5	12.2	1,200	200897263
	CHPF4860D6D*	A*EH800805C*A*	34,800	27,800	15.5	12.5	1,180	200967549
	CHPF4860D6D*	G*VC960804CNA*	34,400	27,600	15.5	12.5	980	201048464
	CHPF4860D6D*	G*VM970804CNA*	34,400	27,600	15.5	12.5	980	201052917
	CHPF4860D6D*	A*VC960804CNA*	34,400	27,600	15.5	12.5	980	201057986
	CHPF4860D6D*	A*VM970804CNA*	34,400	27,600	15.5	12.5	980	201061833
	CHPF4860D6D*	G*VC961005CNA*	34,400	27,600	15.5	12.5	1,020	201154685
	CHPF4860D6D*	G*VC961205DNA*	34,800	27,800	15.5	12.5	1,060	201064353
	CHPF4860D6D*	G*VM971005CNA*	34,400	27,600	15.5	12.5	1,020	201065970
	CHPF4860D6D*	G*VM971205DNA*	34,800	27,800	15.5	12.5	1,060	201066082
	CHPF4860D6D*	A*VC961005CNA*	34,400	27,600	15.5	12.5	1,020	201067580
	CHPF4860D6D*	A*VC961205DNA*	34,800	27,800	15.5	12.5	1,060	201067667
	CHPF4860D6D*	A*VM971005CNA*	34,400	27,600	15.5	12.5	1,020	201069060
	CHPF4860D6D*	A*VM971205DNA*	34,800	27,800	15.5	12.5	1,060	201069151
	CHPF4860D6D*	G*EC961004CNA*	34,000	27,200	15.5	12.5	1,175	201129074
	CHPF4860D6D*	G*EC961205DNA*	34,800	27,800	15.5	12.5	1,100	201172575
	CHPF4860D6D*	A*EC961004CNA*	34,000	27,200	15.5	12.5	1,175	201137556
	CHPF4860D6D*	A*EC961205DNA*	34,800	27,800	15.5	12.5	1,100	201138011
	CHPF4860D6D*	G*VC80805D*B*	34,800	27,800	15.5	12.5	1,200	201487976
	CHPF4860D6D*+EEP		34,800	27,800	14.5	12.2	1,200	200892610
	CHPF4860D6D*+EEP+TXV		35,000	28,000	15.0	12.5	1,100	200817000
	CHPF4860D6D*+MBVC1600**-1A*		34,800	27,800	15.5	12.5	1,220	200892617
	CHPF4860D6D*+MBVC1600**-1A*+TXV		34,800	27,800	16.0	13.0	1,220	200939100
	CHPF4860D6D*+MBVC2000**-1A*		34,800	27,800	15.5	12.5	1,120	200892624
	CHPF4860D6D*+MBVC2000**-1A*+TXV		34,800	27,800	16.0	13.0	1,120	200854685
	CHPF4860D6D*+TXV	G*E80805C*B*	34,000	27,200	16.0	13.0	1,000	200817532
	CHPF4860D6D*+TXV	G*VC80805C*B*	34,800	27,800	16.0	13.0	1,180	200855610
	CHPF4860D6D*+TXV	G*VC81005C*B*	34,800	27,800	15.5	12.5	1,200	200855957
	CHPF4860D6D*+TXV	A*VC80805C*B*	34,800	27,800	15.5	12.5	1,180	200897233
	CHPF4860D6D*+TXV	A*VC81005C*B*	34,800	27,800	15.5	12.5	1,200	200897282
	CHPF4860D6D*+TXV	A*EH800805C*A*	34,000	27,200	16.0	13.0	1,000	200967592
	CHPF4860D6D*+TXV	G*VC960804CNA*	34,400	27,600	16.0	13.0	980	201048735
	CHPF4860D6D*+TXV	G*VM970804CNA*	34,400	27,600	16.0	13.0	980	201053170
	CHPF4860D6D*+TXV	A*VC960804CNA*	34,400	27,600	16.0	13.0	980	201058227
	CHPF4860D6D*+TXV	A*VM970804CNA*	34,400	27,600	16.0	13.0	980	201062074
	CHPF4860D6D*+TXV	G*VC961005CNA*	34,400	27,600	16.0	13.0	1,020	201064286
	CHPF4860D6D*+TXV	G*VC961205DNA*	34,800	27,800	16.0	13.0	1,060	201064606
	CHPF4860D6D*+TXV	G*VM971005CNA*	34,400	27,600	16.0	13.0	1,020	201065922
	CHPF4860D6D*+TXV	G*VM971205DNA*	34,800	27,800	16.0	13.0	1,060	201066335
	CHPF4860D6D*+TXV	A*VC961005CNA*	34,400	27,600	16.0	13.0	1,020	201067534
	CHPF4860D6D*+TXV	A*VC961205DNA*	34,800	27,800	16.0	13.0	1,060	201067908
	CHPF4860D6D*+TXV	A*VM971005CNA*	34,400	27,600	16.0	13.0	1,020	201069014
	CHPF4860D6D*+TXV	A*VM971205DNA*	34,800	27,800	16.0	13.0	1,060	201069392
	CHPF4860D6D*+TXV	G*EC961004CNA*	34,000	27,200	16.0	13.0	1,175	201129459
	CHPF4860D6D*+TXV	G*EC961205DNA*	34,800	27,800	16.0	13.0	1,100	201129913
	CHPF4860D6D*+TXV	A*EC961004CNA*	34,000	27,200	16.0	13.0	1,175	201137905
	CHPF4860D6D*+TXV	A*EC961205DNA*	34,800	27,800	16.0	13.0	1,100	201138360
	CHPF4860D6D*+TXV	G*EC960804CNA*	34,800	27,800	15.0	12.5	1,050	201481876
	CHPF4860D6D*+TXV	G*VC80805D*B*	34,800	27,800	16.0	13.0	1,200	201488001

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0361F* (Contd.)	CSCF3642N6D*+TXV	G*VC960804CNA*	34,000	27,200	14.5	12.2	980	201048786
	CSCF3642N6D*+TXV	G*VM970804CNA*	34,000	27,200	14.5	12.2	980	201053218
	CSCF3642N6D*+TXV	A*VC960804CNA*	34,000	27,200	14.5	12.2	980	201058273
	CSCF3642N6D*+TXV	A*VM970804CNA*	34,000	27,200	14.5	12.2	980	201062120
	CSCF3642N6D*+TXV	G*VC961005CNA*	34,000	27,200	14.5	12.2	1,020	201155532
	CSCF3642N6D*+TXV	G*VM971005CNA*	34,000	27,200	14.5	12.2	1,020	201065977
	CSCF3642N6D*+TXV	A*VC961005CNA*	34,000	27,200	14.5	12.2	1,020	201067587
	CSCF3642N6D*+TXV	A*VM971005CNA*	34,000	27,200	14.5	12.2	1,020	201069067
	CSCF3642N6D*+TXV	G*VC81005C*B*	34,000	27,200	15.0	12.5	1,150	201488060
	CSCF4860N6D*	G*VC961205DNA*	34,400	27,600	15.0	12.5	1,060	201064654
	CSCF4860N6D*	G*VM971205DNA*	34,400	27,600	15.0	12.5	1,060	201066383
	CSCF4860N6D*	A*VC961205DNA*	34,400	27,600	15.0	12.5	1,060	201067954
	CSCF4860N6D*	A*VM971205DNA*	34,400	27,600	15.0	12.5	1,060	201069438
	CSCF4860N6D*+EEP		34,400	27,600	14.0	12.2	1,200	200892631
	CSCF4860N6D*+EEP+TXV		34,400	27,600	14.5	12.2	1,200	200854692
	CSCF4860N6D*+TXV	G*VC960804CNA*	34,000	27,200	15.0	12.5	980	201048805
	CSCF4860N6D*+TXV	G*VM970804CNA*	34,000	27,200	15.0	12.5	980	201053237
	CSCF4860N6D*+TXV	A*VC960804CNA*	34,000	27,200	15.0	12.5	980	201058292
	CSCF4860N6D*+TXV	A*VM970804CNA*	34,000	27,200	15.0	12.5	980	201062139
	CSCF4860N6D*+TXV	G*VC961005CNA*	34,000	27,200	15.0	12.5	1,020	201155623
	CSCF4860N6D*+TXV	G*VC961205DNA*	34,400	27,600	15.5	12.5	1,060	201064673
	CSCF4860N6D*+TXV	G*VM971005CNA*	34,000	27,200	15.0	12.5	1,020	201065996
	CSCF4860N6D*+TXV	G*VM971205DNA*	34,400	27,600	15.5	12.5	1,060	201066402
	CSCF4860N6D*+TXV	A*VC961005CNA*	34,000	27,200	15.0	12.5	1,020	201067606
	CSCF4860N6D*+TXV	A*VC961205DNA*	34,400	27,600	15.5	12.5	1,060	201067973
	CSCF4860N6D*+TXV	A*VM971005CNA*	34,000	27,200	15.0	12.5	1,020	201069086
	CSCF4860N6D*+TXV	A*VM971205DNA*	34,400	27,600	15.5	12.5	1,060	201069457
	CSCF4860N6D*+TXV	G*VC81005C*B*	34,000	27,200	15.0	12.5	1,150	201488067
GSX16 0371A*	ASPT36C14A*		34,200	26,600	15.0	12.5	1,025	201461223
	ASPT37C14A*		34,200	26,600	15.0	12.5	1,025	201461271
	ASPT39C14A*		35,000	27,200	15.0	12.5	1,220	201498294
	ASPT47D14A*		35,000	27,200	16.0	13.0	1,100	201461282
	AVPTC37C14A*		35,000	27,200	16.0	13.0	1,000	201461296
	AVPTC37D14A*		35,600	27,600	16.0	13.0	1,050	201461303
	AVPTC39C14A*		35,000	27,200	15.0	12.5	1,060	201498497
	AVPTC48C14A*		34,400	26,600	15.0	12.5	1,020	201461310
	AWUF37XX16B*+TXV		35,000	27,200	15.0	12.5	1,025	201442224
	CA*F3137*6A*	G*E80603B*B*	34,400	26,600	15.0	12.5	950	201461651
	CA*F3137*6A*	G*VC80604B*B*	34,600	26,800	15.0	12.5	950	201461679
	CA*F3137*6A*	G*EC960803BNA*	34,600	26,800	15.0	12.5	1,050	201461742
	CA*F3137*6A*	G*VC960403BNA*	34,600	26,800	15.0	12.5	990	201461763
	CA*F3137*6A*	G*VC960603BNA*	34,600	26,800	15.0	12.5	1,000	201461784
	CA*F3137*6A*	G*VC960803BNA*	34,600	26,800	15.0	12.5	950	201461805
	CA*F3137*6A*	G*VM970603BNA*	34,600	26,800	15.0	12.5	920	201461826
	CA*F3137*6A*	G*VM970803BNA*	34,600	26,800	15.0	12.5	920	201461847
	CA*F3137*6A*	ADV80603B*B*	34,200	26,600	15.0	12.5	1,000	201465186
	CA*F3137*6A*	A*EH800603B*A*	34,400	26,600	15.0	12.5	950	201466131
	CA*F3137*6A*	A*VC80604B*B*	34,600	26,800	15.0	12.5	950	201466267
	CA*F3137*6A*	A*EC960803BNA*	34,600	26,800	15.0	12.5	1,050	201466474
	CA*F3137*6A*	A*VC960403BNA*	34,600	26,800	15.0	12.5	990	201466585
	CA*F3137*6A*	A*VC960603BNA*	34,600	26,800	15.0	12.5	1,000	201466711
	CA*F3137*6A*	A*VC960803BNA*	34,600	26,800	15.0	12.5	950	201466837
	CA*F3137*6A*	A*VM970603BNA*	34,600	26,800	15.0	12.5	920	201467341
	CA*F3137*6A*	A*VM970803BNA*	34,600	26,800	15.0	12.5	920	201467467

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0371A* (Contd.)	CA*F3137*6A*	G*EC960603BNA*	34,200	26,600	14.5	12.2	1,070	201470956
	CA*F3137*6A*	A*EC960603BNA*	34,200	26,600	14.5	12.2	1,070	201471054
	CA*F3137*6A*	G*VC80603B*B*	35,400	27,400	15.0	12.5	1,000	201488086
	CA*F3137*6A*	G*VC80803B*B*	35,400	27,400	15.0	12.5	1,050	201488149
	CA*F3137*6A*+EEP		34,600	26,800	14.0	12.2	970	201470921
	CA*F3137*6A*+EEP+TXV		35,400	27,400	14.5	12.5	1,100	201470872
	CA*F3137*6A*+MBVC1200**-1A*		34,200	26,600	15.5	13.0	1,025	201465629
	CA*F3137*6A*+MBVC1200**-1A*+TXV		34,600	26,800	16.0	13.0	1,025	201465613
	CA*F3137*6A*+TXV	G*EC960603ANA*	35,400	26,600	14.5	12.2	1125	201525451
	CA*F3137*6A*+TXV	G*E80603B*B*	35,400	27,400	16.0	13.0	970	201438811
	CA*F3137*6A*+TXV	G*EC960603BNA*	35,400	27,400	15.5	13.0	965	201439332
	CA*F3137*6A*+TXV	G*EC960803BNA*	35,400	27,400	15.5	13.0	950	201439585
	CA*F3137*6A*+TXV	ADV80603B*B*	34,200	26,600	15.5	13.0	1,000	201465133
	CA*F3137*6A*+TXV	G*VC80603B*B*	35,400	27,400	16.0	13.0	1,000	201488125
	CA*F3137*6A*+TXV	G*VC80803B*B*	35,400	27,400	16.0	13.0	1,050	201488188
	CA*F3642*6D*+MBVC2000**-1A*		34,200	26,600	15.5	13.0	1,175	201465748
	CA*F3743*6D*	G*E80805C*B*	34,600	26,800	15.0	12.5	1,100	201461597
	CA*F3743*6D*	G*VC960804CNA*	34,600	26,800	15.0	12.5	1,100	201462122
	CA*F3743*6D*	G*VC961005CNA*	34,600	26,800	15.0	12.5	1,120	201462430
	CA*F3743*6D*	G*VC961205DNA*	34,600	26,800	15.0	12.5	1,100	201462710
	CA*F3743*6D*	G*VM970804CNA*	34,600	26,800	15.0	12.5	1,100	201463032
	CA*F3743*6D*	G*VM971005CNA*	34,600	26,800	15.0	12.5	1,120	201463340
	CA*F3743*6D*	G*VM971205DNA*	34,600	26,800	15.0	12.5	1,100	201463620
	CA*F3743*6D*	G*EC961004CNA*	34,200	26,600	15.0	12.5	1,050	201463949
	CA*F3743*6D*	G*VC80805C*B*	34,600	26,800	15.0	12.5	1,100	201464369
	CA*F3743*6D*	G*VC81005C*B*	34,600	26,800	15.0	12.5	1,050	201464656
	CA*F3743*6D*	G*EC961205DNA*	34,600	26,800	15.5	13.0	1,090	201464950
	CA*F3743*6D*	A*EH800805C*A*	34,600	26,800	15.0	12.5	1,100	201466063
	CA*F3743*6D*	A*VC960804CNA*	34,600	26,800	15.0	12.5	1,100	201467736
	CA*F3743*6D*	A*VC961005CNA*	34,600	26,800	15.0	12.5	1,120	201468009
	CA*F3743*6D*	A*VC961205DNA*	34,600	26,800	15.0	12.5	1,100	201468282
	CA*F3743*6D*	A*VM970804CNA*	34,600	26,800	15.0	12.5	1,100	201468597
	CA*F3743*6D*	A*VM971005CNA*	34,600	26,800	15.0	12.5	1,120	201468884
	CA*F3743*6D*	A*VM971205DNA*	34,600	26,800	15.0	12.5	1,100	201469157
	CA*F3743*6D*	A*EC961004CNA*	34,200	26,600	15.0	12.5	1,050	201469458
	CA*F3743*6D*	A*VC80805C*B*	34,600	26,800	15.0	12.5	1,100	201469871
	CA*F3743*6D*	A*VC81005C*B*	34,600	26,800	15.0	12.5	1,050	201470151
	CA*F3743*6D*	A*EC961205DNA*	34,600	26,800	15.5	13.0	1,090	201470417
	CA*F3743*6D*	G*E80603B*B*	34,600	26,800	14.5	12.2	950	201470928
	CA*F3743*6D*	G*EC960603BNA*	34,200	26,600	14.5	12.2	1,070	201470935
	CA*F3743*6D*	G*EC960803BNA*	34,200	26,600	14.5	12.5	1,050	201470963
	CA*F3743*6D*	A*EH800603B*A*	34,600	26,800	14.5	12.2	950	201471026
	CA*F3743*6D*	A*EC960603BNA*	34,200	26,600	14.5	12.2	1,070	201471033
	CA*F3743*6D*	A*EC960803BNA*	34,200	26,600	14.5	12.5	1,050	201471061
	CA*F3743*6D*+EEP+TXV		35,400	27,400	14.5	12.2	1,150	201470879
	CA*F3743*6D*+MBVC1600**-1A*		34,600	26,800	15.5	13.0	1,090	201465671
	CA*F3743*6D*+MBVC1600**-1A*+TXV		34,600	26,800	16.0	13.0	1,090	201465636
	CA*F3743*6D*+MBVC2000**-1A*		34,600	26,800	15.5	13.0	1,175	201465727
	CA*F3743*6D*+MBVC2000**-1A*+TXV		34,600	26,800	16.0	13.0	1,175	201465706
	CA*F3743*6D*+TXV	G*E80805C*B*	34,600	26,800	15.0	12.5	1,100	201461450
	CA*F3743*6D*+TXV	G*E80603B*B*	34,600	26,800	15.0	12.5	950	201461632
	CA*F3743*6D*+TXV	G*EC960603BNA*	34,200	26,600	15.0	12.5	1,070	201461695
	CA*F3743*6D*+TXV	G*EC960803BNA*	34,400	26,600	15.0	12.5	1,050	201461723
	CA*F3743*6D*+TXV	G*VC960804CNA*	34,600	26,800	16.0	13.0	1,100	201462066

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0371A* (Contd.)	CA*F3743*6D*+TXV	G*VC961005CNA*	34,600	26,800	16.0	13.0	1,050	201462283
	CA*F3743*6D*+TXV	G*VC961205DNA*	34,600	26,800	15.5	12.5	1,050	201462577
	CA*F3743*6D*+TXV	G*VM970804CNA*	34,600	26,800	16.0	13.0	1,100	201462766
	CA*F3743*6D*+TXV	G*VM971005CNA*	34,600	26,800	16.0	13.0	1,050	201463088
	CA*F3743*6D*+TXV	G*VM971205DNA*	34,600	26,800	15.5	12.5	1,100	201463564
	CA*F3743*6D*+TXV	G*EC961004CNA*	34,600	26,800	15.5	13.0	1,050	201463690
	CA*F3743*6D*+TXV	G*VC80805C*B*	34,600	26,800	15.5	13.0	1,100	201464271
	CA*F3743*6D*+TXV	G*VC81005C*B*	34,600	26,800	15.5	13.0	1,050	201464516
	CA*F3743*6D*+TXV	G*EC961205DNA*	34,600	26,800	16.0	13.0	1,090	201464810
	CA*F3743*6D*+TXV	A*EH800805C*A*	34,600	26,800	15.0	12.5	1,100	201465888
	CA*F3743*6D*+TXV	A*EH800603B*A*	34,600	26,800	15.0	12.5	950	201466110
	CA*F3743*6D*+TXV	A*EC960603BNA*	34,200	26,600	15.0	12.5	1,070	201466294
	CA*F3743*6D*+TXV	A*EC960803BNA*	34,400	26,600	15.0	12.5	1,050	201466455
	CA*F3743*6D*+TXV	A*VC960804CNA*	34,600	26,800	16.0	13.0	1,100	201467680
	CA*F3743*6D*+TXV	A*VC961005CNA*	34,600	26,800	16.0	13.0	1,050	201467883
	CA*F3743*6D*+TXV	A*VC961205DNA*	34,600	26,800	15.5	12.5	1,050	201468149
	CA*F3743*6D*+TXV	A*VM970804CNA*	34,600	26,800	16.0	13.0	1,100	201468317
	CA*F3743*6D*+TXV	A*VM971005CNA*	34,600	26,800	16.0	13.0	1,050	201468632
	CA*F3743*6D*+TXV	A*VM971205DNA*	34,600	26,800	15.5	12.5	1,100	201469101
	CA*F3743*6D*+TXV	A*EC961004CNA*	34,600	26,800	15.5	13.0	1,050	201469192
	CA*F3743*6D*+TXV	A*VC80805C*B*	34,600	26,800	15.5	13.0	1,100	201469738
	CA*F3743*6D*+TXV	A*VC81005C*B*	34,600	26,800	15.5	13.0	1,050	201470025
	CA*F3743*6D*+TXV	A*EC961205DNA*	34,600	26,800	16.0	13.0	1,090	201470270
	CA*F4860*6D*	G*E80805C*B*	34,600	26,800	15.0	12.5	1,100	201461604
	CA*F4860*6D*	G*VC960804CNA*	34,600	26,800	15.0	12.5	1,100	201462129
	CA*F4860*6D*	G*VC961005CNA*	34,600	26,800	15.0	12.5	1,120	201462437
	CA*F4860*6D*	G*VC961205DNA*	34,600	26,800	15.0	12.5	1,100	201462717
	CA*F4860*6D*	G*VM970804CNA*	34,600	26,800	15.0	12.5	1,100	201463039
	CA*F4860*6D*	G*VM971005CNA*	34,600	26,800	15.0	12.5	1,120	201463347
	CA*F4860*6D*	G*VM971205DNA*	34,600	26,800	15.0	12.5	1,100	201463627
	CA*F4860*6D*	G*EC961004CNA*	34,600	26,800	15.5	13.0	1,050	201463956
	CA*F4860*6D*	G*E81005C*B*	34,600	26,800	15.0	12.5	1,200	201464110
	CA*F4860*6D*	G*VC80805C*B*	34,600	26,800	15.5	13.0	1,100	201464376
	CA*F4860*6D*	G*VC81005C*B*	34,600	26,800	15.5	13.0	1,050	201464663
	CA*F4860*6D*	G*EC961205DNA*	34,600	26,800	15.5	13.0	1,090	201464957
	CA*F4860*6D*	ADVC80805C*B*	34,600	26,800	15.0	12.5	1,075	201465391
	CA*F4860*6D*	ADVC81005C*B*	34,600	26,800	15.5	13.0	1,115	201465594
	CA*F4860*6D*	A*EH800805C*A*	34,600	26,800	15.0	12.5	1,100	201466070
	CA*F4860*6D*	A*VC960804CNA*	34,600	26,800	15.0	12.5	1,100	201467743
	CA*F4860*6D*	A*VC961005CNA*	34,600	26,800	15.0	12.5	1,120	201468016
	CA*F4860*6D*	A*VC961205DNA*	34,600	26,800	15.0	12.5	1,100	201468289
	CA*F4860*6D*	A*VM970804CNA*	34,600	26,800	15.0	12.5	1,100	201468604
	CA*F4860*6D*	A*VM971005CNA*	34,600	26,800	15.0	12.5	1,120	201468891
	CA*F4860*6D*	A*VM971205DNA*	34,600	26,800	15.0	12.5	1,100	201469164
	CA*F4860*6D*	A*EC961004CNA*	34,600	26,800	15.5	13.0	1,050	201469465
	CA*F4860*6D*	A*EH801005C*A*	34,600	26,800	15.0	12.5	1,200	201469619
	CA*F4860*6D*	A*VC80805C*B*	34,600	26,800	15.5	13.0	1,100	201469878
	CA*F4860*6D*	A*VC81005C*B*	34,600	26,800	15.5	13.0	1,050	201470158
	CA*F4860*6D*	A*EC961205DNA*	34,600	26,800	15.5	13.0	1,090	201470424
	CA*F4860*6D*+EEP		35,400	27,400	14.0	12.2	1,150	201470907
	CA*F4860*6D*+EEP+TXV		36,000	28,000	15.0	12.5	1,200	201441382
	CA*F4860*6D*+MBVC2000**-1A*		34,600	26,800	15.5	13.0	1,175	201465734
	CA*F4860*6D*+MBVC2000**-1A*+TXV		34,600	26,800	16.0	13.0	1,175	201465699
	CA*F4860*6D*+TXV	G*EC960804CNA*	35,400	27,400	16.0	13.0	1,050	201457467

See Notes on Page 76.

AHRI RATINGS (CONT.)

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0371A* (Contd.)	CA*F4860*6D*+TXV	G*EC961005CNA*	35,400	27,400	16.0	13.0	1,050	201457671
	CA*F4860*6D*+TXV	G*E80805C*B*	34,600	26,800	16.0	13.0	1,100	201461425
	CA*F4860*6D*+TXV	G*EC960603BNA*	34,600	26,800	15.0	12.5	950	201461688
	CA*F4860*6D*+TXV	G*EC960803BNA*	34,600	26,800	15.0	12.5	1,070	201461716
	CA*F4860*6D*+TXV	G*VC960804CNA*	34,600	26,800	16.0	13.0	1,100	201462030
	CA*F4860*6D*+TXV	G*VC961005CNA*	34,600	26,800	16.0	13.0	1,050	201462258
	CA*F4860*6D*+TXV	G*VC961205DNA*	34,600	26,800	16.0	13.0	1,050	201462554
	CA*F4860*6D*+TXV	G*VM970804CNA*	34,600	26,800	16.0	13.0	1,100	201462756
	CA*F4860*6D*+TXV	G*VM971005CNA*	34,600	26,800	16.0	13.0	1,050	201463078
	CA*F4860*6D*+TXV	G*VM971205DNA*	34,600	26,800	16.0	13.0	1,100	201463530
	CA*F4860*6D*+TXV	G*EC961004CNA*	34,600	26,800	16.0	13.0	1,050	201463678
	CA*F4860*6D*+TXV	G*E81005C*B*	34,600	26,800	15.5	12.5	1,200	201464073
	CA*F4860*6D*+TXV	G*VC80805C*B*	34,600	26,800	16.0	13.0	1,100	201464243
	CA*F4860*6D*+TXV	G*VC81005C*B*	34,600	26,800	16.0	13.0	1,050	201464493
	CA*F4860*6D*+TXV	G*EC961205DNA*	34,600	26,800	16.0	13.0	1,090	201464786
	CA*F4860*6D*+TXV	ADVC80805C*B*	34,600	26,800	16.0	13.0	1,075	201465351
	CA*F4860*6D*+TXV	ADVC81005C*B*	34,600	26,800	16.0	13.0	1,115	201465554
	CA*F4860*6D*+TXV	A*EH800805C*A*	34,600	26,800	16.0	13.0	1,100	201465871
	CA*F4860*6D*+TXV	A*EC960603BNA*	34,600	26,800	15.0	12.5	950	201466287
	CA*F4860*6D*+TXV	A*EC960803BNA*	34,600	26,800	15.0	12.5	1,070	201466448
	CA*F4860*6D*+TXV	A*EC960804CNA*	35,400	27,400	16.0	13.0	1,050	201467017
	CA*F4860*6D*+TXV	A*EC961005CNA*	35,400	27,400	16.0	13.0	1,050	201467206
	CA*F4860*6D*+TXV	A*VC960804CNA*	34,600	26,800	16.0	13.0	1,100	201467647
	CA*F4860*6D*+TXV	A*VC961005CNA*	34,600	26,800	16.0	13.0	1,050	201467860
	CA*F4860*6D*+TXV	A*VC961205DNA*	34,600	26,800	16.0	13.0	1,050	201468127
	CA*F4860*6D*+TXV	A*VM970804CNA*	34,600	26,800	16.0	13.0	1,100	201468310
	CA*F4860*6D*+TXV	A*VM971005CNA*	34,600	26,800	16.0	13.0	1,050	201468625
	CA*F4860*6D*+TXV	A*VM971205DNA*	34,600	26,800	16.0	13.0	1,100	201469068
	CA*F4860*6D*+TXV	A*EC961004CNA*	34,600	26,800	16.0	13.0	1,050	201469185
	CA*F4860*6D*+TXV	A*EH801005C*A*	34,600	26,800	15.5	12.5	1,200	201469582
	CA*F4860*6D*+TXV	A*VC80805C*B*	34,600	26,800	16.0	13.0	1,100	201469716
	CA*F4860*6D*+TXV	A*VC81005C*B*	34,600	26,800	16.0	13.0	1,050	201470001
	CA*F4860*6D*+TXV	A*EC961205DNA*	34,600	26,800	16.0	13.0	1,090	201470251
	CA*F4961*6D*	G*E80805C*B*	34,800	27,000	16.0	13.0	1,100	201461611
	CA*F4961*6D*	A*EH800805C*A*	34,800	27,000	16.0	13.0	1,100	201466077
	CA*F4961*6D*+EEP		36,000	28,000	14.5	12.5	1,150	201471110
	CA*F4961*6D*+EEP+TXV		36,000	28,000	15.0	12.5	1,150	201470494
	CA*F4961*6D*+MBVC1600**-1A*		35,000	27,200	16.0	13.0	1,090	201465678
	CA*F4961*6D*+MBVC1600**-1A*+TXV		35,000	27,200	16.0	13.0	1,090	201465643
	CA*F4961*6D*+TXV	G*E80805C*B*	34,800	27,000	16.0	13.0	1,100	201461457
	CA*F4961*6D*+TXV	G*VC960804CNA*	34,600	26,800	16.0	13.0	1,100	201462073
	CA*F4961*6D*+TXV	G*VC961005CNA*	35,000	27,200	16.0	13.0	1,050	201462290
	CA*F4961*6D*+TXV	G*VC961205DNA*	34,600	26,800	16.0	13.0	1,050	201462584
	CA*F4961*6D*+TXV	G*VM970804CNA*	34,600	26,800	16.0	13.0	1,100	201462773
	CA*F4961*6D*+TXV	G*VM971005CNA*	35,000	27,200	16.0	13.0	1,050	201463095
	CA*F4961*6D*+TXV	G*VM971205DNA*	34,800	27,000	16.0	13.0	1,100	201463571
	CA*F4961*6D*+TXV	G*EC961004CNA*	34,600	26,800	16.0	13.0	1,050	201463697
	CA*F4961*6D*+TXV	G*EC961205DNA*	34,600	26,800	16.0	13.0	1,090	201464817
	CA*F4961*6D*+TXV	A*EH800805C*A*	34,800	27,000	16.0	13.0	1,100	201465895
	CA*F4961*6D*+TXV	A*VC960804CNA*	34,600	26,800	16.0	13.0	1,100	201467687
	CA*F4961*6D*+TXV	A*VC961005CNA*	35,000	27,200	16.0	13.0	1,050	201467890
	CA*F4961*6D*+TXV	A*VC961205DNA*	34,600	26,800	16.0	13.0	1,050	201468156
	CA*F4961*6D*+TXV	A*VM970804CNA*	34,600	26,800	16.0	13.0	1,100	201468324
	CA*F4961*6D*+TXV	A*VM971005CNA*	35,000	27,200	16.0	13.0	1,050	201468639

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0371A* (Contd.)	CA*F4961*6D*+TXV	A*VM971205DNA*	34,800	27,000	16.0	13.0	1,100	201469108
	CA*F4961*6D*+TXV	A*EC961004CNA*	34,600	26,800	16.0	13.0	1,050	201469199
	CA*F4961*6D*+TXV	A*EC961205DNA*	34,600	26,800	16.0	13.0	1,090	201470277
	CA*F4961*6D*+TXV	G*VC81005C*B*	34,600	26,800	16.0	13.0	1,150	201488207
	CAPT3743*4A*	G*E80805C*B*	34,600	26,800	15.5	12.5	1,100	201461590
	CAPT3743*4A*	G*VC80604B*B*	34,600	26,800	15.0	12.5	950	201461660
	CAPT3743*4A*	G*VC960804CNA*	34,600	26,800	15.5	12.5	1,100	201462108
	CAPT3743*4A*	G*VC961005CNA*	34,600	26,800	15.5	12.5	1,120	201462416
	CAPT3743*4A*	G*VC961205DNA*	34,600	26,800	15.5	12.5	1,050	201462696
	CAPT3743*4A*	G*VM970804CNA*	34,600	26,800	15.5	12.5	1,100	201463018
	CAPT3743*4A*	G*VM971005CNA*	34,600	26,800	15.5	12.5	1,120	201463326
	CAPT3743*4A*	G*VM971205DNA*	34,600	26,800	15.5	12.5	1,100	201463606
	CAPT3743*4A*	G*EC961004CNA*	34,600	26,800	15.5	13.0	1,050	201463942
	CAPT3743*4A*	G*E81005C*B*	34,600	26,800	15.0	12.5	1,200	201464103
	CAPT3743*4A*	G*VC80805C*B*	34,600	26,800	15.5	12.5	1,100	201464362
	CAPT3743*4A*	G*VC81005C*B*	34,600	26,800	15.5	13.0	1,050	201464649
	CAPT3743*4A*	G*EC961205DNA*	34,600	26,800	16.0	13.0	1,090	201464943
	CAPT3743*4A*	ADVC80603B*B*	34,600	26,800	15.5	12.5	1,175	201465167
	CAPT3743*4A*	ADVC80805C*B*	34,600	26,800	15.0	12.5	1,075	201465384
	CAPT3743*4A*	ADVC81005C*B*	34,600	26,800	15.5	12.5	1,115	201465587
	CAPT3743*4A*	A*EH800805C*A*	34,600	26,800	15.5	12.5	1,100	201466056
	CAPT3743*4A*	A*VC80604B*B*	34,600	26,800	15.0	12.5	950	201466176
	CAPT3743*4A*	A*VC960804CNA*	34,600	26,800	15.5	12.5	1,100	201467722
	CAPT3743*4A*	A*VC961005CNA*	34,600	26,800	15.5	12.5	1,120	201467995
	CAPT3743*4A*	A*VC961205DNA*	34,600	26,800	15.5	12.5	1,050	201468268
	CAPT3743*4A*	A*VM970804CNA*	34,600	26,800	15.5	12.5	1,100	201468583
	CAPT3743*4A*	A*VM971005CNA*	34,600	26,800	15.5	12.5	1,120	201468870
	CAPT3743*4A*	A*VM971205DNA*	34,600	26,800	15.5	12.5	1,100	201469143
	CAPT3743*4A*	A*EC961004CNA*	34,600	26,800	15.5	13.0	1,050	201469451
	CAPT3743*4A*	A*EH801005C*A*	34,600	26,800	15.0	12.5	1,200	201469612
	CAPT3743*4A*	A*VC80805C*B*	34,600	26,800	15.5	12.5	1,100	201469864
	CAPT3743*4A*	A*VC81005C*B*	34,600	26,800	15.5	13.0	1,050	201470144
	CAPT3743*4A*	A*EC961205DNA*	34,600	26,800	16.0	13.0	1,090	201470410
	CAPT3743*4A*	G*E80603B*B*	36,400	28,200	15.0	12.5	950	201470508
	CAPT3743*4A*	A*EH800603B*A*	36,400	28,200	15.0	12.5	950	201470676
	CAPT3743*4A*	G*VC80804C*B*	34,600	26,800	15.5	12.5	1,150	201488200
	CAPT3743*4A*+MBVC1200**-1A*		34,600	26,800	16.0	13.0	1,050	201465622
	CAPT3743*4A*+MBVC1600**-1A*		34,600	26,800	16.0	13.0	1,090	201465664
	CAPT3743*4A*+MBVC2000**-1A*		34,600	26,800	15.5	13.0	1,175	201465720
	CAPT4961*4A*	G*VC960804CNA*	34,600	26,800	16.0	13.0	1,100	201462115
	CAPT4961*4A*	G*VC961005CNA*	34,600	26,800	15.5	12.5	1,120	201462423
	CAPT4961*4A*	G*VC961205DNA*	35,000	27,200	16.0	13.0	1,050	201462703
	CAPT4961*4A*	G*VM970804CNA*	34,600	26,800	16.0	13.0	1,100	201463025
	CAPT4961*4A*	G*VM971005CNA*	34,600	26,800	15.5	12.5	1,120	201463333
	CAPT4961*4A*	G*VM971205DNA*	35,000	27,200	16.0	13.0	1,050	201463613
	CAPT4961*4A*	A*VC960804CNA*	34,600	26,800	16.0	13.0	1,100	201467729
	CAPT4961*4A*	A*VC961005CNA*	34,600	26,800	15.5	12.5	1,120	201468002
	CAPT4961*4A*	A*VC961205DNA*	35,000	27,200	16.0	13.0	1,050	201468275
	CAPT4961*4A*	A*VM970804CNA*	34,600	26,800	16.0	13.0	1,100	201468590
	CAPT4961*4A*	A*VM971005CNA*	34,600	26,800	15.5	12.5	1,120	201468877
	CAPT4961*4A*	A*VM971205DNA*	35,000	27,200	16.0	13.0	1,050	201469150
	CAPT4961*4A*	G*VC81005C*B*	34,600	26,800	15.5	12.5	1,150	201488214
	CHPF3642C6C*	G*E80805C*B*	34,600	26,800	15.0	12.5	1,100	201461618
	CHPF3642C6C*	G*VC80805C*B*	34,200	26,600	15.0	12.5	1,100	201464383

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0371A* (Contd.)	CHPF3642C6C*	G*VC81005C*B*	34,200	26,600	15.0	12.5	1,050	201464670
	CHPF3642C6C*	A*EH800805C*A*	34,600	26,800	15.0	12.5	1,100	201466084
	CHPF3642C6C*	A*VC80805C*B*	34,200	26,600	15.0	12.5	1,100	201469885
	CHPF3642C6C*	A*VC81005C*B*	34,200	26,600	15.0	12.5	1,050	201470165
	CHPF3642C6C*	G*EC960603BNA*	34,600	26,800	14.5	12.2	1,070	201470942
	CHPF3642C6C*	G*E81005C*B*	34,200	26,600	14.5	12.5	1,200	201470977
	CHPF3642C6C*	A*EC960603BNA*	34,600	26,800	14.5	12.2	1,070	201471040
	CHPF3642C6C*	A*EH801005C*A*	34,200	26,600	14.5	12.5	1,200	201471075
	CHPF3642C6C*+MBVC1600**-1A*		34,600	26,800	15.5	13.0	1,090	201465685
	CHPF3642C6C*+MBVC1600**-1A*+TXV		34,600	26,800	16.0	13.0	1,090	201465650
	CHPF3642C6C*+TXV	G*E80805C*B*	34,600	26,800	15.0	12.5	1,100	201461464
	CHPF3642C6C*+TXV	G*EC960603BNA*	34,600	26,800	15.0	12.5	1,070	201461702
	CHPF3642C6C*+TXV	G*E81005C*B*	34,200	26,600	15.0	12.5	1,200	201464096
	CHPF3642C6C*+TXV	G*VC80805C*B*	34,600	26,800	15.5	12.5	1,100	201464278
	CHPF3642C6C*+TXV	G*VC81005C*B*	34,200	26,600	15.5	13.0	1,050	201464523
	CHPF3642C6C*+TXV	A*EH800805C*A*	34,600	26,800	15.0	12.5	1,100	201465902
	CHPF3642C6C*+TXV	A*EC960603BNA*	34,600	26,800	15.0	12.5	1,070	201466343
	CHPF3642C6C*+TXV	A*EH801005C*A*	34,200	26,600	15.0	12.5	1,200	201469605
	CHPF3642C6C*+TXV	A*VC80805C*B*	34,600	26,800	15.5	12.5	1,100	201469745
	CHPF3642C6C*+TXV	A*VC81005C*B*	34,200	26,600	15.5	13.0	1,050	201470032
	CHPF3642C6C*+TXV	G*E80603B*B*	36,400	28,200	15.0	12.5	950	201470501
	CHPF3642C6C*+TXV	A*EH800603B*A*	36,400	28,200	15.0	12.5	950	201470648
	CHPF3743C6B*	G*VC960804CNA*	34,600	26,800	15.0	12.5	1,100	201462136
	CHPF3743C6B*	G*VC961005CNA*	34,600	26,800	15.0	12.5	1,120	201462444
	CHPF3743C6B*	G*VM970804CNA*	34,600	26,800	15.0	12.5	1,100	201463046
	CHPF3743C6B*	G*VM971005CNA*	34,600	26,800	15.0	12.5	1,120	201463354
	CHPF3743C6B*	G*EC961004CNA*	34,600	26,800	15.0	12.5	1,050	201463963
	CHPF3743C6B*	A*VC960804CNA*	34,600	26,800	15.0	12.5	1,100	201467750
	CHPF3743C6B*	A*VC961005CNA*	34,600	26,800	15.0	12.5	1,120	201468023
	CHPF3743C6B*	A*VM970804CNA*	34,600	26,800	15.0	12.5	1,100	201468611
	CHPF3743C6B*	A*VM971005CNA*	34,600	26,800	15.0	12.5	1,120	201468898
	CHPF3743C6B*	A*EC961004CNA*	34,600	26,800	15.0	12.5	1,050	201469472
	CHPF3743C6B*	G*EC960603BNA*	34,600	26,800	14.5	12.2	1,070	201470949
	CHPF3743C6B*	G*EC960803BNA*	34,600	26,800	14.5	12.5	1,050	201470970
	CHPF3743C6B*	A*EC960603BNA*	34,600	26,800	14.5	12.2	1,070	201471047
	CHPF3743C6B*	A*EC960803BNA*	34,600	26,800	14.5	12.5	1,050	201471068
	CHPF3743C6B*	G*EC960804CNA*	35,400	27,400	14.5	12.5	1,050	201481886
	CHPF3743C6B*	G*VC81005C*B*	34,600	26,800	15.0	12.5	1,150	201488228
	CHPF3743C6B*+EEP+TXV		34,000	27,200	14.5	12.2	1,075	201470886
	CHPF3743C6B*+TXV	G*EC960603BNA*	34,600	26,800	15.0	12.5	1,070	201461709
	CHPF3743C6B*+TXV	G*VC960804CNA*	34,600	26,800	15.5	12.5	1,100	201462080
	CHPF3743C6B*+TXV	G*VC961005CNA*	34,600	26,800	15.5	12.5	1,120	201462297
	CHPF3743C6B*+TXV	G*VM970804CNA*	34,600	26,800	15.5	12.5	1,100	201462870
	CHPF3743C6B*+TXV	G*VM971005CNA*	34,600	26,800	15.5	12.5	1,120	201463102
	CHPF3743C6B*+TXV	G*EC961004CNA*	34,600	26,800	16.0	13.0	1,050	201463812
	CHPF3743C6B*+TXV	A*EC960603BNA*	34,600	26,800	15.0	12.5	1,070	201466429
	CHPF3743C6B*+TXV	A*VC960804CNA*	34,600	26,800	15.5	12.5	1,100	201467694
	CHPF3743C6B*+TXV	A*VC961005CNA*	34,600	26,800	15.5	12.5	1,120	201467897
	CHPF3743C6B*+TXV	A*VM970804CNA*	34,600	26,800	15.5	12.5	1,100	201468403
	CHPF3743C6B*+TXV	A*VM971005CNA*	34,600	26,800	15.5	12.5	1,120	201468646
	CHPF3743C6B*+TXV	A*EC961004CNA*	34,600	26,800	16.0	13.0	1,050	201469308
	CHPF3743C6B*+TXV	G*EC960803BNA*	36,400	28,200	15.0	12.5	1,050	201470515
	CHPF3743C6B*+TXV	A*EC960803BNA*	36,400	28,200	15.0	12.5	1,050	201470797
	CHPF3743C6B*+TXV	G*VC81005C*B*	34,400	26,600	15.0	12.5	1,150	201488221

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0371A* (Contd.)	CHPF3743D6B*	G*VC961205DNA*	34,600	26,800	15.0	12.5	1,100	201462724
	CHPF3743D6B*	G*VM971205DNA*	34,600	26,800	15.0	12.5	1,100	201463634
	CHPF3743D6B*	A*VC961205DNA*	34,600	26,800	15.0	12.5	1,100	201468296
	CHPF3743D6B*	A*VM971205DNA*	34,600	26,800	15.0	12.5	1,100	201469171
	CHPF3743D6B*+EEP+TXV		35,400	27,400	14.5	12.5	1,150	201470893
	CHPF3743D6B*+TXV	G*VC961205DNA*	34,600	26,800	15.5	12.5	1,050	201462591
	CHPF3743D6B*+TXV	G*VM971205DNA*	34,600	26,800	15.5	12.5	1,050	201463578
	CHPF3743D6B*+TXV	A*VC961205DNA*	34,600	26,800	15.5	12.5	1,050	201468163
	CHPF3743D6B*+TXV	A*VM971205DNA*	34,600	26,800	15.5	12.5	1,050	201469115
	CHPF4860D6D*	G*E80805C*B*	34,600	26,800	15.0	12.5	1,100	201461625
	CHPF4860D6D*	G*VC960804CNA*	34,600	26,800	15.0	12.5	1,100	201462143
	CHPF4860D6D*	G*VC961005CNA*	34,600	26,800	15.0	12.5	1,120	201462451
	CHPF4860D6D*	G*VC961205DNA*	34,600	26,800	15.0	12.5	1,100	201462731
	CHPF4860D6D*	G*VM970804CNA*	34,600	26,800	15.0	12.5	1,100	201463053
	CHPF4860D6D*	G*VM971005CNA*	34,600	26,800	15.0	12.5	1,120	201463361
	CHPF4860D6D*	G*VM971205DNA*	34,600	26,800	15.0	12.5	1,100	201463641
	CHPF4860D6D*	G*EC961004CNA*	34,600	26,800	15.5	13.0	1,050	201463970
	CHPF4860D6D*	G*VC80805C*B*	34,600	26,800	15.5	13.0	1,100	201464390
	CHPF4860D6D*	G*VC81005C*B*	34,600	26,800	15.5	13.0	1,050	201464677
	CHPF4860D6D*	G*EC961205DNA*	34,600	26,800	15.5	13.0	1,090	201464964
	CHPF4860D6D*	A*EH800805C*A*	34,600	26,800	15.0	12.5	1,100	201466091
	CHPF4860D6D*	A*VC960804CNA*	34,600	26,800	15.0	12.5	1,100	201467757
	CHPF4860D6D*	A*VC961005CNA*	34,600	26,800	15.0	12.5	1,120	201468030
	CHPF4860D6D*	A*VC961205DNA*	34,600	26,800	15.0	12.5	1,100	201468303
	CHPF4860D6D*	A*VM970804CNA*	34,600	26,800	15.0	12.5	1,100	201468618
	CHPF4860D6D*	A*VM971005CNA*	34,600	26,800	15.0	12.5	1,120	201468905
	CHPF4860D6D*	A*VM971205DNA*	34,600	26,800	15.0	12.5	1,100	201469178
	CHPF4860D6D*	A*EC961004CNA*	34,600	26,800	15.5	13.0	1,050	201469479
	CHPF4860D6D*	A*VC80805C*B*	34,600	26,800	15.5	13.0	1,100	201469892
	CHPF4860D6D*	A*VC81005C*B*	34,600	26,800	15.5	13.0	1,050	201470172
	CHPF4860D6D*	A*EC961205DNA*	34,600	26,800	15.5	13.0	1,090	201470431
	CHPF4860D6D*	G*EC960804CNA*	36,000	28,000	15.0	12.5	1,050	201481893
	CHPF4860D6D*+EEP		35,400	27,400	14.5	12.5	1,150	201470914
	CHPF4860D6D*+EEP+TXV		35,400	27,400	14.5	12.5	1,150	201470900
	CHPF4860D6D*+MBVC1600*-1A*		34,600	26,800	16.0	13.0	1,090	201465692
	CHPF4860D6D*+MBVC1600*-1A*+TXV		34,600	26,800	16.0	13.0	1,090	201465657
	CHPF4860D6D*+MBVC2000*-1A*		34,600	26,800	15.5	13.0	1,175	201465741
	CHPF4860D6D*+MBVC2000*-1A*+TXV		34,600	26,800	16.0	13.0	1,175	201465713
	CHPF4860D6D*+TXV	G*E80805C*B*	34,600	26,800	16.0	13.0	1,100	201461567
	CHPF4860D6D*+TXV	G*VC960804CNA*	34,600	26,800	16.0	13.0	1,100	201462099
	CHPF4860D6D*+TXV	G*VC961005CNA*	35,000	27,200	16.0	13.0	1,120	201462394
	CHPF4860D6D*+TXV	G*VC961205DNA*	34,600	26,800	16.0	13.0	1,050	201462676
	CHPF4860D6D*+TXV	G*VM970804CNA*	34,600	26,800	16.0	13.0	1,100	201462994
	CHPF4860D6D*+TXV	G*VM971005CNA*	35,000	27,200	16.0	13.0	1,120	201463289
	CHPF4860D6D*+TXV	G*VM971205DNA*	34,600	26,800	16.0	13.0	1,100	201463597
	CHPF4860D6D*+TXV	G*EC961004CNA*	34,600	26,800	16.0	13.0	1,050	201463921
	CHPF4860D6D*+TXV	G*VC80805C*B*	34,600	26,800	16.0	13.0	1,100	201464345
	CHPF4860D6D*+TXV	G*VC81005C*B*	34,600	26,800	16.0	13.0	1,050	201464626
	CHPF4860D6D*+TXV	G*EC961205DNA*	34,600	26,800	16.0	13.0	1,090	201464920
	CHPF4860D6D*+TXV	A*EH800805C*A*	34,600	26,800	16.0	13.0	1,100	201466029
	CHPF4860D6D*+TXV	A*VC960804CNA*	34,600	26,800	16.0	13.0	1,100	201467713
	CHPF4860D6D*+TXV	A*VC961005CNA*	35,000	27,200	16.0	13.0	1,120	201467976
	CHPF4860D6D*+TXV	A*VC961205DNA*	34,600	26,800	16.0	13.0	1,050	201468248
	CHPF4860D6D*+TXV	A*VM970804CNA*	34,600	26,800	16.0	13.0	1,100	201468554

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0371A* (Contd.)	CHPF4860D6D*+TXV	A*VM971005CNA*	35,000	27,200	16.0	13.0	1,120	201468833
	CHPF4860D6D*+TXV	A*VM971205DNA*	34,600	26,800	16.0	13.0	1,100	201469134
	CHPF4860D6D*+TXV	A*EC961004CNA*	34,600	26,800	16.0	13.0	1,050	201469428
	CHPF4860D6D*+TXV	A*VC80805C*B*	34,600	26,800	16.0	13.0	1,100	201469842
	CHPF4860D6D*+TXV	A*VC81005C*B*	34,600	26,800	16.0	13.0	1,050	201470123
	CHPF4860D6D*+TXV	A*EC961205DNA*	34,600	26,800	16.0	13.0	1,090	201470386
	CSCF3642N6D*+TXV	G*VC960804CNA*	34,000	26,400	14.5	12.2	980	201470984
	CSCF3642N6D*+TXV	G*VC961005CNA*	34,000	26,400	14.5	12.2	1,020	201470991
	CSCF3642N6D*+TXV	G*VM970804CNA*	34,000	26,400	14.5	12.2	980	201470998
	CSCF3642N6D*+TXV	G*VM971005CNA*	34,000	26,400	14.5	12.2	1,020	201471005
	CSCF3642N6D*+TXV	A*VC960804CNA*	34,000	26,400	14.5	12.2	980	201471082
	CSCF3642N6D*+TXV	A*VC961005CNA*	34,000	26,400	14.5	12.2	1,020	201471089
	CSCF3642N6D*+TXV	A*VM970804CNA*	34,000	26,400	14.5	12.2	980	201471096
	CSCF3642N6D*+TXV	A*VM971005CNA*	34,000	26,400	14.5	12.2	1,020	201471103
	CSCF3642N6D*+TXV	G*VC81005C*B*	34,600	26,800	15.0	12.5	1,150	201488235
	CSCF4860N6D*	G*VC961205DNA*	34,400	26,600	15.0	12.5	1,060	201465755
	CSCF4860N6D*	G*VM971205DNA*	34,400	26,600	15.0	12.5	1,060	201465762
	CSCF4860N6D*	A*VC961205DNA*	34,400	26,600	15.0	12.5	1,060	201470438
	CSCF4860N6D*	A*VM971205DNA*	34,400	26,600	15.0	12.5	1,060	201470445
	CSCF4860N6D*+EEP		34,400	26,600	14.0	12.2	1,200	201471012
	CSCF4860N6D*+EEP+TXV		34,400	26,600	14.5	12.2	1,200	201471019
	CSCF4860N6D*+TXV	G*VC960804CNA*	34,000	26,400	15.0	12.5	980	201465769
	CSCF4860N6D*+TXV	G*VC961005CNA*	34,000	26,400	15.0	12.5	1,020	201465776
	CSCF4860N6D*+TXV	G*VC961205DNA*	34,400	26,600	15.5	12.5	1,060	201465783
	CSCF4860N6D*+TXV	G*VM970804CNA*	34,000	26,400	15.0	12.5	980	201465790
	CSCF4860N6D*+TXV	G*VM971005CNA*	34,000	26,400	15.0	12.5	1,020	201465797
	CSCF4860N6D*+TXV	G*VM971205DNA*	34,400	26,600	15.5	12.5	1,060	201465804
	CSCF4860N6D*+TXV	A*VC960804CNA*	34,000	26,400	15.0	12.5	980	201470452
	CSCF4860N6D*+TXV	A*VC961005CNA*	34,000	26,400	15.0	12.5	1,020	201470459
	CSCF4860N6D*+TXV	A*VC961205DNA*	34,400	26,600	15.5	12.5	1,060	201470466
	CSCF4860N6D*+TXV	A*VM970804CNA*	34,000	26,400	15.0	12.5	980	201470473
	CSCF4860N6D*+TXV	A*VM971005CNA*	34,000	26,400	15.0	12.5	1,020	201470480
	CSCF4860N6D*+TXV	A*VM971205DNA*	34,400	26,600	15.5	12.5	1,060	201470487
	CSCF4860N6D*+TXV	G*VC81005C*B*	34,600	26,800	15.0	12.5	1,150	201488242
GSX16 0421F*	ARUF43D14A*+TXV		41,000	32,000	14.0	12.2	1,455	201335813
	ASPT49C14A*		40,000	31,200	14.5	12.2	1,355	201498313
	ASPT49D14A*		41,000	32,000	16.0	13.0	1,425	201384347
	ASPT59C14A*		40,000	31,200	15.0	12.5	1,260	201384384
	AVPTC48C14A*		40,000	31,200	14.5	12.2	1,300	200979049
	AVPTC49C14A*		40,000	31,200	14.5	12.2	1,285	201498504
	AVPTC49D14A*		41,500	32,400	16.0	13.0	1,320	201441973
	AVPTC59C14A*		40,500	31,600	15.0	12.5	1,290	201441966
	CA*F3743*6D*	G*EC961004CNA*	40,000	31,200	14.5	12.2	1,300	201129977
	CA*F3743*6D*	A*EC961004CNA*	40,000	31,200	14.5	12.2	1,300	201138424
	CA*F3743*6D*+EEP+TXV		40,000	31,200	14.5	12.2	1,400	200860243
	CA*F3743*6D*+TXV	ADVC80805C*B*	40,000	31,200	15.5	12.5	1,250	200865222
	CA*F3743*6D*+TXV	ADVC81005C*B*	40,000	31,200	15.5	12.5	1,400	200865586
	CA*F3743*6D*+TXV	G*EC961004CNA*	40,000	31,200	14.5	12.2	1,300	201129996
	CA*F3743*6D*+TXV	A*EC961004CNA*	40,000	31,200	14.5	12.2	1,300	201138431
	CA*F4860*6D*	G*E80805C*B*	40,000	31,200	14.5	12.2	1,350	200894059
	CA*F4860*6D*	G*E80805D*A*	40,000	31,200	15.0	12.5	1,310	200894080
	CA*F4860*6D*	G*E81005C*B*	40,000	31,200	14.0	12.2	1,420	200894101
	CA*F4860*6D*	G*VC80805C*B*	40,000	31,200	14.5	12.2	1,190	200894122
	CA*F4860*6D*	G*VC81005C*B*	40,000	31,200	14.5	12.2	1,370	200894143

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0421F* (Contd.)	CA*F4860*6D*	ADVC80805C*B*	40,000	31,200	15.0	12.5	1,250	200894534
	CA*F4860*6D*	ADVC81005C*B*	40,000	31,200	15.0	12.5	1,400	200894541
	CA*F4860*6D*	A*VC80805C*B*	40,000	31,200	14.5	12.2	1,190	200898076
	CA*F4860*6D*	A*VC81005C*B*	40,000	31,200	14.5	12.2	1,370	200898103
	CA*F4860*6D*	A*EH800805C*A*	40,000	31,200	14.5	12.2	1,350	200968692
	CA*F4860*6D*	A*EH800805D*A*	40,000	31,200	15.0	12.5	1,310	200968699
	CA*F4860*6D*	A*EH801005C*A*	40,000	31,200	14.0	12.2	1,420	200968706
	CA*F4860*6D*	G*VC961205DNA*	40,000	31,200	15.0	12.5	1,160	201048814
	CA*F4860*6D*	G*VM971205DNA*	40,000	31,200	15.0	12.5	1,160	201053246
	CA*F4860*6D*	A*VC961205DNA*	40,000	31,200	15.0	12.5	1,160	201058301
	CA*F4860*6D*	A*VM971205DNA*	40,000	31,200	15.0	12.5	1,160	201062148
	CA*F4860*6D*	G*VC960804CNA*	40,000	31,200	15.0	12.5	1,195	201064682
	CA*F4860*6D*	G*VC961005CNA*	40,000	31,200	15.0	12.5	1,195	201065158
	CA*F4860*6D*	G*VM970804CNA*	40,000	31,200	15.0	12.5	1,195	201066411
	CA*F4860*6D*	G*VM971005CNA*	40,000	31,200	15.0	12.5	1,195	201066817
	CA*F4860*6D*	A*VC960804CNA*	40,000	31,200	15.0	12.5	1,195	201067982
	CA*F4860*6D*	A*VC961005CNA*	40,000	31,200	15.0	12.5	1,195	201068346
	CA*F4860*6D*	A*VM970804CNA*	40,000	31,200	15.0	12.5	1,195	201069466
	CA*F4860*6D*	A*VM971005CNA*	40,000	31,200	15.0	12.5	1,195	201069830
	CA*F4860*6D*	G*EC961004CNA*	40,000	31,200	14.5	12.2	1,300	201130005
	CA*F4860*6D*	A*EC961004CNA*	40,000	31,200	14.5	12.2	1,300	201138438
	CA*F4860*6D*	G*VC80805D*B*	40,000	31,200	14.5	12.2	1,350	201488270
	CA*F4860*6D*+EEP+TXV		42,000	32,800	14.5	12.2	1,400	200819244
	CA*F4860*6D*+MBVC2000**-1A*		40,000	31,200	15.0	12.5	1,335	200894012
	CA*F4860*6D*+MBVC2000**-1A*+TXV		40,000	31,200	15.5	12.5	1,335	200860250
	CA*F4860*6D*+TXV	G*E80805C*B*	40,000	31,200	15.0	12.5	1,350	200860337
	CA*F4860*6D*+TXV	G*E80805D*A*	40,000	31,200	15.5	12.5	1,310	200860880
	CA*F4860*6D*+TXV	G*E81005C*B*	40,000	31,200	14.5	12.2	1,420	200860899
	CA*F4860*6D*+TXV	G*VC80805C*B*	40,000	31,200	15.5	12.5	1,190	200861635
	CA*F4860*6D*+TXV	A*VC80805C*B*	40,000	31,200	15.5	12.5	1,190	200884660
	CA*F4860*6D*+TXV	A*EH800805C*A*	40,000	31,200	15.0	12.5	1,350	200968725
	CA*F4860*6D*+TXV	A*EH800805D*A*	40,000	31,200	15.5	12.5	1,310	200968732
	CA*F4860*6D*+TXV	A*EH801005C*A*	40,000	31,200	14.5	12.2	1,420	200968739
	CA*F4860*6D*+TXV	G*VC961205DNA*	40,000	31,200	15.5	12.5	1,160	201048821
	CA*F4860*6D*+TXV	G*VM971205DNA*	40,000	31,200	15.5	12.5	1,160	201053253
	CA*F4860*6D*+TXV	A*VC961205DNA*	40,000	31,200	15.5	12.5	1,160	201058308
	CA*F4860*6D*+TXV	A*VM971205DNA*	40,000	31,200	15.5	12.5	1,160	201062155
	CA*F4860*6D*+TXV	G*VC960804CNA*	40,000	31,200	15.5	12.5	1,195	201064689
	CA*F4860*6D*+TXV	G*VC961005CNA*	40,000	31,200	15.5	12.5	1,195	201065177
	CA*F4860*6D*+TXV	G*VM970804CNA*	40,000	31,200	15.5	12.5	1,195	201066418
	CA*F4860*6D*+TXV	G*VM971005CNA*	40,000	31,200	15.5	12.5	1,195	201066824
	CA*F4860*6D*+TXV	A*VC960804CNA*	40,000	31,200	15.5	12.5	1,195	201067989
	CA*F4860*6D*+TXV	A*VC961005CNA*	40,000	31,200	15.5	12.5	1,195	201068353
	CA*F4860*6D*+TXV	A*VM970804CNA*	40,000	31,200	15.5	12.5	1,195	201069473
	CA*F4860*6D*+TXV	A*VM971005CNA*	40,000	31,200	15.5	12.5	1,195	201069837
	CA*F4860*6D*+TXV	G*EC961004CNA*	40,000	31,200	15.0	12.5	1,300	201130054
	CA*F4860*6D*+TXV	G*EC961205DNA*	40,000	31,200	15.0	12.5	1,300	201130541
	CA*F4860*6D*+TXV	A*EC961004CNA*	40,000	31,200	15.0	12.5	1,300	201138445
	CA*F4860*6D*+TXV	A*EC961205DNA*	40,000	31,200	15.0	12.5	1,300	201138865
	CA*F4860*6D*+TXV	G*VC80805D*B*	40,000	31,200	15.5	12.5	1,350	201488301
	CA*F4860*6D*+TXV	G*VC81005C*B*	40,000	31,200	15.5	12.5	1,450	201488391
	CA*F4961*6D*	G*E80805C*B*	41,000	32,000	15.0	12.5	1,350	200894066
	CA*F4961*6D*	G*E80805D*A*	41,000	32,000	15.5	12.5	1,310	200894087
	CA*F4961*6D*	G*E81005C*B*	41,000	32,000	14.5	12.2	1,420	200894108

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0421F* (Contd.)	CA*F4961*6D*	G*VC80805C*B*	41,000	32,000	15.0	12.5	1,190	200894129
	CA*F4961*6D*	G*VC81005C*B*	41,000	32,000	14.5	12.2	1,370	200894150
	CA*F4961*6D*	A*VC80805C*B*	41,000	32,000	15.0	12.5	1,190	200898083
	CA*F4961*6D*	A*VC81005C*B*	41,000	32,000	14.5	12.2	1,370	200898110
	CA*F4961*6D*	A*EH800805C*A*	41,000	32,000	15.0	12.5	1,350	200968758
	CA*F4961*6D*	A*EH800805D*A*	41,000	32,000	15.5	12.5	1,310	200968765
	CA*F4961*6D*	A*EH801005C*A*	41,000	32,000	14.5	12.2	1,420	200968772
	CA*F4961*6D*	G*VC961205DNA*	40,500	31,600	15.0	12.5	1,160	201048828
	CA*F4961*6D*	G*VM971205DNA*	40,500	31,600	15.0	12.5	1,160	201053260
	CA*F4961*6D*	A*VC961205DNA*	40,500	31,600	15.0	12.5	1,160	201058315
	CA*F4961*6D*	A*VM971205DNA*	40,500	31,600	15.0	12.5	1,160	201062162
	CA*F4961*6D*	G*VC960804CNA*	40,500	31,600	15.0	12.5	1,195	201064696
	CA*F4961*6D*	G*VC961005CNA*	40,500	31,600	15.0	12.5	1,195	201065186
	CA*F4961*6D*	G*VM970804CNA*	40,500	31,600	15.0	12.5	1,195	201066425
	CA*F4961*6D*	G*VM971005CNA*	40,500	31,600	15.0	12.5	1,195	201066831
	CA*F4961*6D*	A*VC960804CNA*	40,500	31,600	15.0	12.5	1,195	201067996
	CA*F4961*6D*	A*VC961005CNA*	40,500	31,600	15.0	12.5	1,195	201068360
	CA*F4961*6D*	A*VM970804CNA*	40,500	31,600	15.0	12.5	1,195	201069480
	CA*F4961*6D*	A*VM971005CNA*	40,500	31,600	15.0	12.5	1,195	201069844
	CA*F4961*6D*	G*EC961004CNA*	41,000	32,000	14.5	12.2	1,300	201130068
	CA*F4961*6D*	G*EC961205DNA*	41,000	32,000	14.5	12.2	1,300	201130551
	CA*F4961*6D*	A*EC961004CNA*	41,000	32,000	14.5	12.2	1,300	201138452
	CA*F4961*6D*	A*EC961205DNA*	41,000	32,000	14.5	12.2	1,300	201138872
	CA*F4961*6D*	G*VC80805D*B*	41,000	32,000	15.0	12.5	1,350	201488312
	CA*F4961*6D*+EEP+TXV		42,000	32,800	15.0	12.5	1,300	200819445
	CA*F4961*6D*+MBVC2000**-1A*		41,000	32,000	15.5	12.5	1,335	200894019
	CA*F4961*6D*+MBVC2000**-1A*+TXV		41,000	32,000	16.0	13.0	1,335	200860257
	CA*F4961*6D*+TXV	G*E80805C*B*	41,000	32,000	15.5	12.5	1,350	200860750
	CA*F4961*6D*+TXV	G*E81005C*B*	41,000	32,000	15.0	12.5	1,420	200861208
	CA*F4961*6D*+TXV	G*VC80805C*B*	41,000	32,000	15.5	12.5	1,190	200861699
	CA*F4961*6D*+TXV	G*VC81005C*B*	41,000	32,000	15.2	12.5	1,370	200862029
	CA*F4961*6D*+TXV	ADVC80805C*B*	41,000	32,000	16.0	13.0	1,250	200865529
	CA*F4961*6D*+TXV	ADVC81005C*B*	41,000	32,000	16.0	13.0	1,400	200865893
	CA*F4961*6D*+TXV	A*VC80805C*B*	41,000	32,000	15.5	12.5	1,190	200884716
	CA*F4961*6D*+TXV	A*VC81005C*B*	41,000	32,000	15.2	12.5	1,370	200885044
	CA*F4961*6D*+TXV	A*EH800805C*A*	41,000	32,000	15.5	12.5	1,350	200968803
	CA*F4961*6D*+TXV	A*EH801005C*A*	41,000	32,000	15.0	12.5	1,420	200968855
	CA*F4961*6D*+TXV	G*VC960804CNA*	41,000	32,000	16.0	13.0	1,195	201064799
	CA*F4961*6D*+TXV	G*VC961005CNA*	41,000	32,000	16.0	13.0	1,195	201065223
	CA*F4961*6D*+TXV	G*VM970804CNA*	41,000	32,000	16.0	13.0	1,195	201066468
	CA*F4961*6D*+TXV	A*VC960804CNA*	41,000	32,000	16.0	13.0	1,195	201068003
	CA*F4961*6D*+TXV	A*VC961005CNA*	41,000	32,000	16.0	13.0	1,195	201068367
	CA*F4961*6D*+TXV	A*VM970804CNA*	41,000	32,000	16.0	13.0	1,195	201069487
	CA*F4961*6D*+TXV	G*EC961004CNA*	41,000	32,000	15.5	12.5	1,300	201130093
	CA*F4961*6D*+TXV	G*EC961205DNA*	41,000	32,000	15.5	12.5	1,300	201130570
	CA*F4961*6D*+TXV	A*EC961004CNA*	41,000	32,000	15.5	12.5	1,300	201138459
	CA*F4961*6D*+TXV	A*EC961205DNA*	41,000	32,000	15.5	12.5	1,300	201138879
	CA*F4961*6D*+TXV	G*VC80805D*B*	41,000	32,000	15.5	12.5	1,350	201488319
	CAPT4961*4A*	G*E80805C*B*	41,000	32,000	15.0	12.5	1,350	200972784
	CAPT4961*4A*	G*E80805D*A*	41,000	32,000	15.0	12.5	1,300	200972805
	CAPT4961*4A*	G*E81005C*B*	41,000	32,000	15.0	12.5	1,420	200972833
	CAPT4961*4A*	A*VC80604B*B*	41,000	32,000	15.0	12.5	1,410	200972888
	CAPT4961*4A*	G*VC80604B*B*	41,000	32,000	15.0	12.5	1,410	200972925
	CAPT4961*4A*	A*VC80805C*B*	41,000	32,000	15.0	12.5	1,190	200972977

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0421F* (Contd.)	CAPT4961*4A*	G*VC80805C*B*	41,000	32,000	15.0	12.5	1,190	200972984
	CAPT4961*4A*	A*VC81005C*B*	41,000	32,000	15.0	12.5	1,370	200973015
	CAPT4961*4A*	G*VC81005C*B*	41,000	32,000	15.0	12.5	1,370	200973022
	CAPT4961*4A*	ADVC80805C*B*	41,000	32,000	15.0	12.5	1,250	200973716
	CAPT4961*4A*	ADVC81005C*B*	41,000	32,000	15.0	12.5	1,400	200973748
	CAPT4961*4A*	G*VC961205DNA*	40,500	31,600	15.0	12.5	1,160	201048884
	CAPT4961*4A*	G*VM971205DNA*	40,500	31,600	15.0	12.5	1,160	201053309
	CAPT4961*4A*	A*VC961205DNA*	40,500	31,600	15.0	12.5	1,160	201058329
	CAPT4961*4A*	A*VM971205DNA*	40,500	31,600	15.0	12.5	1,160	201062176
	CAPT4961*4A*	G*VC960804CNA*	40,500	31,600	15.0	12.5	1,195	201064822
	CAPT4961*4A*	G*VC961005CNA*	40,500	31,600	15.0	12.5	1,195	201065242
	CAPT4961*4A*	G*VM970804CNA*	40,500	31,600	15.0	12.5	1,195	201066481
	CAPT4961*4A*	G*VM971005CNA*	40,500	31,600	15.0	12.5	1,195	201066880
	CAPT4961*4A*	A*VC960804CNA*	40,500	31,600	15.0	12.5	1,195	201068010
	CAPT4961*4A*	A*VC961005CNA*	40,500	31,600	15.0	12.5	1,195	201068374
	CAPT4961*4A*	A*VM970804CNA*	40,500	31,600	15.0	12.5	1,195	201069494
	CAPT4961*4A*	A*VM971005CNA*	40,500	31,600	15.0	12.5	1,195	201069858
	CAPT4961*4A*	G*EC961004CNA*	40,500	31,600	15.0	12.5	1,300	201130103
	CAPT4961*4A*	G*EC961205DNA*	40,500	31,600	15.0	12.5	1,300	201130579
	CAPT4961*4A*	A*EC961004CNA*	40,500	31,600	15.0	12.5	1,300	201138466
	CAPT4961*4A*	A*EC961205DNA*	40,500	31,600	15.0	12.5	1,300	201138886
	CAPT4961*4A*	G*VC80804C*B*	41,000	32,000	15.0	12.5	1,350	201488261
	CAPT4961*4A*	G*VC80805D*B*	41,000	32,000	15.0	12.5	1,350	201488326
	CAPT4961*4A*+EEP		41,000	32,000	15.0	12.5	1,400	200860264
	CAPT4961*4A*+MBVC1600**-1A*		41,000	32,000	15.0	12.5	1,375	200972729
	CAPT4961*4A*+MBVC2000**-1A*		41,000	32,000	16.0	13.0	1,335	200860271
	CHPF3743C6B*+EEP+TXV		40,500	32,400	14.5	12.2	1,075	200819452
	CHPF3743C6B*+TXV	G*VC960804CNA*	40,000	31,200	15.5	12.5	1,300	201385173
	CHPF3743C6B*+TXV	G*VM970804CNA*	40,000	31,200	15.5	12.5	1,300	201385180
	CHPF3743D6B*+EEP+TXV		40,000	31,200	14.5	12.2	1,400	200860278
	CHPF4860D6D*	G*E80805C*B*	40,000	31,200	15.0	12.5	1,350	200894073
	CHPF4860D6D*	G*E80805D*A*	40,000	31,200	15.5	12.5	1,310	200894094
	CHPF4860D6D*	G*E81005C*B*	40,500	31,600	14.5	12.2	1,420	200894115
	CHPF4860D6D*	G*VC80805C*B*	41,000	32,000	15.0	12.5	1,190	200894136
	CHPF4860D6D*	G*VC81005C*B*	39,000	30,600	14.5	12.2	1,370	200894157
	CHPF4860D6D*	A*VC80805C*B*	41,000	32,000	15.0	12.5	1,190	200898090
	CHPF4860D6D*	A*VC81005C*B*	39,000	30,600	14.5	12.2	1,370	200898117
	CHPF4860D6D*	A*EH800805C*A*	40,000	31,200	15.0	12.5	1,350	200968879
	CHPF4860D6D*	A*EH800805D*A*	40,000	31,200	15.5	12.5	1,310	200968886
	CHPF4860D6D*	A*EH801005C*A*	40,500	31,600	14.5	12.2	1,420	200968893
	CHPF4860D6D*	G*VC960804CNA*	40,500	31,600	15.0	12.5	1,195	201065123
	CHPF4860D6D*	G*VM970804CNA*	40,500	31,600	15.0	12.5	1,195	201066782
	CHPF4860D6D*	A*VC960804CNA*	40,500	31,600	15.0	12.5	1,195	201068311
	CHPF4860D6D*	A*VM970804CNA*	40,500	31,600	15.0	12.5	1,195	201069795
	CHPF4860D6D*	G*VC961005CNA*	40,500	31,600	15.0	12.5	1,195	201095579
	CHPF4860D6D*	G*VC961205DNA*	40,500	31,600	15.0	12.5	1,160	201095586
	CHPF4860D6D*	G*VM971005CNA*	40,500	31,600	15.0	12.5	1,195	201095662
	CHPF4860D6D*	G*VM971205DNA*	40,500	31,600	15.0	12.5	1,160	201166081
	CHPF4860D6D*	A*VC961005CNA*	40,500	31,600	15.0	12.5	1,195	201065235
	CHPF4860D6D*	A*VC961205DNA*	40,500	31,600	15.0	12.5	1,160	201095723
	CHPF4860D6D*	A*VM971005CNA*	40,500	31,600	15.0	12.5	1,195	201095778
	CHPF4860D6D*	A*VM971205DNA*	40,500	31,600	15.0	12.5	1,160	201095785
	CHPF4860D6D*	G*EC961004CNA*	40,000	31,200	14.5	12.2	1,300	201130110
	CHPF4860D6D*	G*EC961205DNA*	40,000	31,200	14.5	12.2	1,300	201130586

See Notes on Page 76.

AHRI RATINGS (CONT.)

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0421F* (Contd.)	CHPF4860D6D*	A*EC961004CNA*	40,000	31,200	14.5	12.2	1,300	201138473
	CHPF4860D6D*	A*EC961205DNA*	40,000	31,200	14.5	12.2	1,300	201138893
	CHPF4860D6D*	G*EC960804CNA*	41,000	32,000	14.5	12.2	1,450	201481900
	CHPF4860D6D*	G*VC80805D*B*	41,000	32,000	15.0	12.5	1,350	201488333
	CHPF4860D6D*+EEP		40,000	31,200	14.0	12.2	1,400	200894038
	CHPF4860D6D*+EEP+TXV		41,000	32,000	15.0	12.5	1,200	200819459
	CHPF4860D6D*+MBVC2000*-1A*		40,000	31,200	15.5	12.5	1,335	200894045
	CHPF4860D6D*+MBVC2000*-1A*+TXV		40,000	31,200	16.0	13.0	1,335	200860297
	CHPF4860D6D*+TXV	G*E80805D*A*	40,000	31,200	16.0	13.0	1,300	200820152
	CHPF4860D6D*+TXV	G*E80805C*B*	40,000	31,200	15.5	12.5	1,350	200860866
	CHPF4860D6D*+TXV	G*E81005C*B*	40,500	31,600	15.0	12.5	1,420	200861283
	CHPF4860D6D*+TXV	G*VC80805C*B*	41,000	32,000	15.5	12.5	1,190	200861730
	CHPF4860D6D*+TXV	G*VC81005C*B*	40,000	31,200	15.0	12.5	1,370	200862096
	CHPF4860D6D*+TXV	A*VC80805C*B*	41,000	32,000	15.5	12.5	1,190	200884735
	CHPF4860D6D*+TXV	A*VC81005C*B*	40,000	31,200	15.0	12.5	1,370	200885112
	CHPF4860D6D*+TXV	A*EH800805C*A*	40,000	31,200	15.5	12.5	1,350	200968936
	CHPF4860D6D*+TXV	A*EH800805D*A*	40,000	31,200	16.0	13.0	1,300	200968965
	CHPF4860D6D*+TXV	A*EH801005C*A*	40,500	31,600	15.0	12.5	1,420	200968999
	CHPF4860D6D*+TXV	G*VC961205DNA*	40,500	31,600	16.0	13.0	1,160	201143116
	CHPF4860D6D*+TXV	G*VM971205DNA*	40,500	31,600	16.0	13.0	1,160	201053574
	CHPF4860D6D*+TXV	A*VC961205DNA*	40,500	31,600	16.0	13.0	1,160	201058582
	CHPF4860D6D*+TXV	A*VM971205DNA*	40,500	31,600	16.0	13.0	1,160	201062429
	CHPF4860D6D*+TXV	G*VC960804CNA*	40,500	31,600	16.0	13.0	1,195	201065075
	CHPF4860D6D*+TXV	G*VC961005CNA*	40,500	31,600	16.0	13.0	1,195	201065501
	CHPF4860D6D*+TXV	G*VM970804CNA*	40,500	31,600	16.0	13.0	1,195	201066734
	CHPF4860D6D*+TXV	G*VM971005CNA*	40,500	31,600	16.0	13.0	1,195	201067145
	CHPF4860D6D*+TXV	A*VC960804CNA*	40,500	31,600	16.0	13.0	1,195	201068263
	CHPF4860D6D*+TXV	A*VC961005CNA*	40,500	31,600	16.0	13.0	1,195	201068627
	CHPF4860D6D*+TXV	A*VM970804CNA*	40,500	31,600	16.0	13.0	1,195	201069747
	CHPF4860D6D*+TXV	A*VM971005CNA*	40,500	31,600	16.0	13.0	1,195	201070111
	CHPF4860D6D*+TXV	G*EC961004CNA*	40,000	31,200	15.5	12.5	1,300	201130459
	CHPF4860D6D*+TXV	G*EC961205DNA*	40,000	31,200	15.5	12.5	1,300	201130917
	CHPF4860D6D*+TXV	A*EC961004CNA*	40,000	31,200	15.5	12.5	1,300	201138804
	CHPF4860D6D*+TXV	A*EC961205DNA*	40,000	31,200	15.5	12.5	1,300	201139224
	CHPF4860D6D*+TXV	G*EC960804CNA*	41,500	32,400	15.0	12.5	1,450	201481949
	CHPF4860D6D*+TXV	G*VC80805D*B*	41,000	32,000	15.5	12.5	1,350	201488352
	CSCF4860N6D*	G*VC961205DNA*	40,000	31,200	15.0	12.5	1,160	201048922
	CSCF4860N6D*	G*VM971205DNA*	40,000	31,200	15.0	12.5	1,160	201053645
	CSCF4860N6D*	A*VC961205DNA*	40,000	31,200	15.0	12.5	1,160	201058651
	CSCF4860N6D*	A*VM971205DNA*	40,000	31,200	15.0	12.5	1,160	201062480
	CSCF4860N6D*	G*VC960804CNA*	40,000	31,200	15.0	12.5	1,195	201065151
	CSCF4860N6D*	G*VC961005CNA*	40,000	31,200	15.0	12.5	1,195	201065571
	CSCF4860N6D*	G*VM970804CNA*	40,000	31,200	15.0	12.5	1,195	201066810
	CSCF4860N6D*	G*VM971005CNA*	40,000	31,200	15.0	12.5	1,195	201067216
	CSCF4860N6D*	A*VC960804CNA*	40,000	31,200	15.0	12.5	1,195	201068339
	CSCF4860N6D*	A*VC961005CNA*	40,000	31,200	15.0	12.5	1,195	201068696
	CSCF4860N6D*	A*VM970804CNA*	40,000	31,200	15.0	12.5	1,195	201069823
	CSCF4860N6D*	A*VM971005CNA*	40,000	31,200	15.0	12.5	1,195	201070180
	CSCF4860N6D*	G*VC81005C*B*	40,000	31,200	15.0	12.5	1,450	201488403
	CSCF4860N6D*+EEP		40,000	31,200	14.0	12.2	1,400	200894052
	CSCF4860N6D*+EEP+TXV		40,000	31,200	14.5	12.2	1,400	200860306
	CSCF4860N6D*+TXV	G*VC961205DNA*	40,000	31,200	15.5	12.5	1,160	201048913
	CSCF4860N6D*+TXV	G*VM971205DNA*	40,000	31,200	15.5	12.5	1,160	201053636
	CSCF4860N6D*+TXV	A*VC961205DNA*	40,000	31,200	15.5	12.5	1,160	201058642
	CSCF4860N6D*+TXV	A*VM971205DNA*	40,000	31,200	15.5	12.5	1,160	201153377

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0421F* (Contd.)	CSCF4860N6D*+TXV	G*VC960804CNA*	40,000	31,200	15.5	12.5	1,195	201065142
	CSCF4860N6D*+TXV	G*VC961005CNA*	40,000	31,200	15.5	12.5	1,195	201065562
	CSCF4860N6D*+TXV	G*VM970804CNA*	40,000	31,200	15.5	12.5	1,195	201066801
	CSCF4860N6D*+TXV	G*VM971005CNA*	40,000	31,200	15.5	12.5	1,195	201067207
	CSCF4860N6D*+TXV	A*VC960804CNA*	40,000	31,200	15.5	12.5	1,195	201068330
	CSCF4860N6D*+TXV	A*VC961005CNA*	40,000	31,200	15.5	12.5	1,195	201068687
	CSCF4860N6D*+TXV	A*VM970804CNA*	40,000	31,200	15.5	12.5	1,195	201069814
	CSCF4860N6D*+TXV	A*VM971005CNA*	40,000	31,200	15.5	12.5	1,195	201070171
	CSCF4860N6D*+TXV	G*VC81005C*B*	40,000	31,200	15.5	12.5	1,450	201488410
GSX16 0481F*	ARUF61D14A*+TXV		45,000	35,200	14.5	12.0	1,460	201423640
	ASPT49C14A*		43,000	33,600	14.5	12.2	1,400	201498334
	ASPT49D14A*		45,000	35,200	16.0	13.0	1,425	201384396
	ASPT61D14A*		45,000	35,200	16.0	13.0	1,440	201299483
	AVPTC49C14A*		43,000	33,600	14.5	12.2	1,400	201498511
	AVPTC59C14A*		44,000	34,400	14.5	12.2	1,485	201441980
	AVPTC59D14A*		45,000	35,200	15.0	12.5	1,580	201441987
	AVPTC61D14A*		45,500	35,600	16.0	13.0	1,455	201441994
	CA*F4860*6D*	G*E80805D*A*	44,000	34,400	15.0	12.5	1,490	200894724
	CA*F4860*6D*	A*EH800805D*A*	44,000	34,400	15.0	12.5	1,490	200970021
	CA*F4860*6D*+MBVC2000*-1A*		44,000	34,400	15.0	12.5	1,475	200894624
	CA*F4860*6D*+MBVC2000*-1A*+TXV		44,000	34,400	15.5	12.5	1,475	200866346
	CA*F4860*6D*+TXV	G*E80805C*B*	44,000	34,400	15.0	12.5	1,480	200866462
	CA*F4860*6D*+TXV	G*E80805D*A*	44,000	34,400	15.5	12.5	1,490	200866944
	CA*F4860*6D*+TXV	G*E81005C*B*	44,000	34,400	15.0	12.5	1,390	200866984
	CA*F4860*6D*+TXV	G*VC80805C*B*	44,000	34,400	15.0	12.5	1,385	200867420
	CA*F4860*6D*+TXV	G*VC81005C*B*	44,000	34,400	15.0	12.5	1,520	200867798
	CA*F4860*6D*+TXV	ADVC80805C*B*	44,000	34,400	15.5	12.5	1,495	200870633
	CA*F4860*6D*+TXV	ADVC81005C*B*	44,000	34,400	15.5	12.5	1,405	200870941
	CA*F4860*6D*+TXV	A*VC80805C*B*	44,000	34,400	15.0	12.5	1,385	200881938
	CA*F4860*6D*+TXV	A*VC81005C*B*	44,000	34,400	15.0	12.5	1,520	200886897
	CA*F4860*6D*+TXV	A*EH800805C*A*	44,000	34,400	15.0	12.5	1,480	200970046
	CA*F4860*6D*+TXV	A*EH800805D*A*	44,000	34,400	15.5	12.5	1,490	200970056
	CA*F4860*6D*+TXV	A*EH801005C*A*	44,000	34,400	15.0	12.5	1,390	200970063
	CA*F4860*6D*+TXV	G*VC961005CNA*	44,000	34,400	15.0	12.5	1,500	201384735
	CA*F4860*6D*+TXV	G*VC80805D*B*	44,000	34,400	15.0	12.5	1,500	201488417
	CA*F4961*6D*	G*E80805C*B*	44,500	34,800	15.0	12.5	1,480	200894669
	CA*F4961*6D*	G*E80805D*A*	44,500	34,800	15.5	12.5	1,490	200894735
	CA*F4961*6D*	G*E81005C*B*	44,500	34,800	15.0	12.5	1,390	200894762
	CA*F4961*6D*	G*VC80805C*B*	44,500	34,800	15.0	12.5	1,385	200894791
	CA*F4961*6D*	G*VC81005C*B*	44,500	34,800	15.0	12.5	1,520	200894811
	CA*F4961*6D*	A*VC80805C*B*	44,500	34,800	15.0	12.5	1,385	200898418
	CA*F4961*6D*	A*VC81005C*B*	44,500	34,800	15.0	12.5	1,520	200898438
	CA*F4961*6D*	A*EH800805C*A*	44,500	34,800	15.0	12.5	1,480	200970085
	CA*F4961*6D*	A*EH800805D*A*	44,500	34,800	15.5	12.5	1,490	200970092
	CA*F4961*6D*	A*EH801005C*A*	44,500	34,800	15.0	12.5	1,390	200970099
	CA*F4961*6D*	G*VC960804CNA*	45,000	35,200	15.0	12.5	1,520	201048939
	CA*F4961*6D*	G*VC961005CNA*	45,000	35,200	15.0	12.5	1,450	201049275
	CA*F4961*6D*	G*VC961205DNA*	45,000	35,200	15.0	12.5	1,450	201049632
	CA*F4961*6D*	G*VM970804CNA*	45,000	35,200	15.0	12.5	1,520	201053680
	CA*F4961*6D*	G*VM971005CNA*	45,000	35,200	15.0	12.5	1,450	201053959
	CA*F4961*6D*	G*VM971205DNA*	45,000	35,200	15.0	12.5	1,450	201054274
	CA*F4961*6D*	A*VC960804CNA*	45,000	35,200	15.0	12.5	1,520	201058665
	CA*F4961*6D*	A*VC961005CNA*	45,000	35,200	15.0	12.5	1,450	201058938
	CA*F4961*6D*	A*VC961205DNA*	45,000	35,200	15.0	12.5	1,450	201059211

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0481F* (Contd.)	CA*F4961*6D*	A*VM970804CNA*	45,000	35,200	15.0	12.5	1,520	201062494
	CA*F4961*6D*	A*VM971005CNA*	45,000	35,200	15.0	12.5	1,450	201062753
	CA*F4961*6D*	A*VM971205DNA*	45,000	35,200	15.0	12.5	1,450	201063007
	CA*F4961*6D*	G*EC961004CNA*	44,500	34,800	15.0	12.5	1,500	201130978
	CA*F4961*6D*	G*EC961205DNA*	45,000	35,200	15.5	12.5	1,500	201131391
	CA*F4961*6D*	A*EC961004CNA*	44,500	34,800	15.0	12.5	1,500	201139285
	CA*F4961*6D*	A*EC961205DNA*	45,000	35,200	15.5	12.5	1,500	201139600
	CA*F4961*6D*	G*VC80805D*B*	44,500	34,800	15.0	12.5	1,500	201488424
	CA*F4961*6D*+EEP+TXV		45,500	35,600	14.5	12.0	1,500	200821690
	CA*F4961*6D*+MBVC2000**-1A*		44,500	34,800	15.5	12.5	1,475	200894637
	CA*F4961*6D*+MBVC2000**-1A*+TXV		44,500	34,800	16.0	13.0	1,475	200866353
	CA*F4961*6D*+TXV	G*E80805C*B*	44,500	34,800	15.5	12.5	1,480	200866824
	CA*F4961*6D*+TXV	G*E81005C*B*	44,500	34,800	15.5	12.5	1,390	200867263
	CA*F4961*6D*+TXV	G*VC80805C*B*	44,500	34,800	15.5	12.5	1,385	200867692
	CA*F4961*6D*+TXV	G*VC81005C*B*	44,500	34,800	15.5	12.5	1,520	200868063
	CA*F4961*6D*+TXV	ADVC80805C*B*	44,500	34,800	16.0	13.0	1,495	200870892
	CA*F4961*6D*+TXV	ADVC81005C*B*	44,500	34,800	16.0	13.0	1,405	200871200
	CA*F4961*6D*+TXV	A*VC80805C*B*	44,500	34,800	15.5	12.5	1,385	200844440
	CA*F4961*6D*+TXV	A*VC81005C*B*	44,500	34,800	15.5	12.5	1,520	200887150
	CA*F4961*6D*+TXV	A*EH800805C*A*	44,500	34,800	15.5	12.5	1,480	201007017
	CA*F4961*6D*+TXV	A*EH801005C*A*	44,500	34,800	15.5	12.5	1,390	200970147
	CA*F4961*6D*+TXV	G*VC960804CNA*	45,000	35,200	15.5	12.5	1,520	201143785
	CA*F4961*6D*+TXV	G*VC961005CNA*	45,000	35,200	15.5	12.5	1,450	201049263
	CA*F4961*6D*+TXV	G*VM970804CNA*	45,000	35,200	15.5	12.5	1,520	201053670
	CA*F4961*6D*+TXV	G*VM971005CNA*	45,000	35,200	15.5	12.5	1,450	201053944
	CA*F4961*6D*+TXV	A*VC960804CNA*	45,000	35,200	15.5	12.5	1,520	201058658
	CA*F4961*6D*+TXV	A*VC961005CNA*	45,000	35,200	15.5	12.5	1,450	201058931
	CA*F4961*6D*+TXV	A*VM970804CNA*	45,000	35,200	15.5	12.5	1,520	201062487
	CA*F4961*6D*+TXV	A*VM971005CNA*	45,000	35,200	15.5	12.5	1,450	201062746
	CA*F4961*6D*+TXV	G*EC961004CNA*	45,000	35,200	15.5	12.8	1,500	201131009
	CA*F4961*6D*+TXV	A*EC961004CNA*	45,000	35,200	15.5	12.8	1,500	201139292
	CA*F4961*6D*+TXV	G*VC80805D*B*	44,500	34,800	16.0	13.0	1,500	201488479
	CAPT4961*4A*	G*E80805C*B*	44,000	34,400	15.0	12.5	1,480	200972791
	CAPT4961*4A*	G*E81005C*B*	44,500	34,800	15.0	12.5	1,390	200972840
	CAPT4961*4A*	G*VC80805C*B*	44,000	34,400	15.0	12.5	1,385	200972991
	CAPT4961*4A*	G*VC81005C*B*	44,000	34,400	15.0	12.5	1,520	201010832
	CAPT4961*4A*	ADVC80805C*B*	44,000	34,400	15.0	12.5	1,495	200973723
	CAPT4961*4A*	ADVC81005C*B*	44,500	34,800	15.0	12.5	1,405	200973755
	CAPT4961*4A*	G*VC960804CNA*	45,000	35,200	15.0	12.0	1,520	201048946
	CAPT4961*4A*	G*VC961005CNA*	45,000	35,200	15.0	12.0	1,450	201049282
	CAPT4961*4A*	G*VC961205DNA*	45,000	35,200	15.5	12.5	1,450	201049639
	CAPT4961*4A*	G*VM970804CNA*	45,000	35,200	15.0	12.0	1,520	201053687
	CAPT4961*4A*	G*VM971005CNA*	45,000	35,200	15.0	12.0	1,450	201053966
	CAPT4961*4A*	G*VM971205DNA*	45,000	35,200	15.5	12.5	1,450	201054281
	CAPT4961*4A*	A*VC960804CNA*	45,000	35,200	15.0	12.0	1,520	201058672
	CAPT4961*4A*	A*VC961005CNA*	45,000	35,200	15.0	12.0	1,450	201058945
	CAPT4961*4A*	A*VC961205DNA*	45,000	35,200	15.5	12.5	1,450	201059218
	CAPT4961*4A*	A*VM970804CNA*	45,000	35,200	15.0	12.0	1,520	201062501
	CAPT4961*4A*	A*VM971005CNA*	45,000	35,200	15.0	12.0	1,450	201153578
	CAPT4961*4A*	A*VM971205DNA*	45,000	35,200	15.5	12.5	1,450	201063014
	CAPT4961*4A*	G*EC961004CNA*	44,500	34,800	15.0	12.5	1,500	201172800
	CAPT4961*4A*	G*EC961205DNA*	44,000	34,400	15.0	12.5	1,500	201131461
	CAPT4961*4A*	A*EC961004CNA*	44,500	34,800	15.0	12.5	1,500	201139299
	CAPT4961*4A*	A*EC961205DNA*	44,000	34,400	15.0	12.5	1,500	201139614

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0481F* (Contd.)	CAPT4961*4A*	G*VC80805D*B*	44,000	34,400	15.0	12.5	1,500	201488494
	CAPT4961*4A*+MBVC1600**-1A*		44,500	34,800	15.5	12.5	1,500	200866390
	CAPT4961*4A*+MBVC2000**-1A*		44,500	34,800	16.0	13.0	1,475	200866400
	CHPF4860D6D*	G*E80805D*A*	44,500	34,800	15.5	12.5	1,490	200894742
	CHPF4860D6D*	G*E81005C*B*	44,500	34,800	15.0	12.5	1,390	200894772
	CHPF4860D6D*	G*VC80805C*B*	44,500	34,800	15.0	12.5	1,385	200894798
	CHPF4860D6D*	G*VC81005C*B*	44,500	34,800	15.0	12.5	1,520	200894818
	CHPF4860D6D*	A*VC80805C*B*	44,500	34,800	15.0	12.5	1,385	200898425
	CHPF4860D6D*	A*VC81005C*B*	44,500	34,800	15.0	12.5	1,520	200898445
	CHPF4860D6D*	A*EH800805D*A*	44,500	34,800	15.5	12.5	1,490	200970174
	CHPF4860D6D*	A*EH801005C*A*	44,500	34,800	15.0	12.5	1,390	200970181
	CHPF4860D6D*	G*VC960804CNA*	45,000	35,200	15.0	12.5	1,520	201095593
	CHPF4860D6D*	G*VC961005CNA*	45,000	35,200	15.0	12.5	1,450	201095600
	CHPF4860D6D*	G*VC961205DNA*	45,000	35,200	15.5	12.5	1,450	201095607
	CHPF4860D6D*	G*VM970804CNA*	45,000	35,200	15.0	12.5	1,520	201095675
	CHPF4860D6D*	G*VM971005CNA*	45,000	35,200	15.0	12.5	1,450	201095682
	CHPF4860D6D*	G*VM971205DNA*	45,000	35,200	15.5	12.5	1,450	201095689
	CHPF4860D6D*	A*VC960804CNA*	45,000	35,200	15.0	12.5	1,520	201095730
	CHPF4860D6D*	A*VC961005CNA*	45,000	35,200	15.0	12.5	1,450	201095737
	CHPF4860D6D*	A*VC961205DNA*	45,000	35,200	15.5	12.5	1,450	201095744
	CHPF4860D6D*	A*VM970804CNA*	45,000	35,200	15.0	12.5	1,520	201095792
	CHPF4860D6D*	A*VM971005CNA*	45,000	35,200	15.0	12.5	1,450	201095799
	CHPF4860D6D*	A*VM971205DNA*	45,000	35,200	15.5	12.5	1,450	201095806
	CHPF4860D6D*	G*EC961004CNA*	44,500	34,800	15.0	12.5	1,500	201131027
	CHPF4860D6D*	G*EC961205DNA*	44,500	34,800	15.0	12.5	1,500	201131468
	CHPF4860D6D*	A*EC961004CNA*	44,500	34,800	15.0	12.5	1,500	201139306
	CHPF4860D6D*	A*EC961205DNA*	44,500	34,800	15.0	12.5	1,500	201139621
	CHPF4860D6D*	G*EC961005CNA*	44,500	34,800	14.5	12.2	1,500	201481716
	CHPF4860D6D*	G*VC80805D*B*	44,500	34,800	15.0	12.5	1,500	201488501
	CHPF4860D6D*+EEP+TXV		45,500	35,600	14.5	12.0	1,500	200821857
	CHPF4860D6D*+MBVC2000**-1A*		44,500	34,800	15.5	12.5	1,500	200894650
	CHPF4860D6D*+MBVC2000**-1A*+TXV		44,500	34,800	16.0	13.0	1,500	200866407
	CHPF4860D6D*+TXV	G*E80805D*A*	44,500	34,800	16.0	13.0	1,300	200822435
	CHPF4860D6D*+TXV	G*E80805C*B*	44,500	34,800	15.0	12.5	1,480	200866913
	CHPF4860D6D*+TXV	G*E81005C*B*	44,500	34,800	15.5	12.5	1,390	200867345
	CHPF4860D6D*+TXV	G*VC80805C*B*	44,500	34,800	15.5	12.5	1,385	200867784
	CHPF4860D6D*+TXV	G*VC81005C*B*	44,500	34,800	15.5	12.5	1,520	200868143
	CHPF4860D6D*+TXV	A*VC80805C*B*	44,500	34,800	15.5	12.5	1,385	200881959
	CHPF4860D6D*+TXV	A*VC81005C*B*	44,500	34,800	15.5	12.5	1,520	200887210
	CHPF4860D6D*+TXV	A*EH800805C*A*	44,500	34,800	15.0	12.5	1,480	200970212
	CHPF4860D6D*+TXV	A*EH800805D*A*	44,500	34,800	16.0	13.0	1,300	200970245
	CHPF4860D6D*+TXV	A*EH801005C*A*	44,500	34,800	15.5	12.5	1,390	200970280
	CHPF4860D6D*+TXV	G*VC960804CNA*	45,000	35,200	15.5	12.5	1,520	201049163
	CHPF4860D6D*+TXV	G*VC961005CNA*	45,000	35,200	15.5	12.5	1,450	201049475
	CHPF4860D6D*+TXV	G*VC961205DNA*	45,000	35,200	16.0	13.0	1,450	201049844
	CHPF4860D6D*+TXV	G*VM970804CNA*	45,000	35,200	15.5	12.5	1,520	201053868
	CHPF4860D6D*+TXV	G*VM971005CNA*	45,000	35,200	15.5	12.5	1,450	201054153
	CHPF4860D6D*+TXV	G*VM971205DNA*	45,000	35,200	16.0	13.0	1,450	201054480
	CHPF4860D6D*+TXV	A*VC960804CNA*	45,000	35,200	15.5	12.5	1,520	201058865
	CHPF4860D6D*+TXV	A*VC961005CNA*	45,000	35,200	15.5	12.5	1,450	201059138
	CHPF4860D6D*+TXV	A*VC961205DNA*	45,000	35,200	16.0	13.0	1,450	201059423
	CHPF4860D6D*+TXV	A*VM970804CNA*	45,000	35,200	15.5	12.5	1,520	201062682
	CHPF4860D6D*+TXV	A*VM971005CNA*	45,000	35,200	15.5	12.5	1,450	201062936
	CHPF4860D6D*+TXV	A*VM971205DNA*	45,000	35,200	16.0	13.0	1,450	201063207

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0481F* (Contd.)	CHPF4860D6D*+TXV	G*EC961004CNA*	45,000	35,200	15.5	12.8	1,500	201131334
	CHPF4860D6D*+TXV	G*EC961205DNA*	45,000	35,200	16.0	13.0	1,500	201131733
	CHPF4860D6D*+TXV	A*EC961004CNA*	45,000	35,200	15.5	12.8	1,500	201139553
	CHPF4860D6D*+TXV	A*EC961205DNA*	45,000	35,200	16.0	13.0	1,500	201139874
	CHPF4860D6D*+TXV	G*EC961005CNA*	44,500	34,800	14.5	12.5	1,500	201481743
	CHPF4860D6D*+TXV	G*EC960804CNA*	44,500	34,800	14.5	12.5	1,500	201481795
	CHPF4860D6D*+TXV	G*VC80805D*B*	44,500	34,800	16.0	13.0	1,500	201488526
	CSCF4860N6D*	G*E80805D*A*	44,000	34,400	15.0	12.5	1,490	200894749
	CSCF4860N6D*	A*EH800805D*A*	44,000	34,400	15.0	12.5	1,490	200971161
	CSCF4860N6D*	G*VC960804CNA*	45,000	35,200	14.5	12.0	1,520	201049226
	CSCF4860N6D*	G*VC961005CNA*	45,000	35,200	14.5	12.0	1,450	201049534
	CSCF4860N6D*	G*VM970804CNA*	45,000	35,200	14.5	12.0	1,520	201053925
	CSCF4860N6D*	G*VM971005CNA*	45,000	35,200	14.5	12.0	1,450	201054211
	CSCF4860N6D*	A*VC960804CNA*	45,000	35,200	14.5	12.0	1,520	201058924
	CSCF4860N6D*	A*VC961005CNA*	45,000	35,200	14.5	12.0	1,450	201059197
	CSCF4860N6D*	A*VM970804CNA*	45,000	35,200	14.5	12.0	1,520	201062739
	CSCF4860N6D*	A*VM971005CNA*	45,000	35,200	14.5	12.0	1,450	201062993
	CSCF4860N6D*	G*VC81005C*B*	44,500	34,800	14.5	12.5	1,550	201488536
	CSCF4860N6D*+TXV	G*E80805C*B*	44,500	34,800	15.0	12.5	1,480	200866935
	CSCF4860N6D*+TXV	G*E80805D*A*	44,500	34,800	15.5	12.5	1,490	200866963
	CSCF4860N6D*+TXV	G*E81005C*B*	44,500	34,800	15.0	12.5	1,390	200867369
	CSCF4860N6D*+TXV	A*EH800805C*A*	44,500	34,800	15.0	12.5	1,480	200971186
	CSCF4860N6D*+TXV	A*EH800805D*A*	44,500	34,800	15.5	12.5	1,490	200971207
	CSCF4860N6D*+TXV	A*EH801005C*A*	44,500	34,800	15.0	12.5	1,390	200971228
	CSCF4860N6D*+TXV	G*VC960804CNA*	45,000	35,200	15.0	12.5	1,520	201049217
	CSCF4860N6D*+TXV	G*VC961005CNA*	45,000	35,200	15.0	12.5	1,450	201049525
	CSCF4860N6D*+TXV	G*VC961205DNA*	44,500	34,800	15.0	12.5	1,450	201049896
	CSCF4860N6D*+TXV	G*VM970804CNA*	45,000	35,200	15.0	12.5	1,520	201053916
	CSCF4860N6D*+TXV	G*VM971005CNA*	45,000	35,200	15.0	12.5	1,450	201054202
	CSCF4860N6D*+TXV	G*VM971205DNA*	44,500	34,800	15.0	12.5	1,450	201054531
	CSCF4860N6D*+TXV	A*VC960804CNA*	45,000	35,200	15.0	12.5	1,520	201058915
	CSCF4860N6D*+TXV	A*VC961005CNA*	45,000	35,200	15.0	12.5	1,450	201059188
	CSCF4860N6D*+TXV	A*VC961205DNA*	44,500	34,800	15.0	12.5	1,450	201059475
	CSCF4860N6D*+TXV	A*VM970804CNA*	45,000	35,200	15.0	12.5	1,520	201062730
	CSCF4860N6D*+TXV	A*VM971005CNA*	45,000	35,200	15.0	12.5	1,450	201062984
	CSCF4860N6D*+TXV	A*VM971205DNA*	44,500	34,800	15.0	12.5	1,450	201063257
	CSCF4860N6D*+TXV	G*VC81005C*B*	44,500	34,800	15.0	12.5	1,550	201488543
GSX16 0601F*	ASPT61D14A*		54,000	42,600	16.0	13.0	1,645	201299529
	AVPTC59D14A*		50,000	39,400	15.0	12.5	1,660	201442001
	AVPTC61D14A*		54,000	42,600	16.0	13.0	1,775	201442008
	CA*F4860*6D*+EEP		51,500	40,600	14.0	12.0	1,675	200895023
	CA*F4860*6D*+EEP+TXV		53,000	41,800	14.5	12.0	1,675	200823748
	CA*F4860*6D*+MBVC2000**-1A*		51,500	40,600	14.5	12.0	1,630	200895030
	CA*F4860*6D*+MBVC2000**-1A*+TXV		51,500	40,600	15.0	12.5	1,630	200871597
	CA*F4961*6D*	G*VC80805C*B*	52,000	41,000	14.5	12.0	1,520	200895076
	CA*F4961*6D*	G*VC81005C*B*	52,000	41,000	14.5	12.0	1,500	200895090
	CA*F4961*6D*	A*VC80805C*B*	52,000	41,000	14.5	12.0	1,520	200898616
	CA*F4961*6D*	A*VC81005C*B*	52,000	41,000	14.5	12.0	1,500	200898630

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0601F* (Contd.)	CA*F4961*6D*	G*VC961005CNA*	52,000	41,000	15.0	12.5	1,450	201049936
	CA*F4961*6D*	G*VC961205DNA*	52,000	41,000	15.0	12.0	1,460	201050181
	CA*F4961*6D*	G*VM971005CNA*	52,000	41,000	15.0	12.5	1,450	201054567
	CA*F4961*6D*	G*VM971205DNA*	52,000	41,000	15.0	12.0	1,460	201054763
	CA*F4961*6D*	A*VC961005CNA*	52,000	41,000	15.0	12.5	1,450	201059497
	CA*F4961*6D*	A*VC961205DNA*	52,000	41,000	15.0	12.0	1,460	201059686
	CA*F4961*6D*	A*VM971005CNA*	52,000	41,000	15.0	12.5	1,450	201153597
	CA*F4961*6D*	A*VM971205DNA*	52,000	41,000	15.0	12.0	1,460	201063450
	CA*F4961*6D*	G*EC961205DNA*	52,000	41,000	15.5	12.5	1,630	201131783
	CA*F4961*6D*	A*EC961205DNA*	52,000	41,000	15.5	12.5	1,630	201139922
	CA*F4961*6D*	G*VC80805D*B*	52,000	41,000	14.5	12.0	1,650	201488550
	CA*F4961*6D*+EEP		52,000	41,000	14.5	12.0	1,675	200895037
	CA*F4961*6D*+MBVC2000**-1A*		52,000	41,000	15.0	12.5	1,675	200895044
	CA*F4961*6D*+MBVC2000**-1A*+TXV		52,000	41,000	15.5	12.5	1,675	200871604
	CA*F4961*6D*+TXV	G*E80805D*A*	53,000	41,800	16.0	13.0	1,500	200824014
	CA*F4961*6D*+TXV	G*E80805C*B*	52,000	41,000	15.0	12.5	1,645	200871631
	CA*F4961*6D*+TXV	G*E81005C*B*	52,000	41,000	15.0	12.5	1,690	200871864
	CA*F4961*6D*+TXV	G*VC81005C*B*	52,000	41,000	15.0	12.5	1,500	200872110
	CA*F4961*6D*+TXV	ADVC80805C*B*	52,000	41,000	15.0	12.5	1,585	200873157
	CA*F4961*6D*+TXV	ADVC81005C*B*	52,000	41,000	15.0	12.5	1,620	200873332
	CA*F4961*6D*+TXV	A*VC81005C*B*	52,000	41,000	15.0	12.5	1,500	200882412
	CA*F4961*6D*+TXV	G*VC80805C*B*	52,000	41,000	15.2	12.5	1,520	200901258
	CA*F4961*6D*+TXV	A*VC80805C*B*	52,000	41,000	15.2	12.5	1,520	200903626
	CA*F4961*6D*+TXV	A*EH800805C*A*	52,000	41,000	15.0	12.5	1,645	200971249
	CA*F4961*6D*+TXV	A*EH800805D*A*	53,000	41,800	16.0	13.0	1,500	200971256
	CA*F4961*6D*+TXV	A*EH801005C*A*	52,000	41,000	15.0	12.5	1,690	200971275
	CA*F4961*6D*+TXV	G*VC961005CNA*	52,000	41,000	15.5	12.5	1,450	201049927
	CA*F4961*6D*+TXV	G*VC961205DNA*	52,000	41,000	16.0	13.0	1,460	201050169
	CA*F4961*6D*+TXV	G*VM971005CNA*	52,000	41,000	15.5	12.5	1,450	201054558
	CA*F4961*6D*+TXV	G*VM971205DNA*	52,000	41,000	16.0	13.0	1,460	201054753
	CA*F4961*6D*+TXV	A*VC961005CNA*	52,000	41,000	15.5	12.5	1,450	201059490
	CA*F4961*6D*+TXV	A*VC961205DNA*	52,000	41,000	16.0	13.0	1,460	201059679
	CA*F4961*6D*+TXV	A*VM971005CNA*	52,000	41,000	15.5	12.5	1,450	201063272
	CA*F4961*6D*+TXV	A*VM971205DNA*	52,000	41,000	16.0	13.0	1,460	201063443
	CA*F4961*6D*+TXV	G*EC961205DNA*	52,000	41,000	16.0	13.0	1,630	201131832
	CA*F4961*6D*+TXV	A*EC961205DNA*	52,000	41,000	16.0	13.0	1,630	201139929
	CA*F4961*6D*+TXV	G*VC80805D*B*	52,000	41,000	16.0	13.0	1,650	201488593
	CAPT4961*4A*	G*VC80805C*B*	52,000	41,000	15.0	12.5	1,520	200871953
	CAPT4961*4A*	G*VC81005C*B*	52,000	41,000	15.0	12.5	1,500	200872142
	CAPT4961*4A*	ADVC80805C*B*	52,000	41,000	15.0	12.5	1,585	200873187
	CAPT4961*4A*	ADVC81005C*B*	52,000	41,000	15.0	12.5	1,620	200873362
	CAPT4961*4A*	A*VC81005C*B*	52,000	41,000	15.0	12.5	1,500	200882442
	CAPT4961*4A*	A*VC80805C*B*	52,000	41,000	15.0	12.5	1,520	200889145
	CAPT4961*4A*	G*E80805C*B*	52,000	41,000	15.0	12.5	1,645	200972798
	CAPT4961*4A*	G*E80805D*A*	52,000	41,000	15.0	12.5	1,500	200972812
	CAPT4961*4A*	G*E81005C*B*	52,000	41,000	15.0	12.5	1,690	200972847
	CAPT4961*4A*	G*VC961005CNA*	52,000	41,000	15.5	12.5	1,450	201049943

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0601F* (Contd.)	CAPT4961*4A*	G*VC961205DNA*	52,000	41,000	15.0	12.5	1,460	201050188
	CAPT4961*4A*	G*VM971005CNA*	52,000	41,000	15.5	12.5	1,450	201054574
	CAPT4961*4A*	G*VM971205DNA*	52,000	41,000	15.0	12.5	1,460	201054770
	CAPT4961*4A*	A*VC961005CNA*	52,000	41,000	15.5	12.5	1,450	201059504
	CAPT4961*4A*	A*VC961205DNA*	52,000	41,000	15.0	12.5	1,460	201059693
	CAPT4961*4A*	A*VM971005CNA*	52,000	41,000	15.5	12.5	1,450	201063282
	CAPT4961*4A*	A*VM971205DNA*	52,000	41,000	15.0	12.5	1,460	201063457
	CAPT4961*4A*	G*EC961205DNA*	52,000	41,000	15.0	12.5	1,630	201131846
	CAPT4961*4A*	A*EC961205DNA*	52,000	41,000	15.0	12.5	1,630	201139936
	CAPT4961*4A*	G*VC80805D*B*	52,000	41,000	15.0	12.5	1,650	201488606
	CAPT4961*4A*+EEP		52,000	41,000	15.0	12.5	1,675	200871617
	CAPT4961*4A*+MBVC1600**-1A*		52,000	41,000	15.0	12.5	1,560	200972736
	CHPF4860D6D*	G*VC80805C*B*	52,000	41,000	14.5	12.0	1,520	200895083
	CHPF4860D6D*	G*VC81005C*B*	52,000	41,000	14.5	12.0	1,500	200895097
	CHPF4860D6D*	A*VC80805C*B*	52,000	41,000	14.5	12.0	1,520	200898623
	CHPF4860D6D*	A*VC81005C*B*	52,000	41,000	14.5	12.0	1,500	200898637
	CHPF4860D6D*	G*E81005C*B*	52,000	41,000	14.5	12.0	1,690	200890271
	CHPF4860D6D*	G*E80805C*B*	52,000	41,000	14.5	12.0	1,645	200899755
	CHPF4860D6D*	A*EH800805C*A*	52,000	41,000	14.5	12.0	1,645	200971296
	CHPF4860D6D*	A*EH801005C*A*	52,000	41,000	14.5	12.0	1,690	200971303
	CHPF4860D6D*	G*VC961005CNA*	51,500	40,600	15.0	12.5	1,450	201095632
	CHPF4860D6D*	G*VC961205DNA*	52,000	41,000	15.0	12.0	1,460	201095642
	CHPF4860D6D*	G*VM971005CNA*	51,500	40,600	15.0	12.5	1,450	201095696
	CHPF4860D6D*	G*VM971205DNA*	52,000	41,000	15.0	12.0	1,460	201095703
	CHPF4860D6D*	A*VC961005CNA*	51,500	40,600	15.0	12.5	1,450	201095751
	CHPF4860D6D*	A*VC961205DNA*	52,000	41,000	15.0	12.0	1,460	201095758
	CHPF4860D6D*	A*VM971005CNA*	51,500	40,600	15.0	12.5	1,450	201095813
	CHPF4860D6D*	A*VM971205DNA*	52,000	41,000	15.0	12.0	1,460	201166176
	CHPF4860D6D*	G*EC961205DNA*	52,000	41,000	15.5	12.5	1,630	201131853
	CHPF4860D6D*	A*EC961205DNA*	52,000	41,000	15.5	12.5	1,630	201139943
	CHPF4860D6D*	G*VC80805D*B*	52,000	41,000	14.5	12.0	1,650	201488613
	CHPF4860D6D*+EEP		52,000	41,000	14.5	12.0	1,675	200895051
	CHPF4860D6D*+EEP+TXV		53,500	42,200	15.0	12.5	1,675	200823755
	CHPF4860D6D*+MBVC2000**-1A*		52,000	41,000	15.0	12.5	1,675	200895058
	CHPF4860D6D*+TXV	G*E80805D*A*	53,000	41,800	16.0	13.0	1,500	200824141
	CHPF4860D6D*+TXV	G*E81005C*B*	52,000	41,000	15.0	12.5	1,690	200871921
	CHPF4860D6D*+TXV	G*VC81005C*B*	52,000	41,000	15.0	12.5	1,500	200872179
	CHPF4860D6D*+TXV	A*VC81005C*B*	52,000	41,000	15.0	12.5	1,500	200882461
	CHPF4860D6D*+TXV	G*E80805C*B*	52,000	41,000	15.2	12.5	1,645	200902105
	CHPF4860D6D*+TXV	G*VC80805C*B*	52,000	41,000	15.2	12.5	1,520	200902201
	CHPF4860D6D*+TXV	A*VC80805C*B*	52,000	41,000	15.2	12.5	1,520	200904094
	CHPF4860D6D*+TXV	A*EH800805C*A*	52,000	41,000	15.2	12.5	1,645	200971346
	CHPF4860D6D*+TXV	A*EH800805D*A*	53,000	41,800	16.0	13.0	1,500	200971375
	CHPF4860D6D*+TXV	A*EH801005C*A*	52,000	41,000	15.0	12.5	1,690	200971403
	CHPF4860D6D*+TXV	G*VC961005CNA*	52,000	41,000	15.5	12.5	1,450	201050082
	CHPF4860D6D*+TXV	G*VC961205DNA*	52,000	41,000	16.0	13.0	1,460	201050339
	CHPF4860D6D*+TXV	G*VM971005CNA*	52,000	41,000	15.5	12.5	1,450	201054683
	CHPF4860D6D*+TXV	G*VM971205DNA*	52,000	41,000	16.0	13.0	1,460	201054891
	CHPF4860D6D*+TXV	A*VC961005CNA*	52,000	41,000	15.5	12.5	1,450	201059625
	CHPF4860D6D*+TXV	A*VC961205DNA*	52,000	41,000	16.0	13.0	1,460	201151827

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0601F* (Contd.)	CHPF4860D6D*+TXV	A*VM971005CNA*	52,000	41,000	15.5	12.5	1,450	201063391
	CHPF4860D6D*+TXV	A*VM971205DNA*	52,000	41,000	16.0	13.0	1,460	201063578
	CHPF4860D6D*+TXV	G*EC961205DNA*	52,000	41,000	16.0	13.0	1,630	201132046
	CHPF4860D6D*+TXV	A*EC961205DNA*	52,000	41,000	16.0	13.0	1,630	201140100
	CHPF4860D6D*+TXV	G*EC961005CNA*	52,000	41,000	14.5	12.2	1,600	201481845
	CHPF4860D6D*+TXV	G*VC80805D*B*	53,000	41,800	15.5	12.5	1,650	201488620
	CSCF4860N6D*	G*E80805C*B*	51,500	40,600	14.5	12.0	1,645	200899521
	CSCF4860N6D*	G*E81005C*B*	51,500	40,600	14.5	12.0	1,690	200899528
	CSCF4860N6D*	A*EH800805C*A*	51,500	40,600	14.5	12.0	1,645	200971845
	CSCF4860N6D*	A*EH801005C*A*	51,500	40,600	14.5	12.0	1,690	200971852
	CSCF4860N6D*	G*VC961005CNA*	51,500	40,600	14.5	12.0	1,450	201050132
	CSCF4860N6D*	G*VC961205DNA*	51,500	40,600	14.5	12.0	1,460	201050391
	CSCF4860N6D*	G*VM971005CNA*	51,500	40,600	14.5	12.0	1,450	201054728
	CSCF4860N6D*	G*VM971205DNA*	51,500	40,600	14.5	12.0	1,460	201054938
	CSCF4860N6D*	A*VC961005CNA*	51,500	40,600	14.5	12.0	1,450	201059672
	CSCF4860N6D*	A*VC961205DNA*	51,500	40,600	14.5	12.0	1,460	201059731
	CSCF4860N6D*	A*VM971005CNA*	51,500	40,600	14.5	12.0	1,450	201063436
	CSCF4860N6D*	A*VM971205DNA*	51,500	40,600	14.5	12.0	1,460	201063625
	CSCF4860N6D*	G*VC81005C*B*	51,500	40,600	14.5	12.0	1,600	201488627
	CSCF4860N6D*+EEP		51,500	40,600	14.0	12.0	1,675	200895069
	CSCF4860N6D*+EEP+TXV		51,500	40,600	14.5	12.0	1,675	200871624
	CSCF4860N6D*+TXV	G*E80805C*B*	51,500	40,600	15.0	12.5	1,645	200871674
	CSCF4860N6D*+TXV	G*E80805D*A*	51,500	40,600	15.5	12.5	1,690	200871699
	CSCF4860N6D*+TXV	G*E81005C*B*	51,500	40,600	15.0	12.5	1,690	200871944
	CSCF4860N6D*+TXV	A*EH800805C*A*	51,500	40,600	15.0	12.5	1,645	200971883
	CSCF4860N6D*+TXV	A*EH800805D*A*	51,500	40,600	15.5	12.5	1,690	200971904
	CSCF4860N6D*+TXV	A*EH801005C*A*	51,500	40,600	15.0	12.5	1,690	200971925
	CSCF4860N6D*+TXV	G*VC961005CNA*	51,500	40,600	15.0	12.5	1,450	201050123
	CSCF4860N6D*+TXV	G*VC961205DNA*	51,500	40,600	15.0	12.0	1,460	201050382
	CSCF4860N6D*+TXV	G*VM971005CNA*	51,500	40,600	15.0	12.5	1,450	201054719
	CSCF4860N6D*+TXV	G*VM971205DNA*	51,500	40,600	15.0	12.0	1,460	201054929
	CSCF4860N6D*+TXV	A*VC961005CNA*	51,500	40,600	15.0	12.5	1,450	201059663
	CSCF4860N6D*+TXV	A*VC961205DNA*	51,500	40,600	15.0	12.0	1,460	201059722
	CSCF4860N6D*+TXV	A*VM971005CNA*	51,500	40,600	15.0	12.5	1,450	201063427
	CSCF4860N6D*+TXV	A*VM971205DNA*	51,500	40,600	15.0	12.0	1,460	201063616
	CSCF4860N6D*+TXV	G*VC81005C*B*	51,500	40,600	15.0	12.5	1,600	201488634
	AVPTC61D14A*		57,000	41,200	14.0	12.0	1,775	201442015
GSX16 0611F*	CA*F4961*6D*	G*E80805C*B*	56,500	40,800	14.0	11.7	1,525	200945271
	CA*F4961*6D*	A*VC80805C*B*	56,500	40,800	14.0	11.7	1,560	200945367
	CA*F4961*6D*	ADVC80805C*B*	56,500	40,800	14.0	11.7	1,560	200945374
	CA*F4961*6D*	G*VC80805C*B*	56,500	40,800	14.0	11.7	1,560	200945381
	CA*F4961*6D*	A*VC81005C*B*	56,500	40,800	14.0	11.7	1,525	200945416
	CA*F4961*6D*	ADVC81005C*B*	56,500	40,800	14.0	11.7	1,525	200945423
	CA*F4961*6D*	G*VC81005C*B*	56,500	40,800	14.0	11.7	1,525	200945430
	CA*F4961*6D*	G*E80805D*A*	56,500	40,800	14.0	11.7	1,500	200945744
	CA*F4961*6D*	A*EH800805C*A*	56,500	40,800	14.0	11.7	1,525	200971961
	CA*F4961*6D*	A*EH800805D*A*	56,500	40,800	14.0	11.7	1,500	200971968
	CA*F4961*6D*	G*VC961205DNA*	56,500	40,800	14.0	11.7	1,520	201050564
	CA*F4961*6D*	G*VM971205DNA*	56,500	40,800	14.0	11.7	1,520	201055111
	CA*F4961*6D*	A*VC961205DNA*	56,500	40,800	14.0	11.7	1,520	201059755

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0611F* (Contd.)	CA*F4961*6D*	A*VM971205DNA*	56,500	40,800	14.0	11.7	1,520	201063798
	CA*F4961*6D*	G*EC961205DNA*	56,500	40,800	14.0	11.7	1,500	201132084
	CA*F4961*6D*	A*EC961205DNA*	56,500	40,800	14.0	11.7	1,500	201175218
	CA*F4961*6D*	G*VC80805D*B*	56,500	40,800	14.0	11.7	1,650	201488641
	CA*F4961*6D*+EEP+TXV		57,000	41,200	14.0	11.7	1,545	200945156
	CA*F4961*6D*+MBVC2000**-1A*		56,500	40,800	14.0	11.7	1,620	200945238
	CA*F4961*6D*+MBVC2000**-1A*+TXV		57,000	41,200	14.5	12.0	1,620	200942701
	CA*F4961*6D*+TXV	A*VC80805C*B*	57,000	41,200	14.5	12.0	1,560	200941516
	CA*F4961*6D*+TXV	A*VC81005C*B*	57,000	41,200	14.5	12.0	1,525	200941586
	CA*F4961*6D*+TXV	ADV80805C*B*	57,000	41,200	14.5	12.0	1,560	200993130
	CA*F4961*6D*+TXV	ADV81005C*B*	57,000	41,200	14.5	12.0	1,525	200941916
	CA*F4961*6D*+TXV	G*E80805C*B*	57,000	41,200	14.5	12.0	1,525	200941967
	CA*F4961*6D*+TXV	G*E81005C*B*	57,000	41,200	14.5	12.0	1,600	200942090
	CA*F4961*6D*+TXV	G*VC80805C*B*	57,000	41,200	14.5	12.0	1,560	200942182
	CA*F4961*6D*+TXV	G*VC81005C*B*	57,000	41,200	14.5	12.0	1,525	200942247
	CA*F4961*6D*+TXV	G*E80805D*A*	57,000	41,200	14.5	12.0	1,500	200942742
	CA*F4961*6D*+TXV	A*EH800805C*A*	57,000	41,200	14.5	12.0	1,525	200972005
	CA*F4961*6D*+TXV	A*EH800805D*A*	57,000	41,200	14.5	12.0	1,500	200972014
	CA*F4961*6D*+TXV	A*EH801005C*A*	57,000	41,200	14.5	12.0	1,600	200972033
	CA*F4961*6D*+TXV	G*VC961005CNA*	57,000	41,200	14.0	11.7	1,525	201050398
	CA*F4961*6D*+TXV	G*VC961205DNA*	57,000	41,200	14.5	11.8	1,520	201050557
	CA*F4961*6D*+TXV	G*VM971005CNA*	57,000	41,200	14.0	11.7	1,525	201054945
	CA*F4961*6D*+TXV	G*VM971205DNA*	57,000	41,200	14.5	11.8	1,520	201055104
	CA*F4961*6D*+TXV	A*VC961005CNA*	57,000	41,200	14.0	11.7	1,525	201151882
	CA*F4961*6D*+TXV	A*VC961205DNA*	57,000	41,200	14.5	11.8	1,520	201059748
	CA*F4961*6D*+TXV	A*VM971005CNA*	57,000	41,200	14.0	11.7	1,525	201063632
	CA*F4961*6D*+TXV	A*VM971205DNA*	57,000	41,200	14.5	11.8	1,520	201063791
	CA*F4961*6D*+TXV	G*EC961205DNA*	57,000	41,200	14.5	12.0	1,500	201132103
	CA*F4961*6D*+TXV	A*EC961205DNA*	57,000	41,200	14.5	12.0	1,500	201140139
	CA*F4961*6D*+TXV	G*VC80805D*B*	57,000	41,200	14.5	12.0	1,650	201488660
	CAPT4961*4A*	G*VC961005CNA*	57,000	41,200	14.0	11.7	1,525	201050411
	CAPT4961*4A*	G*VC961205DNA*	57,000	41,200	14.5	11.8	1,520	201050571
	CAPT4961*4A*	G*VM971005CNA*	57,000	41,200	14.0	11.7	1,525	201054958
	CAPT4961*4A*	G*VM971205DNA*	57,000	41,200	14.5	11.8	1,520	201055118
	CAPT4961*4A*	A*VC961205DNA*	57,000	41,200	14.5	11.8	1,520	201059762
	CAPT4961*4A*	A*VM971005CNA*	57,000	41,200	14.0	11.7	1,525	201063645
	CAPT4961*4A*	A*VM971205DNA*	57,000	41,200	14.5	11.8	1,520	201063805
	CAPT4961*4A*	G*EC961205DNA*	56,500	40,800	14.0	11.7	1,500	201132112
	CAPT4961*4A*	A*EC961205DNA*	56,500	40,800	14.0	11.7	1,500	201140146
	CHPF4860D6D*	G*E80805C*B*	56,500	40,800	14.0	11.7	1,525	200945278
	CHPF4860D6D*	A*VC80805C*B*	56,500	40,800	14.0	11.7	1,560	200945388
	CHPF4860D6D*	G*VC80805C*B*	56,500	40,800	14.0	11.7	1,560	200945395
	CHPF4860D6D*	A*VC81005C*B*	56,500	40,800	14.0	11.7	1,525	200945437
	CHPF4860D6D*	G*VC81005C*B*	56,500	40,800	14.0	11.7	1,525	200945444
	CHPF4860D6D*	G*E80805D*A*	56,500	40,800	14.0	11.7	1,500	200945751
	CHPF4860D6D*	A*EH800805C*A*	56,500	40,800	14.0	11.7	1,525	200972054
	CHPF4860D6D*	A*EH800805D*A*	56,500	40,800	14.0	11.7	1,500	200972061
	CHPF4860D6D*	G*VC961205DNA*	56,500	40,800	14.0	11.7	1,520	201095655
	CHPF4860D6D*	G*VM971205DNA*	56,500	40,800	14.0	11.7	1,520	201095716

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0611F* (Contd.)	CHPF4860D6D*	A*VC961205DNA*	56,500	40,800	14.0	11.7	1,520	201095771
	CHPF4860D6D*	A*VM971205DNA*	56,500	40,800	14.0	11.7	1,520	201095833
	CHPF4860D6D*	G*EC961205DNA*	56,500	40,800	14.0	11.7	1,500	201172809
	CHPF4860D6D*	A*EC961205DNA*	56,500	40,800	14.0	11.7	1,500	201175239
	CHPF4860D6D*	G*VC80805D*B*	56,500	40,800	14.0	11.7	1,650	201488669
	CHPF4860D6D*+EEP+TXV		57,000	41,200	14.0	11.7	1,545	200942675
	CHPF4860D6D*+MBVC2000*-1A*		56,500	40,800	14.0	11.7	1,620	200945251
	CHPF4860D6D*+MBVC2000*-1A*+TXV		57,000	41,200	14.5	12.0	1,620	200993154
	CHPF4860D6D*+TXV	A*VC80805C*B*	57,000	41,200	14.5	12.0	1,560	200941543
	CHPF4860D6D*+TXV	A*VC81005C*B*	57,000	41,200	14.5	12.0	1,525	200941613
	CHPF4860D6D*+TXV	G*E80805C*B*	57,000	41,200	14.5	12.0	1,525	200942029
	CHPF4860D6D*+TXV	G*E81005C*B*	57,000	41,200	14.5	12.0	1,600	200942136
	CHPF4860D6D*+TXV	G*VC80805C*B*	57,000	41,200	14.5	12.0	1,560	200942215
	CHPF4860D6D*+TXV	G*VC81005C*B*	57,000	41,200	14.5	12.0	1,525	200942284
	CHPF4860D6D*+TXV	G*E80805D*A*	57,000	41,200	14.5	12.0	1,500	200942782
	CHPF4860D6D*+TXV	A*EH800805C*A*	57,000	41,200	14.5	12.0	1,525	200972104
	CHPF4860D6D*+TXV	A*EH800805D*A*	57,000	41,200	14.5	12.0	1,500	200972132
	CHPF4860D6D*+TXV	A*EH801005C*A*	57,000	41,200	14.5	12.0	1,600	200972160
	CHPF4860D6D*+TXV	G*VC961005CNA*	57,000	41,200	14.0	11.7	1,525	201050508
	CHPF4860D6D*+TXV	G*VC961205DNA*	57,000	41,200	14.5	11.8	1,520	201050680
	CHPF4860D6D*+TXV	G*VM971005CNA*	57,000	41,200	14.0	11.7	1,525	201055055
	CHPF4860D6D*+TXV	G*VM971205DNA*	57,000	41,200	14.5	11.8	1,520	201055215
	CHPF4860D6D*+TXV	A*VC961005CNA*	57,000	41,200	14.0	11.7	1,525	201152057
	CHPF4860D6D*+TXV	A*VC961205DNA*	57,000	41,200	14.5	11.8	1,520	201059871
	CHPF4860D6D*+TXV	A*VM971005CNA*	57,000	41,200	14.0	11.7	1,525	201063742
	CHPF4860D6D*+TXV	A*VM971205DNA*	57,000	41,200	14.5	11.8	1,520	201063902
	CHPF4860D6D*+TXV	G*EC961205DNA*	57,000	41,200	14.5	12.0	1,500	201132305
	CHPF4860D6D*+TXV	A*EC961205DNA*	57,000	41,200	14.5	12.0	1,500	201175525
	CHPF4860D6D*+TXV	G*VC80805D*B*	57,000	41,200	14.5	12.0	1,650	201488688
	CSCF4860N6D*	G*E80805C*B*	56,500	40,800	14.0	11.7	1,525	200945285
	CSCF4860N6D*	A*VC80805C*B*	56,500	40,800	14.0	11.7	1,560	200945402
	CSCF4860N6D*	G*VC80805C*B*	56,500	40,800	14.0	11.7	1,560	200945409
	CSCF4860N6D*	A*VC81005C*B*	56,500	40,800	14.0	11.7	1,525	200945451
	CSCF4860N6D*	G*VC81005C*B*	56,500	40,800	14.0	11.7	1,525	200945458
	CSCF4860N6D*	G*E80805D*A*	56,500	40,800	14.0	11.7	1,500	200945758
	CSCF4860N6D*	A*EH800805C*A*	56,500	40,800	14.0	11.7	1,525	200972596
	CSCF4860N6D*	A*EH800805D*A*	56,500	40,800	14.0	11.7	1,500	200972603
	CSCF4860N6D*	G*VC961205DNA*	56,500	40,800	14.0	11.7	1,520	201050725
	CSCF4860N6D*	G*VM971205DNA*	56,500	40,800	14.0	11.7	1,520	201055258
	CSCF4860N6D*	A*VC961205DNA*	56,500	40,800	14.0	11.7	1,520	201059916
	CSCF4860N6D*	A*VM971205DNA*	56,500	40,800	14.0	11.7	1,520	201063927
	CSCF4860N6D*	G*VC80805D*B*	56,500	40,800	14.0	11.7	1,650	201488697
	CSCF4860N6D*+EEP+TXV		57,000	41,200	14.0	11.7	1,545	200942682
	CSCF4860N6D*+MBVC2000*-1A*		56,500	40,800	14.0	11.7	1,620	200945264
	CSCF4860N6D*+MBVC2000*-1A*+TXV		57,000	41,200	14.5	12.0	1,620	200942717
	CSCF4860N6D*+TXV	A*VC80805C*B*	57,000	41,200	14.5	12.0	1,560	200941565
	CSCF4860N6D*+TXV	A*VC81005C*B*	57,000	41,200	14.5	12.0	1,525	200941635
	CSCF4860N6D*+TXV	G*E80805C*B*	57,000	41,200	14.5	12.0	1,525	200942062
	CSCF4860N6D*+TXV	G*E81005C*B*	57,000	41,200	14.5	12.0	1,600	200942161
	CSCF4860N6D*+TXV	G*VC80805C*B*	57,000	41,200	14.5	12.0	1,560	200942238

See Notes on Page 76.

OUTDOOR UNIT	INDOOR UNITS		COOLING RATINGS				CFM	AHRI #
	COILS/AIR HANDLERS	FURNACES	TOTAL ¹	SENS. ¹	SEER ²	EER ³		
GSX16 0611F* (Contd.)	CSCF4860N6D*+TXV	G*VC81005C*B*	57,000	41,200	14.5	12.0	1,525	200942308
	CSCF4860N6D*+TXV	G*E80805D*A*	57,000	41,200	14.5	12.0	1,500	200942806
	CSCF4860N6D*+TXV	A*EH800805C*A*	57,000	41,200	14.5	12.0	1,525	200972640
	CSCF4860N6D*+TXV	A*EH800805D*A*	57,000	41,200	14.5	12.0	1,500	200972661
	CSCF4860N6D*+TXV	A*EH801005C*A*	57,000	41,200	14.5	12.0	1,600	200972682
	CSCF4860N6D*+TXV	G*VC961005CNA*	57,000	41,200	14.0	11.7	1,525	201050542
	CSCF4860N6D*+TXV	G*VC961205DNA*	57,000	41,200	14.5	11.8	1,520	201050716
	CSCF4860N6D*+TXV	G*VM971005CNA*	57,000	41,200	14.0	11.7	1,525	201055089
	CSCF4860N6D*+TXV	G*VM971205DNA*	57,000	41,200	14.5	11.8	1,520	201055249
	CSCF4860N6D*+TXV	A*VC961005CNA*	57,000	41,200	14.0	11.7	1,525	201152270
	CSCF4860N6D*+TXV	A*VC961205DNA*	57,000	41,200	14.5	11.8	1,520	201059907
	CSCF4860N6D*+TXV	A*VM971005CNA*	57,000	41,200	14.0	11.7	1,525	201063776
	CSCF4860N6D*+TXV	A*VM971205DNA*	57,000	41,200	14.5	11.8	1,520	201154048
	CSCF4860N6D*+TXV	G*VC80805D*B*	57,000	41,200	14.5	12.0	1,650	201488704

¹ BTU/h


² Seasonal Energy Efficiency Ratio; Certified per AHRI 210/240 @ 80°F/ 67°F/ 95°F

³ Energy Efficiency Ratio @ 80°F/ 67°F/ 95°F

NOTES

- Always check the S&R plate for electrical data on the unit being installed.
- When matching the outdoor unit to the indoor unit, use the piston supplied with the outdoor unit or that specified on the piston kit chart supplied with the indoor unit.
- EEP - Order from Service Dept. Part No. B13707-38 or new Solid State Board B13707-35S. Part No. B13707-38 is not interchangeable with B13707-35S. The Goodman brand gas furnace contains the EEP cooling time delay.

[illegible]




0140R00015P-C

WARNING

High Voltage: Disconnect all power before servicing or installing this unit. Multiple power sources may be present. Failure to do so may cause property damage, personal injury, or death.

Wiring is subject to change. Always refer to the wiring diagram or the unit for the most up-to-date wiring.




Wiring is subject to change. Always refer to the wiring diagram or the unit for the most up-to-date wiring.



WARNING

High Voltage: Disconnect all power before servicing or installing this unit. Multiple power sources may be present. Failure to do so may cause property damage, personal injury, or death.



ACCESSORIES

MODEL	DESCRIPTION	GSX16 0181F*	GSX16 0241F*	GSX16 0301F*	GSX16 0311A*	GSX16 0361F*	GSX16 0371A*	GSX16 0421F*	GSX16 0481F*	GSX16 0601F*	GSX16 0611F*
ABK-20	Anchor Bracket Kit ^	X	X	X	X	X	X	X	X	X	X
ABK-21	Anchor Bracket Kit ^										
ASC-01	Anti-Short Cycle Kit	X	X	X	X	X	X	X	X	X	X
CSR-U-1	Hard-Start Kit	X	X	X	X	X	X				
CSR-U-2	Hard-start Kit					X	X	X	X	X	X
CSR-U-3	Hard-start Kit								X	X	X
FSK01A ¹	Freeze-Protection Kit	X	X	X	X	X	X	X	X	X	X
LSK02A ²	Liquid-Line Solenoid Kit	X	X	X	X	X	X	X	X	X	X
LAKT01A	Low-Ambient Kit	X	X	X	X	X	X	X	X		X
0130R00000S	Low-Pressure Switch Kit	X	X	X	X	X	X	X	X	X	X
TXV-30 ²	TXV Kit	X	X	X	X						
TXV-42 ²	TXV Kit					X	X	X			
TXV-48 ²	TXV Kit								X		
TXV-60 ²	TXV Kit									X	X

^ Contains 20 brackets; four brackets needed to anchor unit to pad

¹ Installed on indoor coil

² Field-installed, non-bleed, expansion valve kit.

The manufacturing entity reserves the right to discontinue, or change at any time, specifications or designs without notice or without incurring obligations.